Price List

Effective January 1, 2019



Electric & Hybrid Boom Lifts Price List

E300AJ/E300AJP

E300 SERIES

E300AJ	\$80,285
E300AJP JibPLUS°	\$84,540
Accessories:	
Beacon for SkyGuard®	\$1,525

Standard Features:

- Eight 6V 305 Amp-Hour Deep Cycle Batteries
- Brushless AC Motors
- Overall Chassis Width 4 ft (1.22 m)
- 25 x 7 x 12 Solid Non-Marking Tires
- Automatic Traction Control (ATC)
- Platform 30 x 48 in. (.76 x 1.22 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- Horn
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

Individual Options:

Inward Self-Closing Swing Gate	\$500
Platform Worklights	\$790
Mesh to Top Rail-Bolt-on Aluminum	n\$970
Acrylic Console Shield	\$215
1/2 in. Air Line to Platform ¹	\$695
30" x 36" Drop-Bar Platform	\$1,500
Self-Adjusting White Noise Alarm II	.OS\$550
Cylinder Bellows	\$1,500
UL® EE Rating	\$2,500
Flashing Amber Beacon	\$490
Inverter 2	\$4,550
375 AH Batteries	\$505
305 AH AGM Batteries	\$2,465
Tool Tray	\$85
Special Hydraulic Oils	Consult Factory

- 1. Not available on the E300AJP.
- 2. Not available with UL EE Rating.

Note: Some options may increase lead time, and some option combinations may not be available.

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.



Electric & Hybrid Boom Lifts Price List

E400A Narrow E400AJP/E400AJP Narrow M400AJP/M400AJP Narrow

E400 SERIES

E400AJP\$90,685
E400A Narrow\$87,435
E400AJP Narrow
MULTI-POWERED ARTICULATING BOOM LIFTS
M400AJP\$101,810 • Kubota 6 hp Diesel Engine Powered Generator
M400AJP Narrow\$107,625 • Kubota 6 hp Diesel Engine Powered Generator
Package Price Adjustments for E/M400AJP Model: Foam-Filled Tires add \$1,665 Pneumatic (non-marking) Tires add \$1,160
Package Price Adjustments for Narrow Models:30 x 60 in. (.76 x 1.52 m) PlatformN/C
Accessories:\$1,525Beacon for SkyGuard*\$1910Pipe Rack, 180 lb capacity\$910

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 4 ft (1.22 m) Vertical and Lateral Articulating Jib (AJP models only)
- Eight 6V, 370 Amp-Hour Deep Cycle Batteries
- Brushless AC Motors
- Automatic Traction Control (ATC)
- Multiple Function Operation
- Fully Proportional Controls
- Platform 30 x 48 in. (.76 x 1.22 m) Drop Bar, AJP Model
- Platform 30 x 60 in. (.76 x 1.52 m) Drop Bar, Narrow Models
- 180 Degree Hydraulic Platform Rotator
- SCR Automatic Battery Charger
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Horn
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

Individual Options:

Inward Self-Closing Swing Gate\$500
Platform Worklights\$790
Padding for Platform — 4 ft (1.22 m) ¹ \$3,525
Padding for Platform — 5 ft (1.52 m) ¹ \$4,255
Mesh to Top Rail-Bolt-on Aluminum\$970
Acrylic Console Shield\$215
1/2 in. Air Line to Platform ² \$695
30" x 36" Drop-Bar Platform \$1,500
Self-Adjusting White Noise Alarm ILOS\$550
Cylinder Bellows \$1,500
Light Package ³ \$1,690
UL® EE Rating4\$2,500
1200W Inverter ^{4,5} \$4,550
Flashing Amber Beacon\$490
Tool Tray\$85
AGM Batteries, 305 amp-hour
Bolt-On External Fall Arrest System
(36 x 72" or 36 x 96" Platform) ¹ \$3,250
Special Hydraulic OilsConsult Factory

- 1. Requires swing gate.
- 2. Not available on Jib Plus models.
 3. Includes head and tail lights, and platform worklights.
- 4. Not available on Multi-Powered models.
- 5. Not available with UL EE Rating.

Note: Some options may increase lead time, and some option combinations may not be available



Electric & Hybrid Boom Lifts Price List

E450A/E450AJ

E450 SERIES

E450A	\$87,585
E450AJ	\$93,555
MULTI-POWERED ARTICULATING BOOM LIFTS	
M450AJ • Kubota 6 hp Diesel Engine Powered Generator	\$104,840
Accessories:	

Beacon for SkyGuard®\$1,525

Pipe Rack, 180 lb capacity\$910

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- Eight 6V, 370 Amp-Hour Deep Cycle Batteries
- Brushless AC Motors
- Overall Chassis Width 5 ft 9 in. (1.75 m)
- 240 / 55-17.5 Pneumatic Low Profile All-Terrain Tires
- Automatic Traction Control (ATC)
- Multiple Function Operation
- Fully Proportional Controls
- Platform 30 x 60 in. (.76 x 1.52 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- SCR Automatic Battery Charger
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Horn
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard®

Individual Options:

30 x 48 in. (.76 x 1.22 m) Platform	\$500 n)
Fall Arrest Platform 36 x 72 in (.91 x 1.83 m Rear Entry¹ Bolt-On External Fall Arrest System (36 x 72" or 36 x 96" Platform)6 Padding for Platform — 4 ft² Padding for Platform — 5 ft² Soft Touch System²³ Mesh to Top Rail-Bolt-on Aluminum Pipe Rack Acrylic Console Shield 1/2 in. Air Line to Platform 30" x 36" Drop-Bar Platform	1)
Rear Entry¹ Bolt-On External Fall Arrest System (36 x 72" or 36 x 96" Platform)⁶. Padding for Platform — 4 ft². Padding for Platform — 5 ft². Soft Touch System²³. Mesh to Top Rail-Bolt-on Aluminum Pipe Rack Acrylic Console Shield 1/2 in. Air Line to Platform 30" x 36" Drop-Bar Platform	1)
Rear Entry¹ Bolt-On External Fall Arrest System (36 x 72" or 36 x 96" Platform)⁶. Padding for Platform — 4 ft². Padding for Platform — 5 ft². Soft Touch System²³. Mesh to Top Rail-Bolt-on Aluminum Pipe Rack Acrylic Console Shield 1/2 in. Air Line to Platform 30" x 36" Drop-Bar Platform	
(36 x 72" or 36 x 96" Platform)6	\$9,/20
(36 x 72" or 36 x 96" Platform)6	
Padding for Platform—5 ft²	\$3,250
Soft Touch System ^{2,3}	\$3,525
Soft Touch System ^{2,3}	\$4,255
Mesh to Top Rail-Bolt-on Aluminum Pipe Rack Acrylic Console Shield 1/2 in. Air Line to Platform 30" x 36" Drop-Bar Platform	
Pipe Rack	
1/2 in. Air Line to Platform30" x 36" Drop-Bar Platform	
1/2 in. Air Line to Platform30" x 36" Drop-Bar Platform	\$215
30" x 36" Drop-Bar Platform	\$695
Self-Adjusting White Noise Alarm ILOS	\$1,500
Jen riajasting winte woise marin 1205	\$550
Foam-Filled Tires	\$1,665
Non-Marking Pneumatic Tires	\$1,430
Solid Non-Marking Tires	\$4,980
240/55D-17.5 Foam-Filled Non-Marking Tires	s\$3,030
Cylinder Bellows	\$1,500
UL® EE Rating4	\$2,500
1200W Inverter 4	\$4,550
Light Package ⁵	\$1,690
Platform Worklights	\$790
Flashing Amber Beacon	
Tool Tray	\$85
AGM Batteries, 305 amp-hour	\$2,985
Special Hydraulic OilsConsu	

- 1. Requires foam-filled or solid tires. Not available with work lights, airline or pipe rack.

 2. Requires swing gate.
- Only available on E/M45OA with 72" platform. Not available on EE units.
- 4. Not available on Multi-Powered models.
 5. Includes head and tail lights, and platform worklights.
- 6. Self-Closing Swing Gate Required

Note: Some options may increase lead time, and some option combinations may not be available.



E600 SERIES

	E600J	E600JP
Package 1 (2WD Electric)	. \$151,005 .	\$155,935
	M600J	M600JP
Package 2 (2WD Generator Set) •45 Amp, 6 hp Kubota Diesel — Generator Set	. \$162,290 .	\$167,220
	E600J	E600JP
Package 3 (AWD Electric)	. \$156,995 .	\$161,925
	M600J	M600JP
Package 4 (AWD Generator Set) •45 Amp, 6 hp Kubota Diesel — Generator Set	.\$168,280 .	\$173,210
Accessories: Beacon for SkyGuard*		\$1,525

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- 6 ft (1.83 m) Articulating Jib
- 6 ft (1.83 m) Vertical and Lateral Articulating Jib (E600JP Only)
- Platform 30 x 72 in. (.76 x 1.83 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC GFI Receptacle in Platform
- •Tilt Light and Alarm
- Hourmeter
- Battery Condition Indicator
- Lifting/Tie Down Lugs
- •14 x 22.5 Non-Marking Pneumatic Tires
- 400 Degree Non-Continuous Rotation
- Removable Battery Box
- Oscillating Axle
- Manual Descent
- Automatic Traction Control (ATC)
- SCR Automatic Battery Charger
- All Motion Alarm
- Telematics-Ready Harness
- SkyGuard°

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

30 x 48 in. (.76 x 1.22 m) Platform	N/C
Inward Self-Closing Swing Gate	
Tri-Entry Platform 36 x 72 in (.91 x 1.	83 m) \$500
Fall Arrest Platform 36 x 72 in (.91 x	1.83 m) Rear
Entry ¹	
Bolt-On External Fall Arrest System	
(36 x 72" or 36 x 96" Platform) ⁸	\$3,250
Mesh to Top Rail-Bolt-on Aluminum	
Soft Touch System (E/M600J only) 6	ft ² \$7,295
Platform Padding (30 x 72 in. platform	rm) ² \$4,255
1/2 in. Airline to Platform	\$695
30" x 36" Drop-Bar Platform	\$1,500
Self-Adjusting White Noise Alarm IL	OS\$550
Foam-Filled Tires	\$4,245
1200W Inverter	
Hostile Environment Kit ³	\$2,925
UL® EE Rating4	
Tow Package ⁵	\$5,290
Light Package ⁶	
Platform Worklights	\$790
Flashing Amber Beacon	
Cold Weather Start Kit for Package	
Tool Tray	
AGM Batteries, 390 amp-hour	\$4,435
Special Hydraulic Oils	
. ,	

- 1. Not available on Jib Plus models. Requires foam-filled tires.
- 2. Requires swing gate.
- Includes console cover, boom wipers and cylinder bellows.
- 4. Not available on Multi-Powered models.
- 5. 2WD only.
- 6. Includes head and tail lights, and platform worklights.
- Includes battery blanket, hydraulic tank heater, engine block heater pad.
- 8. Self-Closing Swing Gate Required

Note: Some options may increase lead time, and some option combinations may not be available.



Electric & Hybrid Boom Lifts Price List

H340AJ

H340A J

Package 4 (4WD Hybrid)	\$103,875
• Kubota Z482 11.1 hp / 8 x 12V, 100-amp hour AGM Batteries	
Accessories:	List Price
Beacon for SkyGuard®	

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

H340AJ

- •4 ft (1.22 m) Articulating Jib
- 355 Degree Non-Continuous Swing
- Platform 30 x 60 in. (.76 x 1.22 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Lug Tread Pneumatic Tires
- Swing-Out Engine Tray
- Gull-Wing Steel Turntable Hoods
- 12V-DC Auxiliary Power
- Telematics-Ready Harness
- Hourmeter
- Electric AC Drive
- Control ADE® System
- Proportional Controls
- Lifting/Tie Down Lugs
- Horn
- Cast Aluminum Control Box
- Oscillating Axle
- Glow Plugs (diesel engines)
- All Motion Alarm
- SkyGuard®

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status.

Individual Options:

30 x 48 in. (.76 x 1.22 m) Platform	N/C
Self-Closing Swing Gate	\$500
Mesh to Top Rail-Bolt-on Aluminu	ım\$970
1/2 in. Air Line to Platform	\$695
30" x 36" Drop-Bar Platform	\$1,500
Self-Adjusting White Noise Alarm	ILOS\$550
Inverter	\$3,750
Hot Climate Package	\$375
Foam-Filled Lug Tires	
Non-Marking Pneumatic Tires	\$835
Non-Marking Foam-Filled Tires	\$2,445
7 x 18 Solid Cushion Lug Tread Tire	es \$1,775
7 x 18 Non-marking	
Solid Cushion Lug Tread Tires	\$2,850
Cold Weather Start Kit ¹	
Hostile Environment Kit ²	\$2,925
Chassis Illumination Lights	\$510
Platform Worklights	
Flashing Amber Beacon	\$490
Head and Tail Lights	\$900
Light Package ³	\$1,690
Tool Tray	\$85
Special Hydraulic Oils	Consult Factory

1. Includes battery blanket, hydraulic tank heater, and block heater.

- 2. Includes console cover, boom wipers and cylinder bellows.
- Includes console cover, booth wipers and cylinder being
 Includes head and tail lights and platform worklights.

Note: Some options may increase lead time, and some option combinations may not be available.



H800AJ

	0
Package 2 <i>(2WD Hybrid)</i>	3,760
Package 4 (4WD Hybrid)	,725
Accessories:	
SkyPower® Package¹	.\$8,930
SkyWelder* Package ²	
Pipe Rack ³	
SkyGlazier* Package4	
SkyCutter® Packages	
Beacon for SkyGuard®	
Welder Ready Package ⁶	\$580
Weld Leads, Turntable to Platform (N/A with SkyPower* or Airline)	. \$2,475
 Includes 7500W generator, power cable to platform. Includes 280 amp Miller' welder in the platform, leads, clamp, stinger, and fire extinguisher. Requires SkyPower'. Platform mounted —180 lb (80 kg) capacity. 	

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.

4. Glass and panel tray with strap, 250 lb capacity (800A only).

6. Includes fire extinguisher and welder bracket.

5. Includes Miller® Plasma Cutter mounted in platform, Requires SkyPower®,

• In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.



Standard Features:

- 6 ft (1.83 m) Articulating Jib
- Platform 36 x 96 in. (.91 x 2.44 m) Side Entry
- 180 Degree Hydraulic Platform Rotator
- Platform Console Machine Status Light Panel*
- 110V-AC Receptacle in Platform
- Tilt Light and Alarm
- Rim Protector Lug Tread Tires
- Swing-Out Engine Tray
- Gull-Wing Engine Hood
- •12V-DC Auxiliary Power
- Hourmeter

I AOORH

- Hydrostatic Drive
- Proportional Controls
- Control ADE® System
- Lifting/Tie Down Lugs
- Telematics-Ready Harness
- Glow Plugs
- Oscillating Axle
- All Motion Alarm
- SkvGuard°
- Automatic Engine Start/Stop
- Hybrid- or Electric-Only Mode

*Provides indicator lights at platform control console for system distress, low fuel, 5 degree tilt light, and foot switch status

Individual Options:

36 x 72 in. (.91 x 1.83 m) Platform	N/C
Inward Self-Closing Swing Gate	\$500
Tri-Entry Platform with Swing Gate	
(36 x 72" or 36 x 96")	\$500
Fall Arrest Platform 36 x 96 in. (.91 x 2.44 m)	
Rear Entry	\$9,720
Mesh to Top Rail-Bolt-on Aluminum 6 ft	\$970
Mesh to Top Rail-Bolt-on Aluminum 8 ft	.\$1,225
Soft Touch System	. \$7,815
Cold Weather Start Kit ⁷	\$1,665
Hostile Environment Kit ⁸	\$2,925
Light Package ⁹	\$1,690
Foam-Filled 15-625 Tires ¹⁰	\$4,570
Foam Filled Non-Marking Tires	
Platform Worklights	\$790
Flashing Amber Beacon	\$490
1/2 in. Airline to Platform	\$695
30" x 36" Drop-Bar Platform	\$1,500
Self-Adjusting White Noise Alarm ILOS	\$550
Tow Package	\$5,290
Tool Tray	\$85
Bolt-On External Fall Arrest System	
(36 x 72" or 36 x 96" Platform) ¹¹	\$3,250
Special Hydraulic OilsConsult	Factory

7. Includes engine block heater, battery heater, oil tank heater.

8. Includes console cover, boom wipers and cylinder bellows.

9. Includes head and tail lights, and platform worklights.

10. Foam-filled tires may not be replaced with pneumatic.

Note: Some options may increase lead time, and some option combinations may not be available

11. Self-Closing Swing Gate Required