Price List

Effective January 1, 2019



Scissor Lift Price List

1930ES/2032ES/2632ES/2646ES/3246ES

ES SERIES

1930ES	\$20,880
2032ES	\$24,050
2632ES	\$28,675
2646ES	\$29,400
3246ES	\$37,285

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- Proportional Controls
- Industry Leading Duty Cycles
- Drywall Gate¹
- Battery Condition Indicator
- 110V-AC Receptacle in Platform
- Fold-Down Handrails²
- Automatic Traction Control (ATC)
- •20 Amp Automatic SCR Charger
- Slide-Out Battery Trays
- All Motion Alarm
- Horn
- Hourmeter
- Manual Descent Pull Cable
- 36 in. (.91 m) Roll-Out Deck Extension³
- 50 in. (1.27 m) Roll-Out Deck Extension⁴
- Moveable, Removable Platform Control Console with Rail Mounting Bracket
- Lanyard Attach Points
- Lubrication Free Scissor Arm Bushings
- Scissor Maintenance Prop
- Mechanized Pothole Protection
- Powder-Coated
- Nickel Plated Pins
- Machine Tie Downs
- Fork Lift Pockets, Lift from Side and Rear
- Four 6V, 220 Amp-Hour Deep Cycle Batteries
- •Tilt Alarm and Light
- Telematics-Ready Harness
- 1. Not included on 1930ES.
- 2. Optional on 1930ES. Soft Touch not available on 1930 when equipped with fold-down rails.
- 3. Only included on 1930ES, 2032ES, and 2632ES.
- 4. Only included on 2646ES and 3246ES.

Individual Options:

Self-Closing Gate	\$255
Flashing Amber Beacon	\$490
245 Amp-Hour Batteries ⁵	\$400
900W Inverter	\$1,250
Lifting Lugs	\$195
UL® EE Rating	\$685
Platform Padding	\$2,090
Proximity Switches (2646ES/3246ES)	\$2,560
Eagle Performance Charger	\$325
Soft Touch Package (Platform Padding + Proximity Switches).	\$3 985
1/2 in. Airline	
Platform Worklights ⁶	
220 Amp-Hour AGM Batteries	
Fire Extinguisher	
Folding Rails with Self-Closing Gate (1930E	S)\$530
White Noise Alarm	\$415
Special Hydraulic OilsCons	sult Factory
Pipe Racks ⁵	
Panel Carrier ⁵	\$1,340

Note: Some options may increase lead time, and some option combinations may not be available.

5. Not available on 1930ES.



LE SERIES — LARGE ELECTRIC

	3369LE
Package 1	\$61,700
Package 2 (M3369—Multi Power)	\$75,140
Package 4	\$79,730
	4069LE
Package 1	\$73,580
Package 1 Package 2 (M4069 – Multi Power) • JLG QuikCharge GenSet	

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B) factory.
- $\bullet \ \ \text{Machine loading hours are E.S.T., Monday through Friday, except holidays.}$
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).

The JLG "1 & 5" Warranty

We provide coverage for one (1) full year, and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. This machine meets or exceeds applicable ANSI and CSA requirements based on machine configuration as originally manufactured for intended applications. Please reference the serial number plate on the machine for additional information. All prices are in U.S. dollars.

Standard Features:

- Proportional Direct DC Electric Drive
- Proportional Lift Up
- •110V-AC Receptacle in Platform
- •65 x 115 in. (1.65 x 2.92 m) Work Platform
- Full-Time Automatic Traction Control (ATC)
- Oscillating Axle
- 240/55 17.5 Foam-Filled Non-Marking Tires
- •8 x 6V, 370 Amp-Hour Batteries
- Overall Dimensions: 5 ft 9 in. (1.75 m) — Width 10 ft 2 in. (3.1 m) — Length
- •3 ft (.91 m) Roll-Out Deck Extension
- On-Board Diagnostics with Common JLG Analyzer
- Fold-Down Hand Rails
- Moveable, Removable Platform Console Box
- •23 Amp Automatic, SCR Battery Charger
- Battery Charge Indicator in Platform
- Tilt Light and Alarm
- Descent Alarm
- All Motion Alarm
- Manual Descent
- Horn
- Hourmeter
- •Tie Down Lugs
- Telematics-Ready Harness

Individual Options:

Hydraulic Leveling Jacks	\$10,085
110V-AC 1,200W Power Pack Inverte	er ¹ \$4,550
Foam-Filled Rubber Tires	NC
Foam-Filled Sand/Turf Tires	\$2,550
Platform Worklights	\$805
Flashing Amber Beacon	\$490
Self-Closing Entry Gate	\$390
1/2" Airline	\$685
Top Rail Padding	\$2,090
Rail and Deck Padding	\$4,255
Lockable Fuel Cap	\$305
390 Amp-Hour Maintenance Free	
AGM Batteries	\$5,660
Special Hydraulic Oils	Consult Factory

1. Not available on Multi-Powered models.

Note: Some options may increase lead time, and some option combinations may not be available.

