

Price List

Effective January 1, 2020



JLG® Compact Telehandlers Price List

G5-18A

G5-18A

5,500 lb Capacity - 18 ft 4 in. Lift Height

Package 2 **\$101,370**

- All Standard Equipment

Package 4 **\$106,270**

- Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater and Defroster Fan, Tilt Steering Wheel)
- All Standard Equipment

Package Price Adjustments:

| | |
|---|---------|
| Foam-Filled Tires 12 x 16.5 | \$2,280 |
| Pneumatic Tires 14 x 17.5 | \$1,235 |
| Foam-Filled Tires 14 x 17.5 | \$3,000 |
| Non-marking Solid Tires 33 x 12 | \$4,725 |
| Pneumatic Agriculture Tires 10.5 x 18 | \$1,275 |
| Turf Tires 33 x 16 | \$1,985 |

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$3,940 |
| Tilt Steering (open cab) | \$460 |
| Universal Skid Steer Coupler | \$1,955 |
| Special Paint (unleaded) One Color Only | \$1,590 |
| Reversing Fan | \$565 |
| Operator Confidence Package (Reversing Camera & Reverse Sensing System) | \$2,875 |
| Reversing Camera System | \$2,040 |

Standard Features:

- Deutz TD 2.9 L4 74 hp Diesel Engine
- Hydrostatic Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Three Steering Modes
- Wet Disc Service Brakes
- 12 X 16.5 Tires
- Adjustable Suspension Seat
- Certified ROPS/FOPS Structure
- Mechanical Quick Switch
- Backup Alarm
- Glow Plugs
- Variable Speed Fan
- Auxiliary Hydraulics
- Open Cab
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

JLG® Compact Telehandlers Price List

G5-18A

G5-18A

5,500 lb Capacity - 18 ft 4 in. Lift Height

Accessories:

| | |
|--|---------|
| Engine Block Heater | \$230 |
| Work Light Package (Cab – Two Front, Two Rear; Two Boom, Rotating Beacon) | \$1,245 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$1,990 |
| Fixed Drawbar Type Hitch | \$480 |
| Battery Disconnect Switch | \$345 |
| Brick Guard (top and front) | \$2,220 |
| Air Intake Pre-Cleaner | \$95 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$855 |

Attachments:

| | |
|--|---------|
| Standard Carriage, 50 in. ¹ | \$1,910 |
| Side-Tilt Carriage, 48 in. ¹ | \$5,255 |
| Side Shifting Carriage, 48 in. ¹ | \$7,055 |
| Dual Fork Positioning Carriage, 48 in. (forks not included) ^{1,2} | \$7,680 |
| Dual Bailing Tine Carriage, 48 in. ¹ | \$1,935 |
| Pallet Forks (2) 2 x 4 x 48 in. (3,800 lb max. capacity – each) | \$1,370 |
| Light Material Bucket, 72 in. 1.7 cu yd. | \$4,880 |
| General Purpose Bucket, 73 in. 1.0 cu yd (2,940 lb max. capacity – each) | \$3,510 |
| Grapple Bucket, 72 in. 1.0 cu yd (2,500 lb max. capacity) | \$8,100 |
| Fork-Mounted Work Platform 8 ft (1,000 lb max. capacity) ² | \$3,240 |
| Coupler Mounted Auger ¹ | \$6,165 |
| Auger Bits: | |
| 6 in. Bit | \$415 |
| 9 in. Bit | \$600 |
| 12 in. Bit | \$700 |
| 15 in. Bit | \$910 |
| 18 in. Bit | \$1,145 |
| Universal Skid Steer Adapter ³ | \$3,050 |

1. Available for both standard & universal skid steer coupler.

2. 48 inch forks only.

3. Non-load bearing attachments only.

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*



742

7,000 lb Capacity - 42 ft Lift Height

Package 2 **\$147,240**

- All Standard Equipment

Package 4 **\$151,840**

- Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater)
- All Standard Equipment

Package Price Adjustments:

| | |
|---|----------------|
| Foam-Filled Tires 370/75-28 | \$5,735 |
| Pneumatic Tires 13.00 x 24-16PR | deduct \$1,000 |
| Foam-Filled Tires 13.00 x 24-12PR | \$4,150 |
| Continental Telemaster™ Solid Tires 315/95-28 | \$12,475 |
| Non-Marking Pneumatic Tires 370/75-28 | \$1,065 |
| Non-Marking Foam-Filled Tires 370/75-28 | \$6,790 |

Special Options (Build-to-Order Only):

| | |
|--|---------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler) | \$1,955 |
| Ride Control | \$2,195 |
| Special Paint (unleaded) One Color Only | \$1,640 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Cummins QSF 3.8L 110 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Deutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

742

7,000 lb Capacity - 42 ft Lift Height

Accessories:

| | |
|--|---------|
| LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| Brick Guard (top and front) | \$3,125 |
| Arctic Package ¹ | \$7,825 |
| Wiper Package ² (Skylight and Rear Wiper) | \$1,170 |
| White Noise Back-up Alarm | \$210 |
| Padlockable Tool Box ³ | \$480 |
| Wheel Chocks ⁴ | \$315 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|--|----------|
| Standard Carriage, 50 in. | \$1,910 |
| Standard Carriage, 60 in. | \$2,245 |
| Standard Carriage, 72 in. | \$3,260 |
| Side-Tilt Carriage, 50 in. | \$4,630 |
| Side-Tilt Carriage, 60 in. | \$5,070 |
| Side-Tilt Carriage, 72 in. | \$5,850 |
| Swing Carriage, 72 in. 90 degrees | \$7,975 |
| Side-Shift Carriage, 48 in. | \$7,795 |
| Dual Fork Positioning Carriage, 50 in. (includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks) | \$7,325 |
| Tower, 8 ft with 50 in. Side-Tilt Carriage ⁵ (4,500 lb max. capacity) | \$14,770 |
| Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each) | \$1,370 |
| Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each) | \$1,465 |
| Lumber Forks (2) 2 x 6 x 72 in. (6,610 lb max. capacity – each) | \$2,300 |
| Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each) | \$2,750 |
| Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each) | \$2,010 |
| Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each) | \$2,215 |
| Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity) | \$3,510 |
| Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity) | \$3,980 |
| Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity) | \$5,235 |
| Fork-Mounted Extendable Truss | \$3,760 |
| Truss Boom, 12 ft (2,000 lb max. capacity) | \$2,885 |
| Truss Boom, 15 ft (2,000 lb max. capacity) | \$3,355 |
| Truss Boom, 12 ft with Winch (2,000 lb max. capacity) | \$12,040 |
| Truss Boom, 3 ft with Winch (4,000 lb max. capacity) | \$10,400 |
| Fork-Mounted Work Platform ⁶ , 8 ft (1,000 lb max. capacity) | \$3,240 |
| Lifting Hook, Coupler mounted | \$2,560 |
| Lifting Hook, Fork mounted | \$2,090 |
| Sheet Material Handler ⁵ | \$28,635 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.
2. Enclosed cab only.
3. Not available with wheel chocks
4. Not available with toolbox.
5. Requires auxiliary electrics.
6. 48 in. forks only.

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*

Serial Number break for common attachments: 0160037722

943

9,000 lb Capacity - 43 ft Lift Height

Package 2 **\$174,920**

- All Standard Equipment

Package 4 **\$179,520**

- Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater)
- All Standard Equipment

Package Price Adjustments:

| | |
|---|----------------|
| Foam-Filled Tires 370/75-28 | \$5,735 |
| Pneumatic Tires 14.00 x 24-16PR | deduct \$1,000 |
| Foam-Filled Tires 14.00 x 24-12PR | \$4,910 |
| Continental Telemaster™ Solid Tires 315/95-28 | \$12,475 |
| Non-Marking Pneumatic Tires 370/75-28 | \$1,065 |
| Non-Marking Foam-Filled Tires 370/75-28 | \$6,790 |

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler) | \$1,955 |
| Ride Control | \$2,195 |
| Special Paint (unleaded) One Color Only | \$1,640 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) .. | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Cummins QSF 3.8L 110 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 370/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

943

9,000 lb Capacity - 43 ft Lift Height

Accessories:

| | |
|--|---------|
| LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| Brick Guard (top and front) | \$3,125 |
| Arctic Package ¹ | \$7,825 |
| Wiper Package ² (skylight and rear wiper) | \$1,170 |
| White Noise Back-up Alarm | \$210 |
| Padlockable Tool Box ³ | \$480 |
| Wheel Chocks ⁴ | \$315 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|--|----------|
| Standard Carriage, 50 in. | \$1,910 |
| Standard Carriage, 60 in. | \$2,245 |
| Standard Carriage, 72 in. | \$3,260 |
| Side-Tilt Carriage, 50 in. | \$4,630 |
| Side-Tilt Carriage, 60 in. | \$5,070 |
| Side-Tilt Carriage, 72 in. | \$5,850 |
| Swing Carriage, 72 in. 90 degrees | \$7,975 |
| Side-Shift Carriage, 48 in. | \$7,795 |
| Dual Fork Positioning Carriage, 50 in. (Includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks) | \$7,325 |
| Tower, 8 ft with 50 in. Side-Tilt Carriage ⁵ (4,500 lb max. capacity) | \$14,770 |
| Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each) | \$1,370 |
| Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each) | \$1,465 |
| Lumber Forks (2) 2 x 6 x 72 in. (6,610 lb max. capacity – each) | \$2,300 |
| Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each) | \$2,750 |
| Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each) | \$2,010 |
| Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each) | \$2,215 |
| Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity) | \$3,510 |
| Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity) | \$3,980 |
| Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity) | \$5,235 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity) | \$3,760 |
| Truss Boom, 12 ft (2,000 lb max. capacity) | \$2,885 |
| Truss Boom, 15 ft (2,000 lb max. capacity) | \$3,355 |
| Truss Boom, 12 ft with Winch (2,000 lb max. capacity) | \$12,040 |
| Truss Boom, 3 ft with Winch (4,000 lb max. capacity) | \$10,400 |
| Fork-Mounted Work Platform ⁶ , 8 ft (1,000 lb max. capacity) | \$3,240 |
| Lifting Hook, Coupler mounted | \$2,560 |
| Lifting Hook, Fork mounted | \$2,090 |
| Sheet Material Handler ⁵ | \$28,635 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.
2. Enclosed cab only.
3. Not available with wheel chocks
4. Not available with toolbox.
5. Requires auxiliary electrics.
6. 48 in. forks only.

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*

Serial Number break for common attachments: 0160037671

1043

10,000 lb Capacity - 43 ft Lift Height

Package 2 \$190,920

- All Standard Equipment

Package 4 \$195,520

- Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater)
- All Standard Equipment

Package Price Adjustments:

| | |
|---|----------------|
| Foam-Filled Tires 400/75-28 | \$7,450 |
| Pneumatic Tires 14.00 x 24-16PR | deduct \$1,000 |
| Foam-Filled 14.00 x 24-12PR | \$4,910 |
| Continental Telemaster™ Solid Tires 360/85-28 | \$13,355 |
| Non-Marking Pneumatic Tires 400/75-28 | \$2,925 |
| Non-Marking Foam-Filled Tires 400/75-28 | \$8,885 |

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler) | \$1,955 |
| Ride Control | \$2,195 |
| Special Paint (unleaded) One Color Only | \$1,640 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) .. | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Cummins QSF 3.8L 110 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

1043

10,000 lb Capacity - 43 ft Lift Height

Accessories:

| | |
|--|---------|
| LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| Brick Guard (top and front) | \$3,125 |
| Arctic Package ¹ | \$7,825 |
| Wiper Package ² (skylight and rear wiper) | \$1,170 |
| White Noise Back-up Alarm | \$210 |
| Padlockable Tool Box ³ | \$480 |
| Wheel Chocks ⁴ | \$315 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|--|----------|
| Standard Carriage, 50 in. | \$1,910 |
| Standard Carriage, 60 in. | \$2,245 |
| Standard Carriage, 72 in. | \$3,260 |
| Side-Tilt Carriage, 50 in. | \$4,630 |
| Side-Tilt Carriage, 60 in. | \$5,070 |
| Side-Tilt Carriage, 72 in. | \$5,850 |
| Swing Carriage, 72 in. 90 degrees | \$7,975 |
| Side-Shift Carriage, 48 in. | \$7,795 |
| Dual Fork Positioning Carriage, 50 in. (includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks) | \$7,325 |
| Tower, 8 ft with 50 in. Side-Tilt Carriage ⁵ (4,500 lb max. capacity) | \$14,770 |
| Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each) | \$1,370 |
| Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each) | \$1,465 |
| Lumber Forks (2) 2 x 6 x 72 in. (6,610 lb max. capacity – each) | \$2,300 |
| Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each) | \$2,750 |
| Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each) | \$2,010 |
| Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each) | \$2,215 |
| Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity) | \$3,510 |
| Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity) | \$3,980 |
| Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity) | \$5,235 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity) | \$3,760 |
| Truss Boom, 12 ft (2,000 lb max. capacity) | \$2,885 |
| Truss Boom, 15 ft (2,000 lb max. capacity) | \$3,355 |
| Truss Boom, 12 ft with Winch (2,000 lb max. capacity) | \$12,040 |
| Truss Boom, 3 ft with Winch (4,000 lb max. capacity) | \$10,400 |
| Fork-Mounted Work Platform ⁶ , 8 ft (1,000 lb max. capacity) | \$3,240 |
| Lifting Hook, Coupler mounted | \$2,560 |
| Lifting Hook, Fork mounted | \$2,090 |
| Sheet Material Handler ⁵ | \$28,635 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.

2. Enclosed cab only.

3. Not available with wheel chocks

4. Not available with toolbox.

5. Requires auxiliary electrics.

6. 48 in. forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

1055

10,000 lb Capacity - 55 ft Lift Height

Package 2\$220,980

- All Standard Equipment

Package 4\$225,580

- Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater)
- All Standard Equipment

Package Price Adjustments:

| | |
|---|----------------|
| Foam-Filled Tires 400/75-28 | \$7,450 |
| Pneumatic Tires 14.00 x 24-16PR | deduct \$1,000 |
| Foam-Filled Tires 14.00 x 24-12PR | \$4,910 |
| Continental Telemaster™ Solid Tires 360/85-28 | \$13,355 |
| Non-Marking Pneumatic Tires 400/75-28 | \$2,925 |
| Non-Marking Foam-Filled Tires 400/75-28 | \$8,885 |

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler) | \$1,955 |
| Ride Control | \$2,195 |
| Special Paint (unleaded) One Color Only | \$1,640 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) .. | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Cummins QSF 3.8L 130 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

1055

10,000 lb Capacity - 55 ft Lift Height

Accessories:

| | |
|--|---------|
| LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| Brick Guard (top and front) | \$3,125 |
| Arctic Package ¹ | \$7,825 |
| Wiper Package ² (skylight and rear wiper) | \$1,170 |
| White Noise Back-up Alarm | \$210 |
| Padlockable Tool Box ³ | \$480 |
| Wheel Chocks ⁴ | \$315 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|---|----------|
| Standard Carriage, 50 in. | \$1,910 |
| Standard Carriage, 60 in. | \$2,245 |
| Standard Carriage, 72 in. | \$3,260 |
| Side-Tilt Carriage, 50 in. | \$4,630 |
| Side-Tilt Carriage, 60 in. | \$5,070 |
| Side-Tilt Carriage, 72 in. | \$5,850 |
| Swing Carriage, 72 in. 90 degrees | \$7,975 |
| Swing Carriage, 72 in. 180 degrees (8,000 lb max. capacity) | \$17,900 |
| Side-Shift Carriage, 48 in. | \$7,795 |
| Dual Fork Positioning Carriage, 50 in. (includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks) | \$7,325 |
| Tower, 8 ft with 50 in. Side-Tilt Carriage ⁵ (4,500 lb max. capacity) | \$14,770 |
| Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each) | \$1,370 |
| Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each) | \$1,465 |
| Lumber Forks (2) 2 x 6 x 72 in. (6,610 lb max. capacity – each) | \$2,300 |
| Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each) | \$2,750 |
| Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each) | \$2,010 |
| Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each) | \$2,215 |
| Pipe Grapple, 72 in. (6,000 lb max. capacity) | \$14,665 |
| Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity) | \$3,510 |
| Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity) | \$3,980 |
| Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity) | \$5,235 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity) | \$3,760 |
| Truss Boom, 12 ft (2,000 lb max. capacity) | \$2,885 |
| Truss Boom, 15 ft (2,000 lb max. capacity) | \$3,355 |
| Truss Boom, 12 ft with Winch (2,000 lb max. capacity) | \$12,040 |
| Truss Boom, 3 ft with Winch (4,000 lb max. capacity) | \$10,400 |
| Fork-Mounted Work Platform ⁶ , 8 ft (1,000 lb max. capacity) | \$3,240 |
| Lifting Hook, Coupler mounted | \$2,560 |
| Lifting Hook, Fork mounted | \$2,090 |
| Sheet Material Handler ⁵ | \$28,635 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.

2. Enclosed cab only.

3. Not available with wheel chocks

4. Not available with toolbox.

5. Requires auxiliary electrics.

6. 48 in. forks only.

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*

Serial Number break for common attachments: 0160037690

1075

10,000 lb Capacity - 75 ft Lift Height

Package 4 \$430,000

- Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater, Floor Mat)
- All Standard Equipment

Special Options (Build-to-Order Only):

| | |
|---|----------|
| Air Conditioning | \$4,870 |
| Special Paint (unleaded) One Color Only | \$1,640 |
| Hydraulic Coupler | \$3,440 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) ... | \$4,470 |
| SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coupler) . | \$12,790 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Auxiliary Hydraulics
- Cummins QSF 3.8L 130 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Foam-Filled Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- Auxiliary Electrics
- Right Side Electronic Mirror
- Longitudinal Stability Indicator System (LSI)
- Ride Control & Boom Float

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

JLG® Telehandlers Price List

1075

1075

10,000 lb Capacity - 75 ft Lift Height

Accessories:

| | |
|---|---------|
| LED Work Lights Package (Cab — Two Front, Two Rear, Four Boom, Rotating Beacon)..... | \$1,325 |
| LED Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders)..... | \$5,015 |
| Roof Wiper | \$525 |
| Brick Guards (top and front)..... | \$3,125 |
| Arctic Package ¹ | \$7,825 |
| White Noise Back Up Alarm..... | \$210 |
| Air Suspension Seat | \$575 |
| Premium Heated Air Suspension Seat | \$1,255 |
| Positive Air Shut Off | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|--|----------|
| Standard Carriage, 50 in..... | \$1,910 |
| Standard Carriage, 60 in..... | \$2,245 |
| Standard Carriage, 72 in..... | \$3,260 |
| Side-Tilt Carriage, 50 in..... | \$4,630 |
| Side-Tilt Carriage, 60 in..... | \$5,070 |
| Side-Tilt Carriage, 72 in..... | \$5,850 |
| Swing Carriage, 72 in. 90 degrees | \$7,975 |
| Swing Carriage, 72 in. 180 degrees (8,000 lb max. capacity) | \$17,900 |
| Side-Shift Carriage, 48 in..... | \$7,795 |
| Dual Fork Positioning Carriage, 50 in. (includes 2.36 x 4 x 48 in. or 2.36 x 4 x 60 in. forks) | \$7,325 |
| Pallet Forks (2) 2.36 x 4 x 48 in. (5,475 lb max. capacity – each) | \$1,370 |
| Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity – each)..... | \$1,465 |
| Lumber Forks (2) 2 x 6 x 72 in. (6,610 lb max. capacity – each) | \$2,300 |
| Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity – each)..... | \$2,750 |
| Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity – each) | \$2,010 |
| Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity – each)..... | \$2,215 |
| Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity) | \$3,510 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity)..... | \$3,760 |
| Fork-Mounted Work Platform ² , 8 ft (1,000 lb max. capacity) | \$3,240 |
| Sheet Material Handler | \$28,635 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.
2. 48 in. forks only.

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*

Serial Number break for common attachments: 0160037690



JLG® Telehandlers Price List

1255

1255

12,000 lb Capacity - 55 ft Lift Height

Package 2 **\$240,280**

- All Standard Equipment

Package 4 **\$244,880**

- Enclosed Cab (Door, Safety Glass Windows, Front Wiper, Heater)
- All Standard Equipment

Package Price Adjustments:

| | |
|---|----------------|
| Foam-Filled Tires 400/75-28 | \$7,450 |
| Pneumatic Tires 17.5 x 25-16PR | deduct \$1,000 |
| Foam-Filled 17.5 x 25-12PR | \$6,720 |
| Continental Telemaster™ Solid Tires 360/85-28 | \$13,355 |
| Non-Marking Pneumatic Tires 400/75-28 | \$2,925 |
| Non-Marking Foam-Filled Tires 400/75-28 | \$8,885 |

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler) | \$1,955 |
| Ride Control | \$2,195 |
| Special Paint (unleaded) One Color Only | \$1,640 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) .. | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Cummins QSF 3.8L 130 hp
- 4-Speed Powershift Transmission with Planetary Drive Axle
- ±10 degrees Frame Leveling
- 4-Wheel Steering
- 4-Wheel Drive
- Wet Disc Service Brakes
- Park Brake with Indicator Light
- 400/75-28 Duraforce Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Backup Alarm
- Air Intake Heater and Engine Block Heater
- Open Cab
- Auxiliary Hydraulics
- Single Joystick Proportional Controls
- Carriage Tilt and Declutch on Joystick
- Three Steering Modes
- Integrated Tow Hitch
- Integrated Arm Rest
- Battery Disconnect
- Anti-Theft
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug
- Precision Gravity Lowering System
- SmartShift

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

1255

12,000 lb Capacity • 55 ft Lift Height

Accessories:

| | |
|--|---------|
| LED Work Light Package (Two Boom and Four Cab Mounted Lights, Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| Brick Guard (top and front) | \$3,125 |
| Arctic Package ¹ | \$7,825 |
| Wiper Package ² (skylight and rear wiper) | \$1,170 |
| White Noise Back-up Alarm | \$210 |
| Padlockable Tool Box ³ | \$480 |
| Wheel Chocks ⁴ | \$315 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|--|----------|
| Standard Carriage, 50 in. | \$1,910 |
| Standard Carriage, 60 in. | \$2,245 |
| Standard Carriage, 72 in. | \$3,260 |
| Side-Tilt Carriage, 50 in. (12,000 lb max. capacity) | \$4,630 |
| Side-Tilt Carriage, 60 in. (12,000 lb max. capacity) | \$5,070 |
| Side-Tilt Carriage, 72 in. (12,000 lb max. capacity) | \$5,850 |
| Swing Carriage, 72 in. 90 degrees (10,000 lb max. capacity) | \$7,975 |
| Swing Carriage, 72 in. 180 degrees (8,000 lb max. capacity) | \$17,900 |
| Side-Shift Carriage, 48 in. (12,000 lb max. capacity) | \$7,795 |
| Dual Fork Positioning Carriage, 50 in. (12,000 lb max. capacity - includes 2.36 x 5 x 48 in. or 2.36 x 5 x 60 in. forks) | \$7,325 |
| Tower, 8 ft with 50 in. Side-Tilt Carriage ⁵ (4,500 lb max. capacity) | \$14,770 |
| Pallet Forks (2) 2.36 x 5 x 48 in. (6,850 lb max. capacity - each) | \$1,465 |
| Lumber Forks (2) 2 x 6 x 72 in. (6,610 lb max. capacity - each) | \$2,300 |
| Lumber Forks (2) 2 x 7 x 60 in. (6,850 lb max. capacity - each) | \$2,750 |
| Lumber Forks (2) 2.36 x 6 x 60 in. (8,150 lb max. capacity - each) | \$2,010 |
| Cubing Forks (6) 2 x 2 x 48 in. (1,940 lb max. capacity - each) | \$2,215 |
| Pipe Grapple, 72 in. (6,000 lb max. capacity) | \$14,665 |
| Material Bucket, 72 in. 1.0 cu yd (2,940 lb max. capacity) | \$3,510 |
| Material Bucket, 96 in. 1.5 cu yd (4,410 lb max. capacity) | \$3,980 |
| Material Bucket, 102 in. 2.0 cu yd (5,885 lb max. capacity) | \$5,235 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity) | \$3,760 |
| Truss Boom, 12 ft (2,000 lb max. capacity) | \$2,885 |
| Truss Boom, 15 ft (2,000 lb max. capacity) | \$3,355 |
| Truss Boom, 12 ft with Winch (2,000 lb max. capacity) | \$12,040 |
| Truss Boom, 3 ft with Winch (4,000 lb max. capacity) | \$10,400 |
| Fork-Mounted Work Platform ⁶ , 8 ft (1,000 lb max. capacity) | \$3,240 |
| Lifting Hook, Coupler mounted | \$2,560 |
| Lifting Hook, Fork mounted | \$2,090 |
| Sheet Material Handler ⁵ | \$28,635 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.

2. Enclosed cab only.

3. Not available with wheel chocks

4. Not available with toolbox.

5. Requires auxiliary electrics.

6. 48 in. forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.

Serial Number break for common attachments: 0160037690

JLG® Telehandlers Price List

7013H

7013H

15,650 lb Capacity • 43 ft 7 in. Lift Height

Package 4\$278,390

- Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater)
- All Standard Equipment

Tire Options:

| | |
|--------------------------------------|---------|
| Foam Filled Tires 17.5-25 SGG | \$7,105 |
| Pneumatic Radial Tires 17.5-25 | \$3,655 |

Special Options (Build-to-Order Only):

| | |
|--|----------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics) | \$1,955 |
| Ride Control & Boom Float | \$3,760 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coupler) .. | \$12,790 |
| Special Paint (one color only) | \$1,640 |
| Reversing Fan | \$565 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) .. | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

JLG® Telehandlers Price List

7013H

7013H

15,650 lb Capacity • 43 ft 7 in. Lift Height

Accessories:

| | |
|--|---------|
| LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom, Rotating Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| LED Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$5,015 |
| Rotating Beacon | \$250 |
| Roof Wiper | \$525 |
| Brick Guards (top and front) | \$3,125 |
| Boom Brushes | \$1,115 |
| Arctic Package ¹ | \$7,825 |
| Radio Ready | \$775 |
| White Noise Back Up Alarm | \$210 |
| Air Suspension Seat | \$575 |
| Premium Heated Air Suspension Seat | \$1,255 |
| Dual Auxiliary Hydraulics (not available with auxiliary electrics) | \$2,195 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|---|----------|
| Standard Carriage 60 in. | \$3,045 |
| Standard Carriage 72 in. | \$3,655 |
| Standard Carriage 87 in. | \$5,075 |
| Dual Fork Positioning Carriage 72 in. (no forks) | \$9,930 |
| Side-Shift Carriage with Dual Fork Positioning 72 in. (no forks) ² | \$13,585 |
| Pallet Forks (2) 2.36 x 6 x 48 in. | \$1,650 |
| Pallet Forks (2) 2.36 x 6 x 60 in. | \$2,010 |
| Pallet Forks (2) 2.36 x 6 x 72 in. | \$2,455 |
| Pallet Forks (2) 2.36 x 6 x 96 in. | \$3,135 |
| General Purpose Bucket 94 in. 2.6 cu yd (16,755 lb max. capacity) | \$6,790 |
| Light Material Bucket 94 in. 5.2 cu yd (9,415 lb max. capacity) | \$7,420 |
| Multipurpose 4-in-1 Bucket 94 in. 1.3 cu yd (4,500 lb max. capacity) | \$7,000 |
| Grapple Bucket 94 in. 1.7 cu yd (12,000 lb max. capacity) | \$9,655 |
| Fork-Mounted Work Platform 8 ft (1,000 lb max. capacity) ³ | \$3,240 |
| Material Handling Arm (15,650 lb max. capacity) | \$6,790 |
| Hook, Coupler Mounted (16,750 lb max. capacity) | \$2,665 |
| Winch, Coupler Mounted (8,000 lb max. capacity) | \$17,035 |
| Lifting Hook, Fork Mounted (15,000 lb max. capacity) | \$2,385 |
| Bale Cradle, Round Bale (7,000 lb max. capacity) | \$21,830 |
| Bale Clamp, Square Bale (10,000 lb max. capacity) | \$14,105 |
| Pipe Grapple 96 in. (8,000 lb max. capacity) | \$20,065 |
| Log Handler 80 in. (8,000 lb max. capacity) | \$18,960 |
| Steel Coil Handler (16,750 lb max. capacity) | \$6,270 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity) | \$3,760 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.

2. Requires dual auxiliary hydraulics.

3. 48 inch forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders. Prices for these items will vary when ordered separately from the JLG Parts Department. Prices subject to change without notice.

Serial Number break for common attachments: 0160037690



JLG® Telehandlers Price List

8010H

8010H

16,755 lb Capacity • 31 ft 8 in. Lift Height

Package 4\$259,790

- Enclosed Cab (Door, Safety Glass Windows, Front & Rear Wipers, Heater)
- All Standard Equipment

Tire Options:

| | |
|--------------------------------------|---------|
| Foam-Filled Tires 17.5-25 SGG | \$7,105 |
| Pneumatic Radial Tires 17.5-25 | \$3,655 |

Special Options (Build-to-Order Only):

| | |
|--|----------|
| Air Conditioning | \$4,870 |
| Auxiliary Electrics (not available with hydraulic coupler or dual auxiliary hydraulics) | \$1,955 |
| Ride Control & Boom Float | \$3,760 |
| Hydraulic Coupler (not available with auxiliary electrics) | \$3,440 |
| SmartLoad Technology (includes multifunction display with reversing camera and hydraulic coupler) .. | \$12,790 |
| Special Paint (one color only) | \$1,640 |
| Reversing Fan | \$565 |
| Operator Confidence Package (Multifunction Display, Reversing Camera & Reverse Sensing System) .. | \$4,470 |
| Multi-Function Display and Reversing Camera | \$2,430 |

Standard Features:

- Enclosed Cab
- Auxiliary Hydraulics
- Deutz TCD 3.6 134 hp
- 2-Speed Hydrostatic Transmission
- Single Joystick Proportional Controls
- Carriage Tilt and Auxiliary Hydraulics on Joystick
- 4-Wheel Drive
- +/- 8 Degrees Frame Leveling
- Three Steering Modes
- Wet Disc Service Brakes
- 17.5-25 SGG Pneumatic Tires
- Adjustable Suspension Seat
- Mechanical Coupler
- Back Up Alarm
- Glow Plugs
- Engine Block Heater
- Integrated Hitch
- Floor Mat
- Battery Disconnect
- Anti-Theft
- Adjustable Arm Rest
- Retractable Sun Screen
- Precision Gravity Lowering System
- Tilt Steering Column
- Inching
- Telescope Boom Soft Stop
- Telematics-Ready Harness
- Boom-Mounted Lifting Lug

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.

JLG® Telehandlers Price List

8010H

8010H

16,755 lb Capacity • 31 ft 8 in. Lift Height

Accessories:

| | |
|--|---------|
| LED Work Lights Package (Cab — Two Front, Two Rear, Two Boom, Rotating Beacon) | \$1,325 |
| Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$4,035 |
| LED Road-Ready Package (Headlights, Tail Lights, Brake Lights, Turn Signals & Fenders) | \$5,015 |
| Rotating Beacon | \$250 |
| Roof Wiper | \$525 |
| Brick Guards (top and front) | \$3,125 |
| Boom Brushes | \$1,115 |
| Arctic Package ¹ | \$7,825 |
| Radio Ready | \$775 |
| White Noise Back Up Alarm | \$210 |
| Air Suspension Seat | \$575 |
| Premium Heated Air Suspension Seat | \$1,255 |
| Dual Auxiliary Hydraulics (not available with auxiliary electrics) | \$2,195 |
| Air Shut Off Valve | \$4,390 |
| Fenders (set of 4) | \$2,300 |

Attachments:

| | |
|---|----------|
| Standard Carriage 60 in. | \$3,045 |
| Standard Carriage 72 in. | \$3,655 |
| Standard Carriage 87 in. | \$5,075 |
| Dual Fork Positioning Carriage 72 in. (no forks) | \$9,930 |
| Side-Shift Carriage with Dual Fork Positioning 72 in. (no forks) ² | \$13,585 |
| Pallet Forks (2) 2.36 x 6 x 48 in. | \$1,650 |
| Pallet Forks (2) 2.36 x 6 x 60 in. | \$2,010 |
| Pallet Forks (2) 2.36 x 6 x 72 in. | \$2,455 |
| Pallet Forks (2) 2.36 x 6 x 96 in. | \$3,135 |
| General Purpose Bucket 94 in. 2.6 cu yd (16,755 lb max. capacity) | \$6,790 |
| Light Material Bucket 94 in. 5.2 cu yd (9,415 lb max. capacity) | \$7,420 |
| Multipurpose 4-in-1 Bucket 94 in. 1.3 cu yd (4,500 lb max. capacity) | \$7,000 |
| Multipurpose 4-in-1 Bucket 94 in. 2.6 cu yd (9,000 lb max. capacity) | \$7,525 |
| Grapple Bucket 94 in. 1.7 cu yd (12,000 lb max. capacity) | \$9,655 |
| Grapple Bucket 94 in. 2.6 cu yd (15,000 lb max. capacity) | \$12,540 |
| Fork-Mounted Work Platform 8 ft (1,000 lb max. capacity) ³ | \$3,240 |
| Material Handling Arm (15,650 lb max. capacity) | \$6,790 |
| Hook, Coupler Mounted (16,750 lb max. capacity) | \$2,665 |
| Winch, Coupler Mounted (8,000 lb max. capacity) | \$17,035 |
| Lifting Hook, Fork Mounted (15,000 lb max. capacity) | \$2,385 |
| Bale Cradle, Round Bale (7,000 lb max. capacity) | \$21,830 |
| Bale Clamp, Square Bale (10,000 lb max. capacity) | \$14,105 |
| Pipe Grapple 96 in. (8,000 lb max. capacity) | \$20,065 |
| Log Handler 80 in. (8,000 lb max. capacity) | \$18,960 |
| Steel Coil Handler (16,750 lb max. capacity) | \$6,270 |
| Fork-Mounted Extendable Truss (8,000 lb max. capacity) | \$3,760 |
| Tire Handler ² | \$65,310 |

1. Includes hydraulic tank and battery heaters; arctic gel batteries and cold weather fluids.

2. Requires dual auxiliary hydraulics.

3. 48 inch forks only.

Note: Attachment and option prices shown are only valid when ordered with new machine orders.

Prices for these items will vary when ordered separately from the JLG Parts Department.

Prices subject to change without notice.

Serial Number break for common attachments: 0160037690



JLG® Telehandlers Price List

3614RS

3614RS

3.600 kg Capacity • 14 m Lift Height

Package 4\$118,670

- Right Hand Controls, Adjustable Tilt on Joystick
- Cab Enclosure (Door, Safety Glass Windows, Front Windshield Wiper, Heater and Defroster Fan)
- Auxiliary Hydraulics
- All Standard Equipment

Package Price Adjustments:

| | |
|---------------------------------|---------|
| Foam-Filled Tires 15.5-25. | \$3,495 |
| Pneumatic Tires 370/75-28. | \$3,015 |

Standard Features:

- Deutz TCD 3.6 L4 74.4 kW Diesel Engine
- Power Shift 3-Speed Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Three Steering Modes
- Wet Disc Service Brakes
- 15.5 x 80-24 Tires
- Adjustable Suspension Seat
- Certified ROPS/FOPS Structure
- Mechanical Quick Switch
- Electronic Anti-Theft
- Backup Alarm
- Glow Plugs
- Battery Disconnect
- Fenders
- Road Lights
- Carriage (1,225 m) and Pallet Forks (50 x 100 x 1,200 m)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



3614RS

3.600 kg Capacity • 14 m Lift Height

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$2,985 |
| Special Paint (Unleaded) One Color Only | \$3,315 |

Accessories:

| | |
|--|-------|
| Cab Work Lights (Two Front and Two Rear) | \$190 |
| Rotating Beacon | \$135 |
| Retrieval Hitch | \$175 |
| Wheel Chock | \$65 |
| Skylight Wiper | \$175 |
| Radio Ready Kit | \$80 |
| Retractable Sunscreen | \$55 |
| Brick Guard (Top) | \$155 |
| Brick Guard (Front) | \$155 |
| Boom Brushes | \$95 |
| Remote Rear Axle Grease System | \$220 |
| Alarm, White noise and Folding Lights | \$210 |

Attachments:

| | |
|--------------------------------------|---------|
| Dual Fork Positioning Carriage | \$7,260 |
| Light Material Bucket, 1.8 m³ | \$4,435 |
| Bucket, 0.9 m³ | \$4,435 |
| Lifting Hook | \$1,110 |

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*

JLG® Telehandlers Price List

4017RS

4017RS

4.000 kg Capacity • 17.18 m Lift Height

Package 4 **\$134,460**

- All Standard Equipment
- Cab Enclosure (Door, Safety Glass Windows, Front and Rear Windshield Wiper, Heater and Defroster Fan, Tilt Steering Wheel)

Package Price Adjustments:

Foam-Filled Tires 14.00-24 \$3,495
Pneumatic Tires 400/75-28 \$3,085

Standard Features:

- Deutz TCD 3.6 L4 74.4 kW Diesel Engine
- Power Shift 3-Speed Transmission
- Single Joystick Proportional Controls
- 4-Wheel Drive
- Three Steering Modes
- Wet Disc Service Brakes
- 14.00-24 Tires
- Adjustable Suspension Seat
- Certified ROPS/FOPS Structure
- Mechanical Quick Switch
- Electronic Anti-Theft
- Backup Alarm
- Glow Plugs
- Battery Disconnect
- Fenders
- Road Lights
- Carriage (1,225 m) and Pallet Forks (50 x 100 x 1,200 m)

Machine Shipments:

- Please note that all published prices are List Prices, Freight on Board (F.O.B.) factory.
- Machine loading hours are E.S.T., Monday through Friday, except holidays.
- In order to expedite shipment of your units, please coordinate shipping instructions in advance of the projected available ship date (a minimum of 24 hours is requested).
- Prices subject to change without notice.

The JLG "1, 2 & 5" Warranty

We provide coverage for one (1) full year on the entire machine, two (2) full years or 2,000 hours on the drivetrain and cover all specified major structural components for five (5) years. Due to continuous product improvements, we reserve the right to make specification and/or equipment changes without prior notification. All prices are in U.S. dollars.



4017RS

4.000 kg Capacity • 17.18 m Lift Height

Special Options (Build-to-Order Only):

| | |
|---|---------|
| Air Conditioning | \$2,985 |
| Special Paint (Unleaded) One Color Only | \$3,315 |

Accessories:

| | |
|---|-------|
| Rotating Beacon | \$135 |
| Retrieval Hitch | \$175 |
| Skylight Wiper | \$175 |
| Radio Ready Kit | \$80 |
| Retractable Sunscreen | \$55 |
| Brick Guard (top) | \$155 |
| Brick Guard (front) | \$155 |
| Boom Brushes | \$95 |
| Remote Rear Axle Grease System | \$220 |
| Alarm, White noise and Folding Lights | \$210 |

Attachments:

| | |
|--------------------------------------|---------|
| Dual Fork Positioning Carriage | \$7,260 |
| Truss Boom, 3.4 m | \$3,675 |
| Light Material Bucket, 1.8 m³ | \$4,435 |
| Lifting Hook | \$1,110 |

*Note: Attachment and option prices shown are only valid when ordered with new machine orders.
Prices for these items will vary when ordered separately from the JLG Parts Department.
Prices subject to change without notice.*