

Price List

Effective January 1, 2020



10MSP

\$21,700
Platform Height: 10' Capacity: 350 lb

STANDARD FEATURES

PLATFORM SECTION

Lanyard Attachment Anchor Point
Platform Gate Operation Interlock

MAST

Lubrication-Free Anodized Aluminum Mast Sections
Maintenance-Free Mast Guide System

CHASSIS/BASE

Heavy Duty Planetary Gear Drive Motors
Proportional Drive
Side and Front Bumpers
Transportation Tie Downs

TIRES/WHEELS

Non-Marking Tires

ELECTRICAL

Automatic Five-Hour Battery Charger
Battery Discharge Indicators — Platform and Base
Horn
Hourmeter

Strobe Lights Front and Rear

ACCESSORIES

Adjustable Height Material Tray

MISCELLANEOUS

Shipping Skid

TECHNOLOGY

Point & Go® One-Hand Drive and Steer System
Programmable Motion Alarm
Simultaneous Lift and Drive Capability
Slope Cut-Out Control Interlock
Stand-On Foot Switch Operation Enable Control

INDIVIDUAL OPTIONS

ACCESSORIES

Aisle Guide Rollers	\$755
Electric Powered Material Tray	\$2,455
Floor Mat	\$235

MISCELLANEOUS

Retractable Charger Cord	\$510
--------------------------	-------

TECHNOLOGY

ClearSky™	Consult Factory
Obstruction Sensor	\$745
Programmable Security Lock	\$450
Remote Manual Descent	\$290

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments see page 1

20MSP

\$23,070

Platform Height: 19' 5" **Capacity:** 400 lb

Price Adjustments:

Battery Upgrade

· Four 6-Volt 220 amp-hour AGM Batteries
(in lieu of standard 100 amp-hour 12-Volt batteries) \$2,010

Platform Options

· Fold Down Material Tray Platform¹
Tray 25.25 in. x 27.75 in. (65 cm x 70 cm); 150 lb (68 kg) Capacity \$245

1. Platform 23 in. x 27 in. (58 cm x 68 cm).

STANDARD FEATURES

PLATFORM SECTION	
Front and Side Entry Gates	
Lanyard Attachment Anchor	
Single Pistol-Grip Joystick-Drive and Steer	
Stock Picking Platform with Front and Side Entry—Flexible or Fixed Rail Set Up for Platform Access	
MAST	
Low Maintenance Anodized Aluminum Mast	
CHASSIS/BASE	
4 Brush Direct Electric Drive (planetary gear)	
Automatic Pothole Protection System	
Built-In Fork Truck Pockets	
Heavy duty planetary gear drive motor with an estimated 5X the life of previous models.	
Key Lock Main Power Switch	
Transportation Tie Downs	
TIRES/WHEELS	
Non-Marking Tires	
ELECTRICAL	
All Motion Alarm	
Automatic Five-Hour Battery Charger	
Automatic Power-Off Battery Saver Control	
Battery Discharge Indicators—Platform and Base	
Flashing Amber Beacon	
Horn	
Hourmeter	
Tilt Light and Alarm	
Two Sealed 100 amp-hr Maintenance-Free Glass Mat (AGM) Batteries	
ACCESSORIES	
110V AC Double Plug Receptacle	
TECHNOLOGY	
Safety Interlocked Controls	
Variable Speed Elevation Controls	

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Platform (28 X 48) Folding Tray/Kickrail	N/C
Platform (28 X 48) Fixed Siderails	N/C
Platform (27 X 23) Folding Tray/Kickrail	N/C
CHASSIS/BASE	
Crane Hook	\$195
ACCESSORIES	
Program Security Lock (Fixed)	\$450
Tool Tray	\$195
TECHNOLOGY	
ClearSky™	Consult Factory

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments see page 1