

Price List

Effective January 1, 2021

LIGHTWEIGHT ES SERIES

Scissor Lift Price List



ES1330L/ES1530L

ES1330L					\$15,990
GVW: 1,984	Dims: (L x W x H in.) 56.2 x 30 x 71.7 in.	Indoor: Occupants 2, Capacity 500 lb	Outdoor: Occupants 1, Capacity 500 lb	Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees	
ES1530L					\$15,990
GVW: 1,940	Dims: (L x W x H in.) 56.2 x 30 x 74.8 in.	Indoor: Occupants 1, Capacity 500 lb	Outdoor: Occupants 1, Capacity 500 lb	Tilt Rating: Indoor side to side 2.25 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees	

STANDARD FEATURES

PLATFORM SECTION
22 in. (55 cm) Foot-Actuated Deck Extension
Platform Control Box Cable
Lanyard Attach Points
Movable, Removable Platform Control
Nickel Plated Pins
Fixed Rails with Self-Closing Gate
CHASSIS SECTION
Lubrication Free Scissor Arm Bushings
Scissor Maintenance Prop
TIRES
10 x 3 in. Solid Non-Marking Tires
ELECTRICAL
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
All Motion Alarm
Horn
Hourmeter
MISCELLANEOUS
Proportional Controls
TECHNOLOGY
Battery Condition Indicator
Load Sensing System
Tilt Alarm and Light

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Coiled Platform Control Box Cable	\$165
SkySense™ Level I**	\$3,590
CHASSIS SECTION	
Multi-Display Indicator MDI	\$205
ELECTRICAL	
Flashing Amber Beacon - LED	\$95
Dual Flashing Amber Beacons - LED	\$190
ACCESSORIES	
CleanGuard™	\$500
MISCELLANEOUS	
Antivandalism Package ¹	\$310
Special Paint	Consult Factory
TECHNOLOGY	
Mobile Control	\$500

1. Includes Platform and Ground Control Panels W/ Locking Bracket

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

**See page 63 for SkySense details

Scissor Lift Price List

ES1932i/ES1932/ES2632/ES3246

ES1932i	GVW: 2,762	Dims: (L x W x H in.) 68.7 x 32 x 82.8 in.	Indoor: Occupants 1, Capacity 507 lb	Outdoor: N/A	Max Tilt Rating: Indoor side to side 2.75 Degrees, Outdoor side to side N/A, Fore and aft 2.75 Degrees	\$16,850
ES1932	GVW: 3,450	Dims: (L x W x H in.) 68.7 x 32 x 82.8 in.	Indoor: Occupants 2, Capacity 507 lb	Outdoor: Occupants 1, Capacity 507 lb	Max Tilt Rating: Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees	\$17,860
ES2632	GVW: 4,400	Dims: (L x W x H in.) 90.5 x 32 x 93.4 in.	Indoor: Occupants 2, Capacity 507 lb	Outdoor: Occupants 1, Capacity 275 lb	Max Tilt Rating: Indoor side to side 1.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees	\$26,150
ES3246	GVW: 5,620	Dims: (L x W x H in.) 98.5 x 46 x 61.6 in.	Indoor: Occupants 2, Capacity 705 lb	Outdoor: Occupants 1, Capacity 507 lb	Max Tilt Rating: Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees	\$32,650

STANDARD FEATURES

PLATFORM SECTION

- 36 in. (.91 m) Roll-Out Deck Extension
- Fold Down Rails with Self-Closing Gate
- Lanyard Attach Points
- Moveable, Removable Platform Control Box
- Nickel Plated Pins
- QuikFold Rails (ES1932/ES1932i Only)
- USB Charger and Phone Holster

CHASSIS SECTION

- DC Electric Drive
- Fork Lift Pockets, Lift from Side and Rear
- Lubrication Free Scissor Arm Bushings
- Machine Tie Downs
- Manual Descent Pull Cable
- Mechanized Pothole Protection
- Scissor Maintenance Prop
- Steel Swing Out Doors

TIRES

- 12.7 x 4 in. Solid Non-Marking Tires (ES1932 and ES1932i)
- 16 x 5 in. Solid Non-Marking Tires (ES2632 and ES3246)

ELECTRICAL

- 110V-AC Receptacle in Platform
- 27 amp Multi-Function Universal Charger
- All Motion Alarm
- Four 6V, 220 Amp-Hour Deep Cycle Batteries
- Horn
- Hourmeter

MISCELLANEOUS

- Industry Leading Duty Cycles
- Powder-Coated Paint
- Proportional Controls

TECHNOLOGY

- Automatic Traction Control (ATC)
- Battery Condition Indicator
- Smart Charger – CAN Enabled
- Load Sensing System
- Telematics-Ready Harness
- Tilt Alarm and Light

INDIVIDUAL OPTIONS

PLATFORM SECTION

- Coiled Platform Control Box Cable \$165
- SkySense™ Level I* \$3,590
- SkySense™ Level II* (ES2632, ES3246 Only) \$3,990
- QuikAccess Platform (ES1932 only) \$650

CHASSIS SECTION

- Multi-Digital Indicator (Ground) \$205
- Drive Motor Covers \$185
- CleanGuard \$500

ELECTRICAL

- Battery Charger Eagle 110V Plug \$345
- Flashing Amber Beacon - LED \$95
- Dual Flashing Amber Beacon - LED \$190
- Inverter 900W \$1,320
- JLG™ Mobile Control \$500
- White Noise Backup Alarm \$580

ACCESSORIES

- Pipe Racks \$965
- Panel Carrier \$1,415

MISCELLANEOUS

- Antivandalsim Package² \$310
- Special Hydraulic Fluids Consult Factory
- Special Paint Consult Factory

TECHNOLOGY

- ClearSky™ Consult Factory

Note: Some options may increase lead time, and some option combinations may not be available.

1. Cannot be used in conjunction with Soft Touch.
2. Includes Platform and Ground Control Panels W/ Locking Bracket

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

**See page 63 for SkySense details

ALL ELECTRIC AE SERIES

Scissor Lift Price List



AE1932

AE1932

\$33,000

GVW: 3,450 **Dims:** (L x W x H in.) 68.7 x 32 x 83.2 in. **Indoor:** Occupants 2, Capacity 606 lb **Outdoor:** Occupants 1, Capacity 606 lb **Tilt Rating:** Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees



KEY SPECS

- **Platform Height:** 19' (5.8 m) indoor/outdoor
- **Platform Capacity:** 606 lb (275 kg) indoor/outdoor - **20% improvement**
- **Charge Time:** 3.5 hours - **3X improvement**
- **Stowed Drive Speed:** 4 mph (5.2 kph) - **2X improvement**

STANDARD FEATURES

PLATFORM SECTION

Platform Cable
Platform Control Box with LED Indicators
QuikFold Rails with Self-Closing Gate
Diamond Tread Steel Deck
Foot-Actuated Deck Extension
Lanyard Attach Points
Nickel Plated Pins

CHASSIS SECTION

Active PHP System
Dynamic Braking
Drive Motor Covers
Fork Lift Pockets
Greaseless Kingpin Joints
Maintenance-free AC Drive Motors
Lubrication Free Scissor Arm Bushings
Machine Tie Downs
Manual Descent Cable
Steel Swing-Down Doors

TIRES

12.5 x 4 in. Solid Non-Marking Tires

ELECTRICAL

Lithium Ion Battery
Charger Plug (110V)
Battery Charger 650W (Full charge in 3.5 hours)
110V-AC Receptacle in Platform
All Motion Alarm
Horn

MISCELLANEOUS

Proportional Controls
Single Drive/Steer Joystick

TECHNOLOGY

JLG™ Mobile Control
Battery Condition Indicator
Load Sensing System
Tilt Alarm and Light
Variable Tilt Visual Zone Indicator
Wireless Analyzer

INDIVIDUAL OPTIONS

PLATFORM SECTION

Coiled Platform Control Box Cable \$165
SkySense™ Level I** \$3,590
QuikAccess Platform \$650

ELECTRICAL

Flashing Amber Beacon - LED \$95
Dual Flashing Amber Beacons - LED \$190
Inverter \$1,320
Platform Control Box with LCD Display Consult Factory
900W Charger (Full charge in 2.5 hrs) Consult Factory
White Noise Backup Alarm \$580

ACCESSORIES

Panel Carrier \$1,415

MISCELLANEOUS

Antivandalism Package \$310
Special Paint Consult Factory

TECHNOLOGY

ClearSky Consult Factory
Operator Access Control Consult Factory

1. Includes Platform and Ground Control Panels W/ Locking Bracket

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

**See page 63 for Skysense details

ERT SERIES—ELECTRIC ROUGH TERRAIN Scissor Lift Price List



ERT2669/ERT3369/ERT4069/ERT4769

ERT2669					\$51,500
GVW: 8,627	Dims: (L x W x H in.) 139 x 69.3 x 96.7 in.	Indoor: Occupants 4, Capacity 1,500 lb	Outdoor: Occupants 4, Capacity 1,500 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	
ERT3369					\$58,300
GVW: 9,427	Dims: (L x W x H in.) 139 x 69.3 x 102.9 in.	Indoor: Occupants 4, Capacity 1,000 lb	Outdoor: Occupants 2, Capacity 1,000 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	
ERT4069					\$69,000
GVW: 10,560	Dims: (L x W x H in.) 139 x 69.3 x 103 in.	Indoor: Occupants 3, Capacity 800 lb	Outdoor: Occupants 2, Capacity 800 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	
ERT4769					\$85,700
GVW: 13,636	Dims: (L x W x H in.) 139 x 69.3 x 109.1 in.	Indoor: Occupants 3, Capacity 800 lb	Outdoor: Occupants 2, Capacity 800 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	

STANDARD FEATURES

PLATFORM SECTION
42 in. Roll-out Deck Extension
Moveable, Removable Platform Console Box
Nickel Plated Pins, Yellow Zinc-Chromate Plated Fasteners
Pin-Less Fold Down Rail System
Platform Control Box with LCD Display, USB Charger and Phone Holster
Self-closing Gate
CHASSIS SECTION
Full Time Traction Control
Lubrication-Free Scissor Arm Bushings
Manual Descent Pull Cable*
Oscillating Front Axle
Scissor Maintenance Prop
Tie Down Lugs
TIRES
26 x 12 Foam-Filled Non-marking Tires
ELECTRICAL
110V-AC Receptacle In Platform
23 Amp Automatic, SCR Battery Charger
8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369)
8 x 6V, 310 Amp-Hour Batteries (ERT4069)
8 x 6V, 375 Amp-Hour Batteries (ERT4769)
All Motion Alarm
Descent Alarm
Horn
Hourmeter
Smart Charger - CAN Enabled
MISCELLANEOUS
2WD AC Drive System
Proportional Lift and Drive
TECHNOLOGY
Lift Sense System
Pin-based Load Sensing System
Telematics-Ready Harness
Tilt Display with Lift Sense System

INDIVIDUAL OPTIONS

CHASSIS SECTION	
Hydraulic Leveling Jacks	\$9,450
TIRES	
26 x 12 Foam-Filled Lug Tread Tires	(\$1,715)
Sand/Turf Tires (Spring 2021)	Consult Factory
ELECTRICAL	
8 x 6V, 310 Amp-Hour Batteries (ERT2669, ERT3369)	\$1,500
8 x 6V, 375 Amp-Hour Batteries (ERT4069)	\$750
Dual Flashing Amber Beacons - LED	\$190
Flashing Amber Beacon - LED	\$95
White Noise Backup Alarm	\$580
ACCESSORIES	
CleanGuard™	\$500
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
TECHNOLOGY	
ClearSky™	Consult Factory
Operator Access Control	\$600

MODEL	STANDARD BATTERY OFFERING (AH)	OPTIONAL BATTERY OFFERING (AH)	OPTION PRICE	EXPECTED BATTERY LIFE INCREASE WITH OPTIONAL CONFIGURATION*
ERT2669	225	310	\$1,500	+30%
ERT3369	225	310	\$1,500	+30%
ERT4069	310	375	\$750	+20%
ERT4769	375	N/A	N/A	N/A

*Values are calculated, subject to change at any time without notice and may vary depending on application, machine usage, ambient temperature and other factors

Note: Some options may increase lead time, and some option combinations may not be available.
*ERT4769 Includes a Push-Button Manual Descent System

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page