

# Price List

Effective January 1, 2021



# LIGHTWEIGHT ES SERIES

## Scissor Lift Price List



ES1330L/ES1530L

<b>ES1330L</b>					<b>\$15,990</b>
<b>GVW:</b> 1,984	<b>Dims:</b> (L x W x H in.) 56.2 x 30 x 71.7 in.	<b>Indoor:</b> Occupants 2, Capacity 500 lb	<b>Outdoor:</b> Occupants 1, Capacity 500 lb	<b>Tilt Rating:</b> Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees	
<b>ES1530L</b>					<b>\$15,990</b>
<b>GVW:</b> 1,940	<b>Dims:</b> (L x W x H in.) 56.2 x 30 x 74.8 in.	<b>Indoor:</b> Occupants 1, Capacity 500 lb	<b>Outdoor:</b> Occupants 1, Capacity 500 lb	<b>Tilt Rating:</b> Indoor side to side 2.25 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3 Degrees	

### STANDARD FEATURES

<b>PLATFORM SECTION</b>
22 in. (55 cm) Foot-Actuated Deck Extension
Platform Control Box Cable
Lanyard Attach Points
Movable, Removable Platform Control
Nickel Plated Pins
Fixed Rails with Self-Closing Gate
<b>CHASSIS SECTION</b>
Lubrication Free Scissor Arm Bushings
Scissor Maintenance Prop
<b>TIRES</b>
10 x 3 in. Solid Non-Marking Tires
<b>ELECTRICAL</b>
110V-AC Receptacle in Platform
27 amp Multi-Function Universal Charger
All Motion Alarm
Horn
Hourmeter
<b>MISCELLANEOUS</b>
Proportional Controls
<b>TECHNOLOGY</b>
Battery Condition Indicator
Load Sensing System
Tilt Alarm and Light

### INDIVIDUAL OPTIONS

<b>PLATFORM SECTION</b>	
Coiled Platform Control Box Cable	\$165
SkySense™ Level I**	\$3,590
<b>CHASSIS SECTION</b>	
Multi-Display Indicator MDI	\$205
<b>ELECTRICAL</b>	
Flashing Amber Beacon - LED	\$95
Dual Flashing Amber Beacons - LED	\$190
<b>ACCESSORIES</b>	
CleanGuard™	\$500
<b>MISCELLANEOUS</b>	
Antivandalism Package <sup>1</sup>	\$310
Special Paint	Consult Factory
<b>TECHNOLOGY</b>	
Mobile Control	\$500

1. Includes Platform and Ground Control Panels W/ Locking Bracket

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

\*\*See page 63 for SkySense details

# Scissor Lift Price List

ES1932i/ES1932/ES2632/ES3246

<b>ES1932i</b>	<b>GVW:</b> 2,762	<b>Dims:</b> (L x W x H in.) 68.7 x 32 x 82.8 in.	<b>Indoor:</b> Occupants 1, Capacity 507 lb	<b>Outdoor:</b> N/A	<b>Max Tilt Rating:</b> Indoor side to side 2.75 Degrees, Outdoor side to side N/A, Fore and aft 2.75 Degrees	<b>\$16,850</b>
<b>ES1932</b>	<b>GVW:</b> 3,450	<b>Dims:</b> (L x W x H in.) 68.7 x 32 x 82.8 in.	<b>Indoor:</b> Occupants 2, Capacity 507 lb	<b>Outdoor:</b> Occupants 1, Capacity 507 lb	<b>Max Tilt Rating:</b> Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees	<b>\$17,860</b>
<b>ES2632</b>	<b>GVW:</b> 4,400	<b>Dims:</b> (L x W x H in.) 90.5 x 32 x 93.4 in.	<b>Indoor:</b> Occupants 2, Capacity 507 lb	<b>Outdoor:</b> Occupants 1, Capacity 275 lb	<b>Max Tilt Rating:</b> Indoor side to side 1.5 Degrees, Outdoor side to side 1.5, Fore and aft 3.5 Degrees	<b>\$26,150</b>
<b>ES3246</b>	<b>GVW:</b> 5,620	<b>Dims:</b> (L x W x H in.) 98.5 x 46 x 61.6 in.	<b>Indoor:</b> Occupants 2, Capacity 705 lb	<b>Outdoor:</b> Occupants 1, Capacity 507 lb	<b>Max Tilt Rating:</b> Indoor side to side 2.5 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.5 Degrees	<b>\$32,650</b>

## STANDARD FEATURES

### PLATFORM SECTION

- 36 in. (.91 m) Roll-Out Deck Extension
- Fold Down Rails with Self-Closing Gate
- Lanyard Attach Points
- Moveable, Removable Platform Control Box
- Nickel Plated Pins
- QuikFold Rails (ES1932/ES1932i Only)
- USB Charger and Phone Holster

### CHASSIS SECTION

- DC Electric Drive
- Fork Lift Pockets, Lift from Side and Rear
- Lubrication Free Scissor Arm Bushings
- Machine Tie Downs
- Manual Descent Pull Cable
- Mechanized Pothole Protection
- Scissor Maintenance Prop
- Steel Swing Out Doors

### TIRES

- 12.7 x 4 in. Solid Non-Marking Tires (ES1932 and ES1932i)
- 16 x 5 in. Solid Non-Marking Tires (ES2632 and ES3246)

### ELECTRICAL

- 110V-AC Receptacle in Platform
- 27 amp Multi-Function Universal Charger
- All Motion Alarm
- Four 6V, 220 Amp-Hour Deep Cycle Batteries
- Horn
- Hourmeter

### MISCELLANEOUS

- Industry Leading Duty Cycles
- Powder-Coated Paint
- Proportional Controls

### TECHNOLOGY

- Automatic Traction Control (ATC)
- Battery Condition Indicator
- Smart Charger – CAN Enabled
- Load Sensing System
- Telematics-Ready Harness
- Tilt Alarm and Light

## INDIVIDUAL OPTIONS

### PLATFORM SECTION

- Coiled Platform Control Box Cable \$165
- SkySense™ Level I\* \$3,590
- SkySense™ Level II\* (ES2632, ES3246 Only) \$3,990
- QuikAccess Platform (ES1932 only) \$650

### CHASSIS SECTION

- Multi-Digital Indicator (Ground) \$205
- Drive Motor Covers \$185
- CleanGuard \$500

### ELECTRICAL

- Battery Charger Eagle 110V Plug \$345
- Flashing Amber Beacon - LED \$95
- Dual Flashing Amber Beacon - LED \$190
- Inverter 900W \$1,320
- JLG™ Mobile Control \$500
- White Noise Backup Alarm \$580

### ACCESSORIES

- Pipe Racks \$965
- Panel Carrier \$1,415

### MISCELLANEOUS

- Antivandalsim Package<sup>2</sup> \$310
- Special Hydraulic Fluids Consult Factory
- Special Paint Consult Factory

### TECHNOLOGY

- ClearSky™ Consult Factory

Note: Some options may increase lead time, and some option combinations may not be available.

1. Cannot be used in conjunction with Soft Touch.  
2. Includes Platform and Ground Control Panels W/ Locking Bracket

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

\*\*See page 63 for SkySense details

# ALL ELECTRIC AE SERIES

## Scissor Lift Price List



AE1932

**AE1932**

**\$33,000**

**GVW:** 3,450    **Dims:** (L x W x H in.) 68.7 x 32 x 83.2 in.    **Indoor:** Occupants 2, Capacity 606 lb    **Outdoor:** Occupants 1, Capacity 606 lb    **Tilt Rating:** Indoor side to side 1.75 Degrees, Outdoor side to side 1.5 Degrees, Fore and aft 3.75 Degrees



### KEY SPECS

- **Platform Height:** 19' (5.8 m) indoor/outdoor
- **Platform Capacity:** 606 lb (275 kg) indoor/outdoor - **20% improvement**
- **Charge Time:** 3.5 hours - **3X improvement**
- **Stowed Drive Speed:** 4 mph (5.2 kph) - **2X improvement**

### STANDARD FEATURES

#### PLATFORM SECTION

Platform Cable  
Platform Control Box with LED Indicators  
QuikFold Rails with Self-Closing Gate  
Diamond Tread Steel Deck  
Foot-Actuated Deck Extension  
Lanyard Attach Points  
Nickel Plated Pins

#### CHASSIS SECTION

Active PHP System  
Dynamic Braking  
Fork Lift Pockets  
Greaseless Kingpin Joints  
Maintenance-free AC Drive Motors  
Lubrication Free Scissor Arm Bushings  
Machine Tie Downs  
Manual Descent Cable  
Steel Swing-Down Doors

#### TIRES

12.5 x 4 in. Solid Non-Marking Tires

#### ELECTRICAL

Lithium Ion Battery  
Charger Plug (110V)  
Battery Charger 650W (Full charge in 3.5 hours)  
110V-AC Receptacle in Platform  
All Motion Alarm  
Horn

#### MISCELLANEOUS

Proportional Controls  
Single Drive/Steer Joystick

#### TECHNOLOGY

JLG™ Mobile Control  
Battery Condition Indicator  
Load Sensing System  
Tilt Alarm and Light  
Variable Tilt Visual Zone Indicator  
Wireless Analyzer

### INDIVIDUAL OPTIONS

#### PLATFORM SECTION

Coiled Platform Control Box Cable \$165  
SkySense™ Level I\*\* \$3,590  
QuikAccess Platform \$650

#### ELECTRICAL

Flashing Amber Beacon - LED \$95  
Dual Flashing Amber Beacons - LED \$190  
Inverter \$1,320  
Platform Control Box with LCD Display Consult Factory  
900W Charger (Full charge in 2.5 hrs) Consult Factory  
White Noise Backup Alarm \$580

#### ACCESSORIES

Panel Carrier \$1,415

#### MISCELLANEOUS

Antivandalism Package \$310  
Special Paint Consult Factory

#### TECHNOLOGY

ClearSky Consult Factory  
Operator Access Control Consult Factory

1. Includes Platform and Ground Control Panels W/ Locking Bracket

Note: Some options may increase lead time, and some option combinations may not be available.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

\*\*See page 63 for Skysense details