

Price List

Effective January 1, 2021



ERT SERIES—ELECTRIC ROUGH TERRAIN Scissor Lift Price List



ERT2669/ERT3369/ERT4069/ERT4769

ERT2669					\$51,500
GVW: 8,627	Dims: (L x W x H in.) 139 x 69.3 x 96.7 in.	Indoor: Occupants 4, Capacity 1,500 lb	Outdoor: Occupants 4, Capacity 1,500 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	
ERT3369					\$58,300
GVW: 9,427	Dims: (L x W x H in.) 139 x 69.3 x 102.9 in.	Indoor: Occupants 4, Capacity 1,000 lb	Outdoor: Occupants 2, Capacity 1,000 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	
ERT4069					\$69,000
GVW: 10,560	Dims: (L x W x H in.) 139 x 69.3 x 103 in.	Indoor: Occupants 3, Capacity 800 lb	Outdoor: Occupants 2, Capacity 800 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	
ERT4769					\$85,700
GVW: 13,636	Dims: (L x W x H in.) 139 x 69.3 x 109.1 in.	Indoor: Occupants 3, Capacity 800 lb	Outdoor: Occupants 2, Capacity 800 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	

STANDARD FEATURES

PLATFORM SECTION
42 in. Roll-out Deck Extension
Moveable, Removable Platform Console Box
Nickel Plated Pins, Yellow Zinc-Chromate Plated Fasteners
Pin-Less Fold Down Rail System
Platform Control Box with LCD Display, USB Charger and Phone Holster
Self-closing Gate
CHASSIS SECTION
Full Time Traction Control
Lubrication-Free Scissor Arm Bushings
Manual Descent Pull Cable*
Oscillating Front Axle
Scissor Maintenance Prop
Tie Down Lugs
TIRES
26 x 12 Foam-Filled Non-marking Tires
ELECTRICAL
110V-AC Receptacle In Platform
23 Amp Automatic, SCR Battery Charger
8 x 6V, 225 Amp-Hour Batteries (ERT2669, ERT3369)
8 x 6V, 310 Amp-Hour Batteries (ERT4069)
8 x 6V, 375 Amp-Hour Batteries (ERT4769)
All Motion Alarm
Descent Alarm
Horn
Hourmeter
Smart Charger - CAN Enabled
MISCELLANEOUS
2WD AC Drive System
Proportional Lift and Drive
TECHNOLOGY
Lift Sense System
Pin-based Load Sensing System
Telematics-Ready Harness
Tilt Display with Lift Sense System

INDIVIDUAL OPTIONS

CHASSIS SECTION	Price
Hydraulic Leveling Jacks	\$9,450
TIRES	Price
26 x 12 Foam-Filled Lug Tread Tires	(\$1,715)
Sand/Turf Tires (Spring 2021)	Consult Factory
ELECTRICAL	Price
8 x 6V, 310 Amp-Hour Batteries (ERT2669, ERT3369)	\$1,500
8 x 6V, 375 Amp-Hour Batteries (ERT4069)	\$750
Dual Flashing Amber Beacons - LED	\$190
Flashing Amber Beacon - LED	\$95
White Noise Backup Alarm	\$580
ACCESSORIES	Price
CleanGuard™	\$500
MISCELLANEOUS	Price
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
TECHNOLOGY	Price
ClearSky™	Consult Factory
Operator Access Control	\$600

MODEL	STANDARD BATTERY OFFERING (AH)	OPTIONAL BATTERY OFFERING (AH)	OPTION PRICE	EXPECTED BATTERY LIFE INCREASE WITH OPTIONAL CONFIGURATION*
ERT2669	225	310	\$1,500	+30%
ERT3369	225	310	\$1,500	+30%
ERT4069	310	375	\$750	+20%
ERT4769	375	N/A	N/A	N/A

*Values are calculated, subject to change at any time without notice and may vary depending on application, machine usage, ambient temperature and other factors

Note: Some options may increase lead time, and some option combinations may not be available.
*ERT4769 Includes a Push-Button Manual Descent System

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

RT—ROUGH TERRAIN SCISSORS

Scissor Lift Price List



RT2669/RT3369/RT4069/RT4769

					Package 3 (4WD Dual Fuel)	Package 4 (4WD Diesel Fuel)
RT2669	GVW: 8,627	Dims: (L x W x H in.) 139 x 69.3 x 96.7 in.	Indoor: Occupants 4, Capacity 1,500 lb	Outdoor: Occupants 4, Capacity 1,500 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$54,350
RT3369	GVW: 9,427	Dims: (L x W x H in.) 139 x 69.3 x 102.9 in.	Indoor: Occupants 4, Capacity 1,000 lb	Outdoor: Occupants 2, Capacity 1,000 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$61,300
RT4069	GVW: 10,560	Dims: (L x W x H in.) 139 x 69.3 x 103 in.	Indoor: Occupants 3, Capacity 800 lb	Outdoor: Occupants 2, Capacity 800 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$73,000
RT4769	GVW: 13,636	Dims: (L x W x H in.) 139 x 69.3 x 109.1 in.	Indoor: Occupants 3, Capacity 800 lb	Outdoor: Occupants 2, Capacity 800 lb	Max Tilt Rating: Side to side 2.5 Degrees, Fore and aft 3 Degrees	\$89,700

2WD Price Adjustment:

(2WD).....deduct \$2,000

STANDARD FEATURES

PLATFORM SECTION
Pin-Less Fold Down Rail System
Self-closing Gate
Platform Control Box with LCD Display, USB Charger and Phone Holster
42 in. Roll-out Deck Extension
Nickel Plated Pins, Yellow Zinc-Chromate Palted Fastners
CHASSIS SECTION
Full Time Traction Control
Lubrication-Free Scissor Arm Bushings
Manual Descent Pull Cable*
Scissor Maintenance Prop
Tie Down Lugs
Oscillating Front Axle
Hydraulic Oil Cooler (RT4769 Only)
TIRES
26 x 12 Foam-Filled Lug Tread Tires
ELECTRICAL
110V-AC Receptacle In Platform
All Motion Alarm
Horn
Hourmeter
MISCELLANEOUS
Proportional Lift and Drive
Remote Oil Filter Package
TECHNOLOGY
Lift Sense System
Pin-based Load Sensing System
Tilt Display with Lift Sense System
Telematics-Ready Harness

INDIVIDUAL OPTIONS

CHASSIS SECTION	
33.5 lb Alum Propane Tank	\$515
Hydraulic Leveling Jacks (Auto Level) ¹	\$9,450
Hydraulic Oil Cooler (Excludes RT4769)	\$1,690
QuikLevel Advanced ¹	\$6,700
TIRES	
26 X 12 Foam-Filled Non Marking Tires	\$1,715
Sand/Turf Tires (Spring 2021)	Consult Factory
ELECTRICAL	
2500W Generator (Belt Driven)	\$4,240
Dual Flashing Amber Beacons - LED	\$190
Flashing Amber Beacon - LED	\$95
White Noise Backup Alarm	\$580
MISCELLANEOUS	
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
TECHNOLOGY	
ClearSky™	Consult Factory
Operator Access Control	Consult Factory

Note: Some options may increase lead time, and some option combinations may not be available.

*RT4769 Includes a Push-Button Manual Descent System

1. QuikLevel Advanced and Hydraulic Leveling Jack (Auto Level) can not be outfitted on the same machine.

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page

LARGE ROUGH TERRAIN SERIES

Scissor Lift Price List



RT3394/RT4394/RT5394 (530LRT)

RT3394

Package 3 (AWD Dual Fuel) Kubota WG972 31 hp (23.2 kW) Dual Fuel Engine **\$91,360**

GVW: 11,820 **Dims:** (L x W x H in.) 192 x 93 x 109 in. **Indoor/Outdoor:** Occupants 6, Capacity 2,250 lb **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft

Package 4 (AWD Diesel) Kubota D1305 24 hp (17.9 kW) Tier 4 Final Diesel Engine **\$91,360**

GVW: 11,820 **Dims:** (L x W x H in.) 192 x 93 x 109 in. **Indoor/Outdoor:** Occupants 6, Capacity 2,250 lb **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft

RT4394

Package 3 (AWD Dual Fuel) Kubota WG972 31 hp (23.2 kW) Dual Fuel Engine **\$100,540**

GVW: 14,300 **Dims:** (L x W x H in.) 192 x 93 x 118 in. **Indoor/Outdoor:** Occupants 6, Capacity 1,500 lb **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft

Package 4 (AWD Diesel) Kubota D1305 24 hp (17.9 kW) Tier 4 Final Diesel Engine **\$100,540**

GVW: 14,300 **Dims:** (L x W x H in.) 192 x 93 x 118 in. **Indoor/Outdoor:** Occupants 6, Capacity 1,500 lb **Tilt Rating:** 3 Degrees side-to-side, 5 Degrees fore-aft

RT5394 / 530LRT

Package 3 (AWD Dual Fuel) Kubota WG972 31 hp (23.2 kW) **\$121,200**

GVW: 17,000 **Dims:** (L x W x H in.) 192 x 91 x 125 in. **Indoor/Outdoor:** Occupants 6, Capacity 1,500 lb **Tilt Rating:** 1.5 Degrees side-to-side, 1.5 Degrees fore-aft

Package 4 (AWD Diesel) Kubota D1305 24 hp (17.9 kW) Tier 4 Final Diesel Engine **\$121,200**

GVW: 17,000 **Dims:** (L x W x H in.) 192 x 91 x 125 in. **Indoor/Outdoor:** Occupants 6, Capacity 1,500 lb **Tilt Rating:** 1.5 Degrees side-to-side, 1.5 Degrees fore-aft

STANDARD FEATURES

PLATFORM SECTION
4 ft (1.22 m) Manual Deck Extension
73.5 x 156 in. (1.8 x 3.9 m) All Steel Platform (RT5394 / 530LRT)
76 x 154 in. (1.95 x 3.92 m) Platform (RT3394, RT4394 & RT5394 / 530LRT)
Adjustable, Removable Platform Control Station
Fold-Down Handrails with Self-Closing Gate
Steel Platform with Aluminum Deck (RT3394 & RT4394)
CHASSIS SECTION
Leveling Jacks (RT5394/530LRT)
Manual Descent
TIRES
12 x 16.5 Foam-Filled Tires
ELECTRICAL
110V-AC Receptacle in Platform
All Motion Alarm
Fuel Gauge in Platform
Horn
MISCELLANEOUS
4-Wheel Drive
Automatic Transmission
Three-Speed Drive Select
TECHNOLOGY
Load Sensing System
On-Board Diagnostics at Platform and Ground Control
Telematics-Ready Harness
Tilt Light and Alarm

INDIVIDUAL OPTIONS

PLATFORM SECTION	
Platform (Dual Ext)	\$3,145
CHASSIS SECTION	
Hydraulic Leveling Jacks (RT3394 / RT4394)	\$11,300
TIRES	
33/16LL Foam-Filled Sand Tires (RT3394 / RT4394)	\$4,775
12X16.5 Foam-Filled Non Marking Tires (RT5394 / 530LRT)	\$2,895
ELECTRICAL	
Cold Weather Package ¹	\$1,755
4000W 110V 60Hz Generator ²	\$5,170
Amber Beacon	\$515
Ambient White Noise Adjusting Alarm	\$580
ACCESSORIES	
Large Material Rack	\$3,535
Pipe Racks (Rail Mount)	\$960
Platform Worklights	\$850
SkyPower ³	\$9,420
SkyPower ³ with SkyWelder ⁴	\$14,685
MISCELLANEOUS	
Hydraulic Oil Cooler	\$1,690
Special Hydraulic Fluids	Consult Factory
Special Paint	Consult Factory
TECHNOLOGY	
ClearSky [™]	Consult Factory

Note: Some options may increase lead time, and some option combinations may not be available. 530LRT nomenclature will change to RT5394 in the Summer of 2021.

1. Includes oil tank immersion heater, battery blanket heater and block heater
 2. Not Available on RT5394 / 530LRT
 3. Includes 7500W Generator, power cable to platform
 4. Includes 7500W Generator, power cable to platform, 280 Amp Miller Welder in Platform, Leads, Clamp, Stinger & Fire Extinguisher

The JLG "1 & 5" Warranty & Machine Shipments See Table of Contents Page