

# TRUSS BOOM ATTACHMENTS



## Increase the Versatility of Your Telehandler

When lifting and lowering roof trusses, framing walls or steel beams into place, use the truss boom; available with or without a winch.

### Features

- Truss boom with winch feature requires auxiliary hydraulics



### Current Production - Truss Boom

Available Through JLG Aftermarket Or With New Machine Orders

LENGTH			3 ft.	12 ft.	12 ft.	15 ft.	
WINCH			Yes	No	Yes	No	
CAPACITY			4000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	
PART NO.			1001100967S	1001099902S	1001099351	1001099901S	
MODEL	SN BREAKS	LOAD CHART BOOKLET					
JLG	642, 943, 1043, 1055, 1255 ONLY	Software, Chart Library	1001187087 (Ref No.)				
	642	Without Outriggers	1001212421	•	•	•	•
		With Outriggers	1001203057	•	•	•	•
	943/1043	Without Outriggers	1001212420	•	•	•	•
		Without Outriggers	1001212419	•	•	•	•
	1055	Prior To 0160074169	1001212227	•	•	•	•
		0160074169 - Present	1001211156	•	•	•	•
	1255	Prior To 0160074168	1001212225	•	•	•	•
		0160074168 - Present	1001211153	•	•	•	•
	G15-44A	Prior To 0160074142	1001194130		•	•	•
0160074142 - Present		1001211953		•	•	•	
SKYTRAK T4F	6036	0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722	1001199500		•	•	•
		0160075650 - Present, excl 0160075653 & 0160075722	1001211867		•	•	•
	6042	0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504		•	•	•
		0160075657 - Present	1001211869		•	•	•
	8042	0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508		•	•	•
		0160075671 - Present	1001211871		•	•	•

For SkyTrak Legacy machines, please refer to Non-Current Production SkyTrak table.

Continues on next page

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTE: Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab; Never use your attachment as a work platform or personnel carrier.

JLG Industries, Inc.  
1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)  
F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)  
[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# TRUSS BOOM ATTACHMENTS



## Current Production - Truss Boom

Available Through JLG Aftermarket Or With New Machine Orders

Continued from previous page

LENGTH			3 ft.	12 ft.	12 ft.	15 ft.
WINCH			Yes	No	Yes	No
CAPACITY			4000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.
PART NO.			1001100967S	1001099902S	1001099351	1001099901S
MODEL	SN BREAKS	LOAD CHART BOOKLET				
SKYTRAK T4F	10042	0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512	.	.	.
		0160075988 - Present	1001211873	.	.	.
10054		0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696	1001199518	.	.	.
		0160075683 - Present, excl 0160075696	1001211875	.	.	.

For SkyTrak Legacy machines, please refer to Non-Current Production SkyTrak table.

## Non-Current Production - Truss Boom, JLG

Available Through JLG Aftermarket Parts

LENGTH			3 ft.	11.86 ft.	10 ft.	12 ft.	12 ft.	15 ft.	15 ft.	
WINCH			Yes	No	No	No	Yes	No	No	
CAPACITY			4000 lbs.	1433 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	
PART NO.			1001100967S	0240110	91405083	1001099902S	1001099351	91405082	1001099901S	
MODEL	SN BREAKS	LOAD CHART BOOKLET								
JLG	G5-19A	ALL	Consult Factory	.						
	619A	ALL	Consult Factory	.						
	G6-23A	ALL	Consult Factory	.						
	723A	ALL	Consult Factory				.	.	.	
	G6-42A	Prior To 0160037722	1001105323		.				.	
		0160037722 - 0160040659	1001110401	.			.	.	.	.
		0160040678 - Present	1001130739	.			.	.	.	.
	G9-43A	Prior To 0160037671	1001105325		.				.	
		0160037671 - 0160040674, excl 0160040468 & 0160040672	1001110402	.			.	.	.	.
		0160040675 - Present, incl 0160040468 & 0160040672	1001130708	.			.	.	.	.
	G10-43A	Prior To 0160037671	1001130935		.				.	
		0160037671 - 0160040674, excl 0160040468 & 0160040672	1001115257	.			.	.	.	.
		0160040675 - Present, incl 0160040468 & 0160040672	1001130844	.			.	.	.	.
	G10-55A	Prior To 0160037689	1001105707		.				.	
		0160037690 - Present, incl 0160038505, 0160038507, 0160038324, 0160038489 & 0160038493	1001115138				.	.	.	.
	G12-55A	Prior To 0160037689	1001105326		.				.	
		0160037689 - Present	1001115540					.		
	TF6-42	ALL	Consult Factory		.				.	

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTE: Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab; Never use your attachment as a work platform or personnel carrier.

### JLG Industries, Inc.

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)

[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# TRUSS BOOM ATTACHMENTS



## Non-Current Production - Truss Boom, Gradall Available Through JLG Aftermarket Parts

LENGTH			10 ft.	10 ft.	12 ft.	12 ft.	15 ft.	15 ft.
WINCH			No	No	No	Yes	No	No
CAPACITY			2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.
PART NO.			90455011	91405083	1001099902S	1001099351	91405082	1001099901S
MODEL	SN BREAKS	LOAD CHART BOOKLET						
GRADALL	G6-42P	Prior To 0160037689	1001105324	.			.	
		0160037689 - Present	1001110405		.	.		.
	522D/524D	ALL	Consult Factory	.				
	534D-6	ALL	Consult Factory	.				
	534D-9	Prior To 0160037689	1001102720	.				
		0160037689 - Present	1001110406		.	.		.
	534D-10	Prior To 0160037689	1001102721	.				
		0160037689 - Present	1001110407		.	.		.
	544D	Prior To 0160037689	1001102721	.				
		0160037689 - Present	1001110408		.	.		.
534C-10	ALL	Consult Factory	.					
544C	ALL	Consult Factory	.					

## Non-Current Production - Truss Boom, SkyTrak Legacy Available Through JLG Aftermarket Parts

LENGTH			3 ft.	12 ft.	12 ft.	15 ft.	15 ft.	
WINCH			Yes	No	Yes	No	No	
CAPACITY			4000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	
PART NO.			7139608S	1001099902S	1001099351	7119800	1001099901S	
MODEL	SN BREAKS	LOAD CHART BOOKLET						
SKYTRAK LEGACY	6036	Prior To 0160031200	Consult Factory	.				
		0160031200 - 016009719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199500		.	.		.
	6042	Prior To 0160031200	Consult Factory	.				
		0160031200 - 016009719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504		.	.		.
	8042	Prior To 0160031235	Consult Factory	.				
		0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508		.	.		.
	10042	Prior To 0160031425	Consult Factory	.			.	
		0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512		.	.		.
	10054	Prior To 0160031255	Consult Factory	.			.	
		0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199518		.	.		.

Continues on next page

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTE: Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab; Never use your attachment as a work platform or personnel carrier.

### JLG Industries, Inc.

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)

[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# TRUSS BOOM ATTACHMENTS



**Non-Current Production - Truss Boom, SkyTrak Legacy**  
Available Through JLG Aftermarket Parts

Continued from previous page

LENGTH			3 ft.	12 ft.	12 ft.	15 ft.	15 ft.
WINCH			Yes	No	Yes	No	No
CAPACITY			4000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.
PART NO.			7139608S	1001099902S	1001099351	7119800	1001099901S
MODEL	SN BREAKS	LOAD CHART BOOKLET					
SKYTRAK LEGACY	4266 ALL	Consult Factory	•				
	4270 ALL	Consult Factory	•				
	4290 ALL	Consult Factory	•				
	5028 ALL	Consult Factory	•				

**Non-Current Production - Truss Boom, Lull**  
Available Through JLG Aftermarket Parts

LENGTH			3 ft.	10 ft.	10 ft.	10 ft.	10 ft.	12 ft.	12 ft.	15 ft.
WINCH			Yes	No	No	Yes	Yes	No	Yes	No
CAPACITY			4000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.	2000 lbs.
PART NO.			7139608S	7301178S	10338932	7301179	10338933	1001099902S	1001099351	1001099901S
MODEL	SN BREAKS	LOAD CHART BOOKLET								
LULL	644E-42	Prior To 0160031500	7300628	•	•		•			
		0160037900 - Present	1001110410					•	•	•
	944E-42	Prior To 0160031500	7301586	•	•		•			
		0160037794 - Present, incl 0160045421	1001110411					•	•	•
	1044C-54 SII	Prior To 0160037893	1001105327			•		•		
		0160037794 - Present	1001110409					•	•	•
	644B-37	ALL	Consult Factory			•		•		
	644B-42	ALL	Consult Factory			•		•		
	844C-42	ALL	Consult Factory			•		•		
	6K-37	ALL	Consult Factory			•		•		
	6K-42	ALL	Consult Factory			•		•		
	8K-42	ALL	Consult Factory			•		•		
	10K-42/10K-54	ALL	Consult Factory			•		•		
	644D-34	ALL	Consult Factory			•		•		

**Order Today**

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTE: Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab; Never use your attachment as a work platform or personnel carrier.

**JLG Industries, Inc.**  
1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)  
F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)  
[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company