

519 COMPACT
TELEHANDLER

JLG[®]



**THE ONE
YOU WANT**

519 MORE THAN A REDESIGN

The new JLG® 519 Compact Telehandler is the answer to tight work zones, tighter schedules and high expectations. Built with features that stand up to the demands of today's complex job sites — and the crews that run them — the new 519 delivers big gains across performance, comfort, serviceability and control.

From worksite to rental yard, and contractor to municipality, the new 519 Compact Telehandler is the one everyone wants.

**AND IF YOU DON'T CALL "DIBS,"
SOMEONE ELSE WILL.**





BUILT WITH FEATURES THAT STAND UP TO THE DEMANDS OF TODAY'S COMPLEX JOB SITES



BEAST



STRONGER

WHERE IT COUNTS

WHETHER YOU'RE MANAGING A RENTAL FLEET OR A DEMANDING JOB SITE, THE REDESIGNED 519 COMPACT TELEHANDLER IS BUILT TO LIFT MORE, BE MORE EFFICIENT AND FIT IN WHERE IT COUNTS.

"You can get into some tighter areas. You could drive down hallways. A lot less issues on the job. It's a great machine."

— David Hilton, Operating Engineer



COMPACT MANEUVERABILITY

At just 6-ft wide and with a 126-in turning radius, plus 4WD and three steering modes, it can easily maneuver through congested job sites and tight alleys.



IMPROVED LOAD CHART

Enhanced working zones at maximum lift height and maximum reach allow you to deliver more materials in less time.



DEUTZ 2.2 L 60 HP DIESEL ENGINE

Up to 20% better fuel efficiency, critical for budget-conscious fleets.



ROOM TO THINK

COMFORT TO PERFORM

DESIGNED AROUND THE OPERATOR, THE CAB IN THE NEW 519 DELIVERS ALL-DAY COMFORT, SMART CONTROL PLACEMENT AND SURPRISING SPACE TO KEEP THEM FOCUSED AND ON POINT.



MULTIFUNCTION JOYSTICK

The electric-over-hydraulic joystick includes hydraulic function and attachment tilt for greater productivity.



OPTIONAL MULTIFUNCTION DISPLAY WITH BACKUP CAMERA

LCD screen delivers rearview vision, machine data and electronic load charts to keep crews confident and efficient.




COMFORT-FOCUSED CAB DESIGN

Spacious, ergonomic design with optional A/C to keep operators sharp through long shifts and asking for the same machine day after day.





519



OMFORT

SERVICEABILITY & UPTIME



UPTIME BUILT

TO STAY ON SITE,
NOT IN THE SHOP



EVERY HOUR BEING SERVICED IS ONE YOU'RE NOT BILLING. THE 519 MINIMIZES SERVICE HEADACHES WITH STREAMLINED COMPONENTS AND SMART LAYOUT WHETHER YOU'RE THE CREW'S FLEET TECH OR A RENTAL YARD MANAGER.

+ SMART SERVICE LAYOUT

Common maintenance points are accessible from ground level facilitating faster preventative maintenance, fewer calls and productive techs.

+ CLEARSKY SMART FLEET™ IOT PLATFORM

Two-way fleet interactivity helps fleet managers monitor usage, automatically track location and prevent misuse whether they're in the field or behind a desk.

+ ADVANCED CONTROL SYSTEM

Allows for remote diagnostics, improved troubleshooting and richer telematics.

+ OPTIMIZED HYDRAULIC SYSTEM

44% fewer hoses and fittings equals fewer leak risks and faster turnarounds.

A JLG 519 telehandler is shown in operation at a construction site. The machine is yellow and black, with the JLG logo and the number '5' visible on its mast. It is lifting a large stack of grey concrete blocks on a red pallet. The background shows a clear blue sky and some construction equipment. The text '519 MINIMIZES SERVICE HEADACHES WITH STREAMLINED COMPONENTS AND SMART LAYOUT' is overlaid on the bottom right of the image.

519 MINIMIZES SERVICE HEADACHES WITH STREAMLINED COMPONENTS AND SMART LAYOUT

SMARTER

TECH OPTIONS

ON HIGH-TRAFFIC AND CROWDED JOBS, THE NEW 519 DELIVERS PEACE OF MIND WITH TECHNOLOGY OPTIONS THAT KEEP OPERATORS CONFIDENT AND PRODUCTIVE.

+ SEATBELT ENGAGEMENT & OPERATOR PRESENCE

Features seatbelt engagement assurance, operator presence functionality and a high-vis orange seatbelt to enhance operator confidence with the use of visual and audible alarms, as well as limiting machine functions.

+ LOAD STABILITY INDICATION

This option senses forward load capacity and displays color-coded visuals to help operators work with higher confidence.

+ REVERSE SENSING SYSTEM

Alerts operators to rear obstructions with an audible alarm, helping crews stay aware of surroundings, especially on busy job sites.

+ WHITE NOISE BACK-UP ALARM

Emits a directional alarm that reduces job site noise pollution.





APPLICATION VERSATILITY

ADAPT

TO JOB SITE DEMANDS

WITH THE OPTIONAL UNIVERSAL SKID STEER COUPLER, THE REDESIGNED 519 TRANSFORMS INTO A MULTI-PURPOSE POWERHOUSE.

Compatible with most skid steer attachments — buckets, brooms, grapples and more — it gives you the flexibility to tackle whatever the day throws at you. No extra machines or tool delays, just seamless productivity.

From laying pavers in a tight residential lot to dumping landscaping mulch to unloading materials in a congested city center, the new 519 is tailor-made to do so much more than lift — it's engineered to be every machine you need it to be.

PERFECTLY SIZED FOR:

Residential & Commercial Construction — Lift and place materials in tight lots and active build zones with compact agility and serious power.

Landscaping & Grounds Maintenance — Tackle seasonal tasks like moving mulch and gravel or transporting landscaping block and sod.

Municipal & Urban Zones — Operate confidently in alleyways, sidewalks and tight-access areas with compact size and precision handling.





ONE MACHINE. MAXIMUM PRODUCTIVITY.

Whether you're moving materials or lifting crew members, the 519 adapts to tackle just about any challenge.



STANDARD 48-IN CARRIAGE

Built to handle everyday lifting with ease and stability.



GRAPPLE BUCKET

Secure loose or bulky loads with confidence and control.



SIDE-TILT & SIDE-SHIFT CARRIAGES (48-IN)

Adjust loads precisely without repositioning the machine.



PALLET FORKS

Rugged design makes it easier to handle heavy palletized material.



DUAL FORK POSITIONING CARRIAGE

Operator-controlled fork-width adjustments without leaving the cab.



FORK-MOUNTED WORK PLATFORM (8-FT)

Elevate crew members securely for elevated tasks.



GENERAL PURPOSE BUCKET

Scoop, move and level loose material like soil, sand or gravel.



FORK-MOUNTED LIFTING HOOK

Lift and lower objects without changing attachments.



LIGHT MATERIAL BUCKET

Maximize volume when moving mulch or light debris.



UNIVERSAL SKID STEER ADAPTER

Cross-compatibility for additional attachments as you need them.

WE HAVE YOUR BACK

LONG AFTER THE LIFT

There's more to the 519 than what you see. You also get JLG in your corner. From training and parts to diagnostics and expert service, we don't leave you guessing after delivery.

WE HELP PROTECT YOUR INVESTMENT AND YOUR PRODUCTIVITY FOR YEARS TO COME.



JLG UNIVERSITY

Train on your time with online, in-person and even VR learning personally created by JLG staff for operators, techs and safety managers. Get started at jlg.jlg.com.



AUTHORIZED SERVICE PROVIDERS

A national network of JLG-certified service shops ready to support your fleet with factory-approved repairs and warranty work.



CLEARSKY SMART FLEET™ IOT PLATFORM

Set new benchmarks of productivity, uptime and profitability with the industry's first true, two-way fleet management and communication platform.



EXPERT CUSTOMER SUPPORT

Call, text or email expertly trained teams who treat your challenge like their own – and don't rest until it's solved.



ONLINE EXPRESS PARTS HUB

Access 100,000+ parts from 70+ brands with easy search and navigation, 24/7 ordering and same-day shipping on key SKUs.





QUICK STATS. CLEAR DECISION.

RATED CAPACITY	5,500-lb / 2,495-kg	LIFT SPEED (BOOM RETRACTED) DOWN	5.6 sec
MAXIMUM LIFT HEIGHT	18-ft 7-in / 5.7-m	BOOM SPEED EXTENDED	7.2 sec
LOAD AT MAX HEIGHT	4,400-lb / 1,996-kg	BOOM SPEED RETRACTED	5.0 sec
MAXIMUM FORWARD REACH	10-ft 10-in / 3.3-m	TOP TRAVEL SPEED (4-SPEED)	15 mph / 24.1 km/h
LOAD AT MAX REACH	1,900-lb / 862-kg	OPERATING WEIGHT	10,400-lb / 4,717-kg
LIFT SPEED (BOOM RETRACTED) UP	7.2 sec	OUTSIDE TURNING RADIUS	126-in / 3.2-m

YOU COULD SETTLE FOR SECOND
OR YOU CAN CALL DIBS NOW