

BATTERY CHARGERS

ACCESSORIES



Extend The Life of Your Batteries

Enhance battery performance with a PRO Charging battery charger. JLG offers a new advanced battery charger to meet the demands of your charging needs. PRO Charging Systems DeltaVolt intuitive battery charging technology utilizes sophisticated firmware or software to enable the charger to automatically adapt to the charging needs of a broad range of battery pack capacities.



PRO Charging Battery Chargers:

- Dramatically enhance battery performance and extend battery life
- Condition batteries with an advanced charge profile
- Charge batteries to 100% with specific gravity level
- Are easy to install and use
- Direct ship from multiple vendor locations
- Made in the USA



MACHINE	S/N BREAKS	SPEC	VOLTAGE	OEM CHARGER P/N	PRO CHARGING P/N	RECOMMENDED COMPATIBLE BATTERY CHARGER		
						20 AMPS	25 AMPS	48 AMPS
SCISSORS								
6RS/1932RS, 10RS/3248RS	ALL	ALL	24	1001129847	i2420OBRMIECRSJLG (20 amps) i2425OBRMIECRSJLG (25 amps)	1001185630	1001185630	
1532E, 1932E, 2033E, 2046E, 2646E, 2658E		ANSI	24	0400178	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
		ANSI	24	2901844 or 2901846	i2420OBRMJLGE (20 amps) i2425OBRMJLGE (25 amps)	70010940	70010941	
1532E2, 1932E2, 2032E2, 2632E2, 2646E2, 3246E2		ANSI/CE	24	0400170	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
1532E3, 1932E3, 2033E3, 2046E3, 2646E3, 2658E3		All	24	0400178	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
1230ES	Prior to 0200197381	All	24	1001112111	i2425OBRMIECJLG		1001177842	
1930ES, 2030ES, 2630ES, 2646ES, 3246ES	Prior to 0200135154	All	24	0400218	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010943	70010944	
	0200135154 - 0200152825	All	24	0400220	i2420OBRMCF (20 amps) i2425OBRMCF (25 amps)	70010945 or 70011238*	70010946	
	1200004293 - Present	All	24	0400238/ 1001128737	i2420OBRMJLG (20 amps) i2425OBRMJLG (25 amps)	70010900	70010901	
3369LE, 4069LE, M3369, M4069		All	18	0400188/ 1001103105	i4818OBRMJLGSJLP			70011319
1932R, R6, R10		ANSI, CSA		1001200561		1001185630	1001185630	

Continues...

Order Today

Online: onlineexpress2.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTES:

* Not a Direct Ship from vendor, so will ship from JLG Warehouse
 ** Provides additional amperage for faster charging

Please refer to OEM manual to confirm correct part number and machine serial number. JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer. All manufacturer names are registered trademarks by their business or other parent company.

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

BATTERY CHARGERS

ACCESSORIES



Continued...

MACHINE	S/N BREAKS	SPEC	VOLTAGE	OEM CHARGER P/N	PRO CHARGING P/N	RECOMMENDED COMPATIBLE BATTERY CHARGER		
						20 AMPS	25 AMPS	48 AMPS
BOOMS								
E300A/AJ/AJP	Prior to 0300138358	ANSI	18	0400188	i4818OBRMJLGS4JP			70011319
	Prior to 0300138358	CE/ANSI Export	18	0400190	i4818OBRMJLGS4JP			70011319
	Prior to 0300138358	Aus/ANSI Export	18	0400191	i4818OBRMJLGS4JP			70011319
	Prior to 0300138358	Jpn	18	0400189	i4818OBRMJLGS4JP			70011319
	0300138358 - Present	All	18	1001103105	i4818OBRMJLGS4JP			70011319
H340AJ	Prior to 0300209405	All	18	1001152650				70011888***
	0300209405 - Present	All	18	1001197707				70011888***
E/M400A/AJP/An/AJPh	Prior to 0300189901	ANSI	18	0400196	i4818OBRMJLGS400A			70011289*
	Prior to 0300189901	CE/ANSI Export	18	0400197	i4818OBRMJLGS400A			70011289*
	Prior to 0300189901	Aus/ANSI Export	18	0400195	i4818OBRMJLGS400A			70011289*
	Prior to 0300189901	Jpn	18	0400194	i4818OBRMJLGS400A			70011289*
	Prior to 0300189901	Svc Replacement	18	1001103105	i4818OBRMJLGS400A			70011289*
	0300189901 - Present	All	18	1001103105	i4818OBRMJLGS400A			70011289*
E/M450A/AJ	Prior to 0300189898 exc 0300185900 & 0300186011	ANSI	18	0400196	i4818OBRMJLGS400A			70011289*
	Prior to 0300189898 exc 0300185900 & 0300186011	CE/ANSI Export	18	0400197	i4818OBRMJLGS400A			70011289*
	Prior to 0300189898 exc 0300185900 & 0300186011	Aus/ANSI Export	18	0400195	i4818OBRMJLGS400A			70011289*
	Prior to 0300189898 exc 0300185900 & 0300186011	Jpn	18	0400194	i4818OBRMJLGS400A			70011289*
	Prior to 0300189898 exc 0300185900 & 0300186011	Svc Replacement	18	1001103105	i4818OBRMJLGS400A			70011289*
	0300189898 to Present inc 0300185900 & 0300186011	All	18	1001103105	i4818OBRMJLGS400A			70011289*
E/M600/J/JP	Prior to 0300219271	ANSI	18	0400188	i4818OBRMJLGS4JP			70011319
	Prior to 0300219271	CE/ANSI Export	18	0400190	i4818OBRMJLGS4JP			70011319
	Prior to 0300219271	Aus/ANSI Export	18	0400191	i4818OBRMJLGS4JP			70011319
	Prior to 0300219271	Jpn	18	0400189	i4818OBRMJLGS4JP			70011319
	0300219271 - Present	All	18	1001103105	i4818OBRMJLGS4JP			70011319
T350/T500J	ALL	Mac Charger	24	0400164	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
T8E, T10E	ALL	CE/ JPN	18	1001112111	i4818OBRMTOUJLG			70011888
T20E, T26E	ALL	ANSI/ ANSI EXPORT/ CSA	18	1001112111	i4818OBRMTOUJLG			70011888

Continues...

Order Today

Online: onlineexpress2.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTES:

- * Not a Direct Ship from vendor, so will ship from JLG Warehouse
- ** Provides additional amperage for faster charging

Please refer to OEM manual to confirm correct part number and machine serial number. JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer. All manufacturer names are registered trademarks by their business or other parent company.

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

BATTERY CHARGERS

ACCESSORIES



Continued...

MACHINE	S/N BREAKS	SPEC	VOLTAGE	OEM CHARGER P/N	PRO CHARGING P/N	RECOMMENDED COMPATIBLE BATTERY CHARGER		
						20 AMPS	25 AMPS	48 AMPS
T12E, T32E	ALL	ANSI/ ANSI EXPORT/ CSA/ CE	18	1001152650	i4818OBRMTOUJLG			70011888
T12E, T26E	ALL (without 12V converter)	ANSI/ ANSI EXPORT/ CSA/ CE	15	1001152650	i4818OBRMTOUJLG			70011887
VERTICALS								
15MSP	Prior to 0130010900	CE/ LAT/BRAZIL/ CHI	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	Prior to 0130010900	AUS	24 (Aus plug)	0400241	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	0130010900 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHINA	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
20MSP	Prior to 0130010885	ANSI/ CSA/ LAT/ BRAZIL/ JPN	24 (Dom. Plug)	0400241	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	0130010885 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHINA	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
15MVL	Prior to 0130010826	CE/ LAT/BRAZIL/ CHI	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	Prior to 0130010826	AUS	24 (Aus plug)	0400241	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	0130010826 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHINA	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
20MVL	Prior to 0130010884	CE/ LAT/BRAZIL/ CHI	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	Prior to 0130010884	AUS	24 (Aus plug)	0400241	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
	0130010884 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHINA	24 (no plug)	1001136381	i2420OBRM (20 amps) i2425OBRM (25 amps)	70010900 or 70011237*	70010901	
10VP	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400164	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400166	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400167	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400165	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	

Continues...

Order Today

Online: onlineexpress2.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTES:

* Not a Direct Ship from vendor, so will ship from JLG Warehouse
 ** Provides additional amperage for faster charging

Please refer to OEM manual to confirm correct part number and machine serial number. JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer. All manufacturer names are registered trademarks by their business or other parent company.

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

BATTERY CHARGERS

ACCESSORIES



Continued...

MACHINE	S/N BREAKS	SPEC	VOLTAGE	OEM CHARGER P/N	PRO CHARGING P/N	RECOMMENDED COMPATIBLE BATTERY CHARGER		
						20 AMPS	25 AMPS	48 AMPS
10VP	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400157	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400173	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
15VP	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400164	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400166	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400167	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400165	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400157	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400173	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
20VP	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400164	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400166	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400167	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400165	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400157	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
	ALL	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	12	0400173	RS1/IS1 (20 amps) RS2/IS2 (25 amps)	70010903	70010904**	
20AM, 25AM, 30AM, 36AM, 41AM	Prior to 0900031664	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	Wet	0400176	PS10BRMAMSPJLG	70011884 (15 amps)		
	Prior to 0900031664	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI	Dry	0400176	PS10BRMAMSPJLG	70011884 (15 amps)		

Continues...

Order Today

Online: onlineexpress2.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTES:

* Not a Direct Ship from vendor, so will ship from JLG Warehouse
 ** Provides additional amperage for faster charging

Please refer to OEM manual to confirm correct part number and machine serial number. JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer. All manufacturer names are registered trademarks by their business or other parent company.

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

BATTERY CHARGERS

ACCESSORIES



Continued...

MACHINE	S/N BREAKS	SPEC	VOLTAGE	OEM CHARGER P/N	PRO CHARGING P/N	RECOMMENDED COMPATIBLE BATTERY CHARGER		
						20 AMPS	25 AMPS	48 AMPS
20AM, 25AM, 30AM, 36AM, 41AM	0900031664 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI/ GWW	Wet	0400176	PS10BRMAMSPJLG	70011884 (15 amps)		
	0900031664 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI/ GWW	Dry	0400176	PS10BRMAMSPJLG	70011884 (15 amps)		
	0900031664 - Present	ANSI/ CSA/ CE/ AUS/ LAT/ BRZ/ JPN/ CHI/ GWW	AGM	0400212	PS10BRMAMSPJLG	70011884 (15 amps)		
T8E, T10E	ALL	CE/ JPN	12	1001112111	i2420OBRMIECJLG (20 amps) i2425OBRMIECJLG (25 amps)	70011885	70011886	
T20E, T26E	ALL	ANSI/ ANSI EXPORT/ CSA	12	1001112111	i2420OBRMIECJLG (20 amps) i2425OBRMIECJLG (25 amps)	70011885	70011886	
T12E, T32E	ALL	ANSI/ ANSI EXPORT/ CSA/ CE	12	1001152650	i2420OBRMIECJLG (20 amps) i2425OBRMIECJLG (25 amps)	70011885	70011886	
All Other Machines								
GS Scissors - 1530, 1930, 2032, 2632, 2046, 2646, 3232, 3246			24	66412/105739	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
			24	66412/105739	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
GS Scissors - 1530, 1930, 2032, 2632, 2046, 2646, 3232, 3246			24	105739/ 826563	i2420OBRMLIFTIEC (20 amps) i2425OBRMLIFTIEC (25 amps)	70011889	70011890	
			24	105739/826563	i2420OBRMLIFTIEC (20 amps) i2425OBRMLIFTIEC (25 amps)	70011889	70011890	
GS-2668DC/GS-3268DC			48	36315/36316	i4815OBRMLIFTIEC			70011891
			48	36315/36316	i4815OBRMLIFTIEC			70011891
AWP-20S, 25S, 30S, 36S, 40S			24	6671/6688/80990	RS1/IS1	70010903		
			24	6671/6688/80990	RS1/IS1	70010903		
IWP-20S, 25S, 30S			24	80990	RS1/IS1	70010903		
			24	80990	RS1/IS1	70010903		
DLP-25S, 30S, 35S			24	8029/8030	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
			24	8029/8030	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
GR-12, 15, 20			24	105739	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
			24	105739	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
TZ-34/20			24	96211/105739/ 826563	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
			24	96211/105739/ 826563	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
TZ-50/30			48	96211/105739/ 826563	i4815OBRMLIFT			70010902

Continues...

Order Today

Online: onlineexpress2.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTES:

* Not a Direct Ship from vendor, so will ship from JLG Warehouse
 ** Provides additional amperage for faster charging

Please refer to OEM manual to confirm correct part number and machine serial number. JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer. All manufacturer names are registered trademarks by their business or other parent company.

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

BATTERY CHARGERS ACCESSORIES



Continued...

MACHINE	S/N BREAKS	SPEC	VOLTAGE	OEM CHARGER P/N	PRO CHARGING P/N	RECOMMENDED COMPATIBLE BATTERY CHARGER		
						20 AMPS	25 AMPS	48 AMPS
Z-34/22DC/ Z-40/22DC, Z-45/25DC, Z-45/34DC			48	54794/ 54795/ 54796/ 54797	i4815OBRMLIFTSPC			70011892
SJIII Compact Series - 3015, 3215, 3219			24	168884AB, 162971AC, 161827AA, 128537AH	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
SJIII Compact Series - 3015, 3215, 3219			24	168884AB, 162971AC, 161827AA, 128537AH	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
SJIII Conventional Series - 3220, 3226, 4620, 4626, 4632, 4832, 6832, 6826			24	168884AB, 162971AC, 161827AA, 128537AH	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	
SJIII Conventional Series - 3220, 3226, 4620, 4626, 4632, 4832, 6832, 6826			24	168884AB, 162971AC, 161827AA, 128537AH	i2420OBRMLIFT (20 amps) i2425OBRMLIFT (25 amps)	70010898	70010899	

DeltaView Reader®

Customers who have purchased a Pro Chargers Battery charger, have also purchased a DeltaView Reader. Collect, view and analyze data from your Procharger battery charger with intuitive charge history analysis.

- Wireless
- Easy to use



JLG P/N 70011137

Instructions:

- 1) place the DeltaView Reader over the charger's green LED. When aligned a red blinking LED illuminates on the DeltaView Reader.
- 2) The LED will then blink green for about 15 seconds indicating that data is being read. When complete the LED will change to solid green.
- 3) Plug the DeltaView Reader into a USB computer port and transfer the data into the software for easy to understand graphical presentations.

Order Today

Online: onlineexpress2.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

NOTES:

- * Not a Direct Ship from vendor, so will ship from JLG Warehouse
- ** Provides additional amperage for faster charging

Please refer to OEM manual to confirm correct part number and machine serial number. JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer. All manufacturer names are registered trademarks by their business or other parent company.

JLG Industries, Inc. ("JLG") is not affiliated with - and makes no representation that it is affiliated with - any manufacturer or manufacturers identified on this page. The descriptions provided herein are for identification purposes only, and JLG makes representation or warranty with respect to the accuracy of any such descriptions. ACCORDINGLY, JLG EXPRESSLY DISCLAIMS ANY EXPRESS OR IMPLIED WARRANTIES NOT OTHERWISE PROVIDED FOR IN THIS CATALOG, INCLUDING - BUT NOT LIMITED TO - ANY WARRANTY THAT THE PRODUCT(S) DESCRIBED ON THIS PAGE ARE FIT FOR A PARTICULAR PURPOSE OR FOR A PARTICULAR PIECE OF EQUIPMENT, OR THAT ANY SUCH PRODUCT(S) CONFORM EXACTLY TO THE DESCRIPTIONS OR REFERENCES USED IN THE DESCRIPTIONS. JLG expressly reserves the right to correct any errors made in this publication.

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company