

# WHEEL & TIRE COVERS

## TIRES



### Protect Your Surface Area

TIRE SOCKS® protect finished flooring from scuff marks caused by rubber tires and debris transfer. Constructed using heavy duty fabrics and made to fit any size tire, TIRE SOCKS have several advantages over similar products currently on the market. They are easy to install, don't slip off the tires and self center as you drive.

#### Features and Benefits Include:

- Provides surface protection
- Constructed using a heavy-duty 1680 ballistic nylon fabric that lasts longer than other socks available in the market
- Heavy-duty bungee cord covered with nylon to provide heavy duty elasticity to prevent tire socks from slipping off wheel while in motion
- Heavy-duty bungee self-centers sock when machine is in motion
- Durable, water repellent top coat
- Tested and approved for JLG® booms and scissors
- Installs in 3 easy steps
- Heavy duty tire socks with twice the material are ideal for tires over 40" and on machines that will be on the jobsite for more than two weeks. Select heavy duty part numbers are available now, others are available upon request.



JLG® MODEL	TIRE SIZE	STANDARD TIRESOCKS JLG PART NUMBER
<b>BOOMS</b>		
1100S/1100SJP, 1200SJP, 1350SJP, 1500SJ	445/50D-710	70011902*
1250AJP	445/50D-710	70011902*
150 HAX	445/65R-22.5	70012219**
400S/SJ	12x16.5	70012212
450A/AJ	33/15.50-16.5	70012211
460SJ	14x17.5	70011904
600A/AJ Narrow	14x17.5	70011904
600S/SJ	15x19.5	70011903***
600A/AJ	14x17.5	70011904
601S	14x17.5	70011904
660SJ	15x19.5	70011903***

\*For the heavy duty version of p/n 70011902, use p/n 70011916.

\*\*For the heavy duty version of p/n 70012219, use p/n 70012276.

\*\*\*For the heavy duty version of p/n 70011903, use p/n 70012275.

For machines and models not listed, please provide tire measurements to the Parts Contact Center to receive a quote.

## Order Today

Online: [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

#### JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)

[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# WHEEL & TIRE COVERS

## TIRES



JLG® MODEL	TIRE SIZE	STANDARD TIRESOCKS JLG PART NUMBER
<b>BOOMS (continued)</b>		
740AJ	445/55D-19.5	70012218
800A/AJ (2 WD)	385/65-19.5	70011903***
800A/AJ (4 WD)	445/55D-19.5	70012218
800S, 800SJ, 860SJ	15x625	70011903***
E/M400A, E/400AJP, E/M450A, E/450AJP	240/55-17.5	70012210
E/M400A, E/M400AJP Narrow	F-22x6-17.75 (Front) R-25x7-12 (Rear)	70012216+ 70012270+
E/M600J/JP	36x14-22.5	70011904
E300AJ, E300AJP	7.5x12	70012215
H340AJ	265/50D20	70012214
<b>SCISSORS</b>		
1230ES	318x100	70011905
1930ES	12.5x4	70011905
2030ES, 2630ES	16x5	70011906
2646ES, 3246ES	16x5	70011906
3369LE	240/55-17.5	70012210
4069LE, M4069LE	240/55-17.5	70012210
3394RT, 4394RT	33x15.5	70012211
33RTS	12x16.5	70012212
40RTS	12x16.5	70012212

\*\*\*For the heavy duty version of p/n 70011903, use p/n 70012275.  
 \*Purchase a quantity of (1) of both part numbers for a complete set.  
 For machines and models not listed, please provide tire measurements to the  
 Parts Contact Center to receive a quote.



**Order Today**

**Online:** [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

**JLG Industries, Inc**  
 1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)  
 F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)  
[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company

# WHEEL & TIRE COVERS

## TIRES



### TIRESOCKS Available in Additional Sizes


Reference the chart below to match your boom or scissor tire size



BOOM TIRE SIZES	STANDARD TIRESOCKS JLG PART NUMBER
10x16.5	70012214
12x16.5	70012212
15x19.5	70011903***
15x22.5	70012217
15x625	70011903***
15x19.5	70011903***
18x22.5	70012219**
18-625NHS	70012227
22x7-17.75	70012220
355/55D-625	70011904
385/65D-19.5	70012226
385/65D-22.5	70012217
385/65D-622.5	70012217
445/65D-22.5	70012219**
9x14.5	70012221
F-22x6-17.75 (Front)	70012216+
R-25x7-12 (Rear)	70012270+

SCISSOR TIRE SIZES	STANDARD TIRESOCKS JLG PART NUMBER
10x16.5	70012214
10x31	70012214
12x4.5	70011905
12x4.5-8	70011905
12x4-8	70011905
12.5x22	70012213
12x23.5	70012213
12x26	70012213
12x33	70012212
15x5	70011906
15x5-11	70011906
16x4.00-8	70011906
16x5	70011906
4x16	70011906

\*\*For the heavy duty version of p/n 70012219, use p/n 70012276.  
 \*\*\*For the heavy duty version of p/n 70011903, use p/n 70012275.  
 \*Purchase a quantity of (1) of both part numbers for a complete set.  
 For machines and models not listed, please provide tire measurements to the  
 Parts Contact Center to receive a quote.

 <b>WARNING:</b>
<b>LOSS OF TRACTION HAZARD</b> <ul style="list-style-type: none"> <li>• MAX Gradeability reduced by 75%</li> </ul> Failure to follow instructions could result in death or serious injury.

**Order Today**

**Online:** [onlineexpress2.jlg.com](http://onlineexpress2.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc  
 1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)  
 F: 717-485-6417 | [partsprograms@jlg.com](mailto:partsprograms@jlg.com)  
[www.jlg.com](http://www.jlg.com)

An Oshkosh Corporation Company