


Standard Carriage

The standard carriage is manufactured with high-quality steel and is available in various sizes. This attachment is essential on most job sites, allowing operators to pick and place materials – from pallets of concrete block to loads of lumber.

Features

- Standard up-and-down tilt on horizontal plane
- Multiple fork options
- Available with 8000 lb. lifting hook for most current production applications



Current Production - Standard Carriages
Available Through JLG Aftermarket or With New Machine Orders

CARRIAGE SIZE			50 IN.	50 IN.	50 IN.	50 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.	72 IN.	87 IN.	96 IN.	
LIFTING HOOK			NO	YES	NO	NO	YES	NO	No	Yes	NO	NO	NO	NO	
APPROX. WEIGHT			460 LB.	478 LB.	475 LB.	526 LB.	503 LB.	499 LB.	708 LB.	639 LB.	639 LB.	745 LB.	915 LB.	767 LB.	
PART NO.			1001104435	10011460845*	1170021S	1001113038S*	1001146086S*	1170024S	1001183447	1001193794S	1001211516S	1001214415S	1001192339S	1001278571	
FORK PIN NO.			3423275	3423275	3423275	3423275	3423242	1170024	1001191108	3423276	3223276	1001214254	1001218754	70031722	
MODEL	SN BREAKS	LOAD CHART BOOKLET													
JLG	642, 943, 1043, 1055, 1255 ONLY	Software, Chart Library	1001187087 (Ref. No.)												
	742	All	1001226012		*	*	*	*	*	*					
	943/1043	Without Outriggers	1001212420		*	*	*	*	*	*					
		With Outriggers	1001212419		*	*	*	*	*	*					
	1055	Prior to 0160074169	1001212227		*	*	*	*	*	*				*	
		0160074169 - Present	1001211156		*	*	*	*	*	*				*	
	1255	Prior to 0160074168	1001212225		*	*	*	*	*	*				*	
		0160074168 - Present	1001211153		*	*	*	*	*	*				*	
	1075	All	1001259238		*	*	*	*	*	*				*	
	1644	All	1001233430							*		*	*		
	1732	All	1001233431							*		*	*		
	G5-18A	Quick Coupler (Hydraulic or Manual)	1001102000	*			*								
		Universal (Skid Steer) Quick Coupler Prior to 0160040809	1001126677	*			*								

* Used with optional Skid Steer Coupler.

** May require purchase of new load chart booklet on some models.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com.

Current Production - Standard Carriages

Available Through JLG Aftermarket or With New Machine Orders

CARRIAGE SIZE			50 IN.	50 IN.	60 IN.	60 IN.	72 IN.	72 IN.	96 IN.
LIFTING HOOK			YES	NO	YES	NO	YES	NO	NO
APPROX. WEIGHT			478 LB.	475 LB.	503 LB.	499 LB.	639 LB.	639 LB.	767 LB.
PART NO.			1001146084S*	1170021S	1001146086S*	1170024S	1001193794S	1001211516S	1001278571
FORK PIN NO.			3423275	3423275	3423242	1170024	3423276	3223276	70031722
MODEL	SN BREAKS	LOAD CHART BOOKLET							
SKYTRAK T4F	6034	All	1001288638
	6036	0160069720 - 0160075649, Including 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722	1001199500
		0160075650 - Present, Excluding 0160075653 & 0160075722	1001211867
	6042	0160069720 - 0160075656, Including 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504
		0160075657 - PVC 2211	1001211869
		PVC 2305 - Present	1001269005
	8042	0160069722 - 0160075670, Including 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 016006944	1001199508
		0160075671 - PVC 2311, Excluding PVC 1001	1001199508
		PVC 1001	1001211871
	10042	0160069722 - 0160075987, Including 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512
		0160075988 - Present	1001211873
	10054	0160069722 - 0160075682, Including 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696	1001199518
		0160075683 - Present, Excluding 0160075696	1001211875
	12054	All	1001245474

Non-Current Production - Standard Carriages, JLG

Available Through JLG Aftermarket Parts

CARRIAGE SIZE			48 IN.	48 IN.	50 IN.	50 IN.	50 IN.	50 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.	72 IN.
LIFTING HOOK			NO	NO	NO	NO	YES	NO	NO	YES	NO	NO	NO	YES
APPROX. WEIGHT			377 LB.	417 LB.	460 LB.	473 LB.	478 LB.	479 LB.	498 LB.	503 LB.	522 LB.	575 LB.	638 LB.	639 LB.
PART NO.			1001107581	1001112618	1001104435	1170021S	1001146084S*	1170019S	1170024S	1001146086S*	1170022S	1170025S	1001211516	1001193794S
FORK PIN NO.			1001107336	4040283	3423275	3423275	3423275	3423275	3423242	3423242	3423242	3423276	3223276	3423276
MODEL	SN BREAKS	LOAD CHART BOOKLET												
JLG	642	Prior to 0160075708	1001211624
		0160075708 to present	1001212421
	619A	All	Consult Factory
	723A	All	Consult Factory
	G5-19A	All	Consult Factory
	G6-23A	All	Consult Factory
	G6-42A	Prior to 0160037722	1001105323
		0160037722 to present	1001106001

* Used with optional Skid Steer Coupler.

** May require purchase of new load chart booklet on some models.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com.

Non-Current Production - Standard Carriages, JLG
Available Through JLG Aftermarket Parts

CARRIAGE SIZE			48 IN.	48 IN.	50 IN.	50 IN.	50 IN.	50 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.	72 IN.
LIFTING HOOK			NO	NO	NO	NO	YES	NO	NO	YES	NO	NO	NO	YES
APPROX. WEIGHT			377 LB.	417 LB.	460 LB.	473 LB.	478 LB.	479 LB.	498 LB.	503 LB.	522 LB.	575 LB.	638 LB.	639 LB.
PART NO.			1001107581	1001112618	1001104435	1170021S	1001146084S*	1170019S	1170024S	1001146086S*	1170022S	1170025S	1001211516	1001193794S
FORK PIN NO.			1001107336	4040283	3423275	3423275	3423275	3423275	3423242	3423242	3423242	3423276	3223276	3423276
MODEL	SN BREAKS	LOAD CHART BOOKLET												
JLG G9-43A	Prior to 0160037665	1001105325												
	0160037666 - 0160051902 Excluding 0160051085 - 0160051088, 0160051101, 0160051206 - 0160051209, 0160051220, 0160051223, 0160051232, 0160051368, 0160051376, 0160051378, 0160051381, 0160051382 & 0160051387	1001106002												
	0160051085 - Present, Including 0160051387	1001130663												

* Used with optional Skid Steer Coupler.

** May require purchase of new load chart booklet on some models.



NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com.

Non-Current Production - Standard Carriages, JLG
Available Through JLG Aftermarket Parts

CARRIAGE SIZE			50 IN.	50 IN.	50 IN.	60 IN.	60 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.	72 IN.	
LIFTING HOOK			NO	YES	NO	NO	YES	NO	NO	Yes	NO	NO	YES	
APPROX. WEIGHT			473 LB.	478 LB.	479 LB.	498 LB.	503 LB.	522 LB.	530 LB.	548 LB.	575 LB.	638 LB.	639 LB.	
PART NO.			1170021S	1001146084S ^{**}	1170019S	1170024S	1001146086S ^{**}	1170022S	1001211711	1001192915	1170025S	1001211516	1001193794S	
FORK PIN NO.			3423275	3423275	3423275	3423242	3423242	3423242	3423242	3423242	3423276	3423276	3423276	
MODEL	SN BREAKS	LOAD CHART BOOKLET												
JLG	G10-43A	Prior to 0160037665	1001113013			.		.			.			
		0160037666 - 0160051902 Excluding 0160051085 - 0160051088, 0160051101, 0160051206 - 0160051209, 0160051220, 0160051223, 0160051232, 0160051368, 0160051376, 0160051378, 0160051381, 0160051382 & 0160051387	1001130935	.		.					.			
		0160051085 - Present, Including 0160051387	1001130935		.		.						.	
	G10-55A	Prior to 0160037689	1001105707			.		.				.		
		0160037689 - 0160051999	1001106003	.		.						.		
		0160052000 - Present	1001115135		.		.						.	
	G12-55A	Prior to 0160037689	1001105326			.		.				.		
		0160037689 - 016005199	1001106004	.		.						.		
		0160052000 - Present	1001115536		.		.						.	
	G15-44A	Prior to 0160075857	1001194130								.			.
		0160045857 - Present	1001211953							.			.	
	TF6-42	All	Consult Factory			.		.			.			

** May require purchase of new load chart booklet on some models.

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com.

Non-Current Production - Standard Carriages, Gradall
Available Through JLG Aftermarket Parts

CARRIAGE SIZE			50 IN.	50 IN.	50 IN.	60 IN.	72 IN.	72 IN.
LIFTING HOOK			NO	NO	NO	NO	NO	NO
APPROX. WEIGHT			471 LB.	479 LB.	490 LB.	534 LB.	586 LB.	639 LB.
PART NO.			1170021S	1170019S	1170020S	1170023	1170026S	1001211516S
FORK PIN NO.			3423275	3423275	3423275	3423242	3423276	3223276
MODEL	SN BREAKS	LOAD CHART BOOKLET						
GRADALL	522D/524D	All	Consult Factory			•	•	•
	534C-9	All	Consult Factory			•	•	•
	534C-10	All	Consult Factory			•	•	•
	534D-6	All	Consult Factory			•	•	•
	534D-9	Prior to 0160037689	1001102719			•	•	•
		0160037689 - Present	1001112753	•				•
	534D-10	Prior to 0160037689	1001102720			•	•	•
		0160037689 - Present	1001112753	•				•
	544C	All	Consult Factory			•	•	•
	544D	Prior to 0160037689	1001102721			•	•	•
		0160037689 - Present	1001106008	•				•
	G6-42P	Prior to 0160037689	1001105324		•			
		0160037689 - Present	1001106005	•				•

* Used with optional Skid Steer Coupler.

** May require purchase of new load chart booklet on some models.



NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com.

Non-Current Production - Standard Carriages, SkyTrak
Available Through JLG Aftermarket Parts

CARRIAGE SIZE			48 IN.	50 IN.	50 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.	72 IN.	
LIFTING HOOK			NO	NO	YES	NO	YES	NO	NO	NO	YES	
APPROX. WEIGHT			509 LB.	471 LB.	478 LB.	497 LB.	503 LB.	510 LB.	509 LB.	639 LB.	639 LB.	
PART NO.			6040500S	1170021S	1001146084S*	1170024S	1001146086S*	6040600S	6040700S	1001211516S	1001193794S	
FORK PIN NO.			7128772	3423275	3423275	3423242	3423242	7128792	90551013	3223276	3423276	
MODEL	SN BREAKS	LOAD CHART BOOKLET										
SKYTRAK	4266	All	Consult Factory	•					•	•		
	4270	All	Consult Factory	•					•	•		
	4290	All	Consult Factory	•					•	•		
	5028	All	Consult Factory	•					•	•		
	6036	Prior to 0160031200	Consult Factory	•						•	•	
		0160031200 - 0160069719, Excluding 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199500		•	•	•	•			•	•
	6042	Prior to 0160031200	Consult Factory	•						•	•	
		0160031200 - 0160069719, Excluding 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504		•	•	•	•			•	•
	8042	Prior to 0160031235	Consult Factory	•						•	•	
		0160031235 - 0160069721, Excluding 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508		•	•	•	•			•	•
	10042	Prior to 0160031425	Consult Factory									
		0160031425 - 0160069721, Excluding 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512		•	•	•	•			•	•
10054	Prior to 0160031255	Consult Factory										
	0160031255 - 0160069721, Excluding 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199518		•	•	•	•			•	•	



NOTES:
 • Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 • Never use your attachment as a work platform or personnel carrier.
 Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com.

Non-Current Production - Standard Carriages, Lull
Available Through JLG Aftermarket Parts

CARRIAGE SIZE			48 IN.	50 IN.	50 IN.	50 IN.	50 IN.	60 IN.	60 IN.	60 IN.	72 IN.	72 IN.	72 IN.	74 IN.	
LIFTING HOOK			NO	NO	YES	NO	NO	NO	YES	NO	NO	NO	YES	NO	
APPROX. WEIGHT			509 LB.	471 LB.	478 LB.	500 LB.	532 LB.	497 LB.	503 LB.	510 LB.	509 LB.	639 LB.	639 LB.	598 LB.	
PART NO.			6040500S	1170021S	1001146084S*	48040	7161200S	1170024S	1001146086S*	6040600S	6040700S	1001211516S	1001193794S	48042	
FORK PIN NO.			7128772	3423275	3423275	10223049	90451058	3423242	3423242	7128792	90551013	3223276	3423276	10124495	
MODEL	SN BREAKS	LOAD CHART BOOKLET													
LULL	644B-42	All	Consult Factory				•							•	
	644D-34	All	Consult Factory				•							•	
	644E-42	Prior to 0160031500	7300628	•				•			•	•			
		0160031500 - Present	1001134329		•	•			•	•			•	•	
	844C-42	All	Consult Factory				•							•	
	944E-42	Prior to 0160031500	7301586	•				•			•	•			
		0160031500 - Present	1001106011		•	•			•	•			•	•	
	1044C-54 II	Prior to 0160031500	1001105327				•								•
		0160031500 - Present	1001106009		•	•			•	•			•	•	
	6K-37	All	Consult Factory				•							•	
	6K-42	All	Consult Factory				•							•	
	8K-42	All	Consult Factory				•							•	
10K-42/ 10K-54	All	Consult Factory				•							•		

* May require purchase of new load chart booklet on some models.



NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.OnlineExpress.jlg.com