


# STANDARD CARRIAGE TELEHANDLER ATTACHMENTS



The standard carriage is manufactured with high-quality steel and is available in various sizes. This attachment is essential on most job sites, allowing operators to pick and place materials – from pallets of concrete block to loads of lumber.

## FEATURES

- Standard up-and-down tilt on horizontal plane
- Multiple fork options
- Available with 8000 lb. lifting hook for most current production applications



### CURRENT PRODUCTION - Available through new machine orders or Aftermarket

CARRIAGE SIZE			50 in.	50 in.	50 in.	50 in.	60 in.	60 in.	60 in.	72 in.	72 in.	87 in.	96 in.
LIFTING HOOK			NO	YES	NO	NO	YES	NO	NO	NO	NO	NO	NO
APPROXIMATE WEIGHT			460 LBS.	478 LBS.	475 LBS.	526 LBS.	503 LBS.	499 LBS.	708 LBS.	639 LBS.	745 LBS.	915 LBS.	767 LBS.
PART NUMBER			1001104435	1001146084S	1170021S	1001113038S	1001146086S	1170024S	1001183447	1001211516S	1001214415S	1001192339S	1001278571
FORK PIN NUMBER			3423275	3423275	3423275	3423275	3423242	3423242	1001191108	3423276	1001214254	1001218754	70031722
MODEL	SN BREAKS	LOAD CHART BOOKLET											
JLG	742, 943, 1043, 1055, 1255 ONLY	SOFTWARE CHART LIBRARY	1001187087 (Ref No.)										
	742	ALL	1001226012		.	.		.	.		.		
	943/1043	WITHOUT OUTRIGGERS	1001212420		.	.		.	.		.		
		WITH OUTRIGGERS	1001212419		.	.		.	.		.		
	1055	PRIOR TO 0160074169	1001212227		.	.		.	.		.		.
		0160074169 - PRESENT	1001211156		.	.		.	.		.		.
	1255	PRIOR TO 0160074168	1001212225		.	.		.	.		.		.
		0160074168 - PRESENT	1001211153		.	.		.	.		.		.
	1075	ALL	1001259238		.	.		.	.		.		.
	1644	ALL	1001233430						.		.	.	.
	1732	ALL	1001233431						.		.	.	.
	519	ALL	1001311295				.						
		W/ UNIVERSAL COUPLER											
	W/ STANDARD COUPLER		.										

- NOTES:
- Use Appropriate Carriage Attachment Load Chart
  - Never use your attachment as a work platform or personnel carrier.

**Order Today**

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com)

Call: 1-877-554-5438 | Fax: 1-800-733-8939



# STANDARD CARRIAGE TELEHANDLER ATTACHMENTS



**CURRENT PRODUCTION - Available through new machine orders or Aftermarket**

CARRIAGE SIZE				50 in.	50 in.	60 in.	60 in.	72 in.	72 in.	96 in.
LIFTING HOOK				YES	NO	YES	NO	YES	NO	NO
APPROXIMATE WEIGHT				478 LBS.	475 LBS.	503 LBS.	499 LBS.	639 LBS.	639 LBS.	767 LBS.
PART NUMBER				1001146084S	1170021S	1001146086S	1170024S	1001193794S	1001211516S	1001278571
FORK PIN NUMBER				3423275	3423275	3423242	3423242	3423276	3423276	70031722
SKYTRAK T4F	6034	ALL	1001288638		.		.		.	
	6042	0160069720 - 0160075656, INCL 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504	.		.		.		
		0160075657 - PVC 2211	1001211869		.		.		.	
		PVC 2305 - PRESENT	1001269005		.		.		.	
	8042	0160069722 - 0160075670, INCL 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508	.		.		.		
		0160075671 - PVC 2311 EXC. PVC 1001	1001211871		.		.		.	
		PVC 1001	1001287703		.		.		.	
	10042	0160069722 - 0160075987, INCL 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512	.		.		.		.
		0160075988 - PVC 2411	1001211873		.		.		.	.
		PVC 1001 W/ OUTRIGGERS	1001309145		.		.		.	.
		PVC 1001 NON OUTRIGGER	1001313279		.		.		.	.
	10054	0160069722 - 0160075682, INCL 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696	1001199518	.		.		.		.
		0160075683 - PVC 2411, EXCL 0160075696	1001211875		.		.		.	.
		PVC 1001	1001296614		.		.		.	.
	12054	ALL	1001245474		.		.		.	.

- NOTES:**
- Use Appropriate Carriage Attachment Load Chart
  - Never use your attachment as a work platform or personnel carrier.

**Order Today**

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com)

Call: 1-877-554-5438 | Fax: 1-800-733-8939



**JLG INDUSTRIES, INC.**  
Toll-free US 877-JLG-LIFT  
[JLG.com](http://JLG.com)

An Oshkosh Corporation Business

# STANDARD CARRIAGE TELEHANDLER ATTACHMENTS



NON-CURRENT PRODUCTION - Available through Aftermarket only

APPROXIMATE WEIGHT			377 LBS.	417 LBS.	460 LBS.	526 LBS.	473 LBS.	478 LBS.	478 LBS.	498 LBS.	503 LBS.	522 LBS.	530 LBS.	548 LBS.	575 LBS.	638 LBS.	639 LBS.		
PART NUMBER			1001107581	1001112618	1001104435	1001113038S	1170021S	1001146084S	1170019S	1170024S	1001146086S	1170022S	1001211711	100119291S	1170025S	1001211516	1001193794S		
FORK PIN NUMBER			1001107336	4040283	3423275	3423275	3423275	3423275	3423275	3423242	3423242	3423242	3423242	3423242	3423276	3423276	3423276		
MODEL	SN BREAKS	LOAD CHART BOOKLET																	
JLG	642	PRIOR TO 0160075708																	
		0160075708 TO PRESENT	1001211624																
	619A	ALL	1001212421																
	723A	ALL	CONSULT FACTORY																
	G5-18A	ALL	W/ UNIVERSAL COUPLER	1001126677															
			W/ STANDARD COUPLER	1001102000															
	G5-19A	ALL	CONSULT FACTORY																
	G6-23A	ALL	CONSULT FACTORY																
	G6-42A	ALL	PRIOR TO 0160037722	1001105323															
			0160037722 TO PRESENT	1001106001															
	G9-43A	ALL	PRIOR TO 0160037665	1001105325															
			0160037666 TO 0160051902 EXCL. 0160051085 TO 0160051088, 0160051101, 0160051206 TO 0160051209, 0160051220, 0160051223, 0160051232, 0160051368, 0160051376, 0160051378, 0160051381, 0160051382 & 0160051387	1001106002															
			0160051085 TO PRESENT INCL. 0160051387	1001130663															
			PRIOR TO 0160037665	1001113013															
	G10-43A	ALL	0160037666 TO 0160051902 EXCL. 0160051085 TO 0160051088, 0160051101, 0160051206 TO 0160051209, 0160051220, 0160051223, 0160051232, 0160051368, 0160051376, 0160051378, 0160051381, 0160051382 & 0160051387	1001130935															
			0160051085 TO PRESENT INCL. 0160051387	1001130935															
			PRIOR TO 0160037689	1001105707															
	G10-55A	ALL	0160037689 TO 0160051999	1001106003															
			0160052000 TO PRESENT	1001115135															
	G12-55A	ALL	PRIOR TO 0160037689	1001105326															
0160037689 TO 0160051999			1001106004																
0160052000 TO PRESENT			1001115536																
G15-44A	ALL	PRIOR TO 0160075857	1001194130																
		0160045857 - PRESENT	1001211953																
TF6-42	ALL	CONSULT FACTORY																	

NOTES: - Use Appropriate Carriage Attachment Load Chart  
- Never use your attachment as a work platform or personnel carrier.

Order Today

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com)  
Call: 1-877-554-5438 | Fax: 1-800-733-8939



JLG INDUSTRIES, INC.  
Toll-free US 877-JLG-LIFT  
JLG.com

An Oshkosh Corporation Business

# STANDARD CARRIAGE TELEHANDLER ATTACHMENTS



NON-CURRENT PRODUCTION - Available through Aftermarket only

CARRIAGE SIZE			50 in.	50 in.	50 in.	60 in.	72 in.	72 in.
LIFTING HOOK			NO	NO	NO	NO	NO	NO
APPROXIMATE WEIGHT			471 LBS.	479 LBS.	490 LBS.	534 LBS.	586 LBS.	639 LBS.
PART NUMBER			1170021S	1170019S	1170020S	1170023	1170026S	1001211516S
FORK PIN NUMBER			3423275	3423275	3423275	3423242	3423276	3423276
MODEL	SN BREAKS	LOAD CHART BOOKLET						
GRADALL	522D/524D	ALL	Consult Factory			.	.	.
	534C-9	ALL	Consult Factory			.	.	.
	534C-10	ALL	Consult Factory			.	.	.
	534D-6	ALL	Consult Factory			.	.	.
	534D-9	Prior to 0160037689	1001102719			.	.	.
		0160037689 - Present	1001112753	.				.
	534D-10	Prior to 0160037689	1001102720			.	.	.
		0160037689 - Present	1001112753	.				.
	544C	ALL	Consult Factory			.	.	.
	544D	Prior to 0160037689	1001102721			.	.	.
		0160037689 - Present	1001106008	.				.
	G6-42P	Prior to 0160037689	1001105324		.			
0160037689 - Present		1001106005	.				.	

- NOTES:
- Use Appropriate Carriage Attachment Load Chart
  - Never use your attachment as a work platform or personnel carrier.

**Order Today**

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com)

Call: 1-877-554-5438 | Fax: 1-800-733-8939



# STANDARD CARRIAGE TELEHANDLER ATTACHMENTS



NON-CURRENT PRODUCTION - Available through Aftermarket only

CARRIAGE SIZE			48 in.	50 in.	50 in.	60 in.	60 in.	60 in.	72 in.	72 in.	72 in.	
LIFTING HOOK			NO	NO	YES	NO	YES	NO	NO	NO	YES	
APPROXIMATE WEIGHT			509 LBS.	471 LBS.	478 LBS.	497 LBS.	503 LBS.	510 LBS.	509 LBS.	639 LBS.	639 LBS.	
PART NUMBER			6040500S	1170021S	1001146084S	1170024S	1001146086S	6040600S	6040700S	1001211516S	1001193794S	
FORK PIN NUMBER			1001107336	3423275	3423275	3423242	3423242	7128792	90551013	3423276	3423276	
MODEL	SN BREAKS	LOAD CHART BOOKLET										
SKYTRAK	4266	ALL	CONSULT FACTORY	.					.	.		
	4270	ALL	CONSULT FACTORY	.					.	.		
	4290	ALL	CONSULT FACTORY	.					.	.		
	5028	ALL	CONSULT FACTORY	.					.	.		
	6036	PRIOR TO 0160031200	CONSULT FACTORY	.						.	.	
		0160031200 - 0160075649, INCL 0160075653 & 0160075722	1001199500		.	.	.	.			.	.
		0160075650 - PRESENT, EXCL 0160075653 & 0160075722	1001211867		.	.	.	.			.	.
	6042	PRIOR TO 0160031200	CONSULT FACTORY	.						.	.	
		0160031200 - 0160069719, EXCL 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	1001199504		.	.	.	.			.	.
	8042	PRIOR TO 0160031235	CONSULT FACTORY	.						.	.	
		0160031235 - 0160069721, EXCL 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199508		.	.	.	.			.	.
	10042	PRIOR TO 0160031425	CONSULT FACTORY	.						.	.	
		0160031425 - 0160069721, EXCL 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199512		.	.	.	.			.	.
10054	PRIOR TO 0160031255	CONSULT FACTORY	.						.	.		
	0160031255 - 0160069721, EXCL 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	1001199518		.	.	.	.			.	.	

- NOTES:
- Use Appropriate Carriage Attachment Load Chart
  - Never use your attachment as a work platform or personnel carrier.

Order Today

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com)

Call: 1-877-554-5438 | Fax: 1-800-733-8939



# STANDARD CARRIAGE TELEHANDLER ATTACHMENTS



## NON-CURRENT PRODUCTION - Available through Aftermarket only

LIFTING HOOK			NO	NO	YES	NO	NO	NO	YES	NO	NO	NO	YES	NO	
APPROXIMATE WEIGHT			509 LBS.	471 LBS.	478 LBS.	500 LBS.	532 LBS.	497 LBS.	503 LBS.	510 LBS.	509 LBS.	639 LBS.	639 LBS.	598 LBS.	
PART NUMBER			6040500S	1170021S	1001146084S	48040	7161200S	1170024S	1001146086S	6040600S	6040700S	1001211516S	1001193794S	48042	
FORK PIN NUMBER			7128772	3423275	3423275	10223049	90451058	3423242	3423242	7128792	90551013	3423276	3423242	10124495	
MODEL	SN BREAKS	LOAD CHART BOOKLET													
LULL	644B-42	ALL	CONSULT FACTORY			.								.	
	644D-34	ALL	CONSULT FACTORY			.								.	
	644E-42	PRIOR TO 0160031500	7300628	.		.		.		.	.		.	.	
		0160031500 - PRESENT	1001134329		.	.		.	.		.	.	.	.	
	844C-42	ALL	CONSULT FACTORY			.								.	
	944E-42	PRIOR TO 0160031500	7301586	.		.		.		.	.		.	.	
		0160031500 - PRESENT	1001106011		.	.		.	.		.	.	.	.	
	1044C-54 II	PRIOR TO 0160031500	1001105327			.									.
		0160031500 - PRESENT	1001106009		.	.		.	.		.	.	.	.	
	6K-37	ALL	CONSULT FACTORY			.								.	
6K-42	ALL	CONSULT FACTORY			.								.		
8K-42	ALL	CONSULT FACTORY			.								.		
10K-42/ 10K-54	ALL	CONSULT FACTORY			.								.		

- NOTES:**
- Use Appropriate Carriage Attachment Load Chart
  - Never use your attachment as a work platform or personnel carrier.

**Order Today**

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com)

Call: 1-877-554-5438 | Fax: 1-800-733-8939

