

FALL ARREST PLATFORMS

RETROFIT KITS



Increase Operator Protection

When your work requires that you exit the platform, JLG helps keep you safe and mobile with our Fall Arrest Platforms. These platforms use a cable system that allows the operator to leave the platform and move freely without detaching the safety harness. This helps keep the operator tethered to the platform at all times.

Features and Benefits:

- Available for a variety of boom lift applications, including aviation and steel erection.
- Full 270 degrees access around and a maximum of 6 ft beyond the platform.
- Allows workers to walk outside the platform.
- Enhances operator protection



NOTES:

- Purchase and installation of platform does not guarantee compliance with all federal, state, and/or local statutes. It is the responsibility of the customer to verify any and all applicable laws that may pertain to their equipment.
- The Operator must use fall protection at all times. A full body harness and shock absorbing lanyard, not to exceed 6 ft in length, are required when using the external fall arrest system.
- The capacity of the External Fall System is 310 lbs./one person maximum.
- Machines with Fall Arrest only. Machines with Soft Touch Fall Arrest have additional counter weighting and tire requirements and may have other additional requirements and prohibited options. Please consult JLG Parts Department for compatibility prior to purchase.

Order Today

Online: onlineexpress.jlg.com

Call: 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

FALLARREST_0421

FALL ARREST PLATFORMS

RETROFIT KITS



JLG MODELS	JLG KIT P/N	PLATFORM OPTIONS	SERIAL NUMBER BREAKS	TIRE REQUIREMENTS	ACCESSORY COUNTERWEIGHT	PROHIBITED OPTIONS
E/M 450A	1001186388S	30" x 60" (ANSI & CSA)	300109442 to Present	Foam Filled or Solid		1/2" Airline, Platform Worklights, Pipe Racks, Mesh to Top Rail, SkySense
	1001186333S	36" X 72" (ANSI & CSA)		Foam Filled or Solid		
E/M 450AJ	1001186388S	30" x 60" (ANSI & CSA)	0300109442 to Present	Foam Filled or Solid		1/2" Airline, Platform Worklights, Pipe Racks, Mesh to Top Rail, SkySense
	1001186333S	36" x 72" (ANSI & CSA)				
E/M 600	1001186388S	30" x 60" (ANSI Export)	0300188650 to Present	Foam Filled		Pipe Rack, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, Weld Leads, SkyGlazier, SkySense
	1001186333S	36" X 72" (ANSI, ANSI Export, CSA, Japan & UL EE)		Foam Filled		
EC600SJ, H600SJ	1001186388S	30" x 60" (ANSI & CSA)	0300168294 to Present			Pipe Rack, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, Weld Leads, SkyGlazier, SkySense
E/M 600J	1001186388S	30" x 60" (ANSI & CSA)	0300097060 to Present	Foam Filled		Pipe Rack, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, Weld Leads, SkyGlazier, SkySense
	1001186333S	36" X 72" (ANSI & CSA)		Foam Filled		
400S/460SJ	1001186333S	36" X 72" (ANSI & CSA)	0300146621 to 0300203771	Foam Filled or Solid		Tube Rack, Container Storage Tray, SkyGlazier, Cable Tray Carrier
	1001186333S	36" X 72" (ANSI, ANSI Export & China)	0300203771 to Present			Tube Rack, Container Storage Tray, SkyGlazier, SkySense
400S HC3/460SJ HC3	1001186333S	36" X 72" (ANSI, ANSI Export & China)	0300271832 to Present			Tube Rack, Container Storage Tray, SkyGlazier, SkySense
450A Series II USA Manufactured	1001186388S	30" x 60" (ANSI & CSA)	0300182240 to 0300201990	Foam Filled (12 x 16.5 or 33/15.5 x 16.5 only)		Pipe Racks, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter, SkySense
	1001186333S	36" X 72" (ANSI & CSA)	0300088741 to 0300201990	Foam Filled (12 x 16.5 or 33/15.5 x 16.5 only)		

¹ Requires Machine Recalibration.

² Standard Equipment with Fall Arrest Platform.

³ 1250 AJP Soft Touch - Prohibited on 8 ft. Fall Arrest, Prohibited on 6 ft. Fall Arrest Prior to S/N 0300138710.

⁴ 1500SJ Soft Touch - Available on ANSI spec machines, Prohibited on CE & Australian Spec machines.

⁵ Counter weight required, unless machine was factory equipped with Fall Arrest Platform.

Order Today

Online: onlineexpress.jlg.com **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

FALLARREST_0421

FALL ARREST PLATFORMS

RETROFIT KITS



JLG MODELS	JLG KIT P/N	PLATFORM OPTIONS	SERIAL NUMBER BREAKS	TIRE REQUIREMENTS	ACCESSORY COUNTERWEIGHT	PROHIBITED OPTIONS
450AJ Series II USA Manufactured	1001186388S	30" x 60" (ANSI & CSA)	0300138555 to 0300201990	Foam Filled (12 x 16.5 or 33/15.5 x 16.5 only)		Pipe Racks, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter, SkySense
450A/AJ	1001186388S	30" x 60" (ANSI & CSA)	0300201990 to Present	Foam Filled		SkyGlazier, SkySense
450AJ HC3	1001186388S	30" x 60" (ANSI & CSA)	0300201990 to Present	Foam Filled		Pipe Racks, Top Rail Extension, SkyGlazier, SkySense, Cable Tray Carrier
600A/ 600AJ (8ft Chassis Only)	1001186333S	36" X 72" (ANSI, ANSI Export, CSA, & Japan)	0300128330 to Present			Pipe Rack, Container Storage Tray, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense
	1001186334S	36" x 96" (ANSI & ANSI Export)	0300080181 to Present			
600AJ HC3	1001186333S	36" X 72" (ANSI, ANSI Export, CSA, & Japan)	0300275208 to Present			Pipe Rack, Container Storage Tray, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense
	1001186334S	36" x 96" (ANSI & ANSI Export)	0300275208 to Present			
600S/SJ/ 660SJ	1001186333S	36" X 72" (ANSI & CSA)	0300125318 to 0300235167			Pipe Rack, Container Storage Tray, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense
	1001186334S	36" x 96" (ANSI & CSA)	0300080179 to 0300235167			
600S/ 660SJ	1001186333S	36" X 72" (ANSI, ANSI Export & CSA)	0300235168 to Present			Tube Rack, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkySense
	1001186334S	36" x 96" (ANSI, ANSI Export & CSA)	0300235168 to Present			
600S HC3/660SJ HC3	1001186333S	36" X 72" (ANSI, ANSI Export & CSA)	0300273416 to Present			Tube Rack, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkySense
	1001186334S	36" x 96" (ANSI, ANSI Export & CSA)	0300273416 to Present			

¹ Requires Machine Recalibration.

² Standard Equipment with Fall Arrest Platform.

³ 1250 AJP Soft Touch - Prohibited on 8 ft. Fall Arrest, Prohibited on 6 ft. Fall Arrest Prior to S/N 0300138710.

⁴ 1500SJ Soft Touch - Available on ANSI spec machines, Prohibited on CE & Australian Spec machines.

⁵ Counter weight required, unless machine was factory equipped with Fall Arrest Platform.

Order Today

Online: onlineexpress.jlg.com **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

FALLARREST_0421

FALL ARREST PLATFORMS

RETROFIT KITS



JLG MODELS	JLG KIT P/N	PLATFORM OPTIONS	SERIAL NUMBER BREAKS	TIRE REQUIREMENTS	ACCESSORY COUNTERWEIGHT	PROHIBITED OPTIONS	
740AJ ²	1001186333S	36" X 72" (ANSI & CSA)	All	Foam Filled		Pipe Rack, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense	
800A/ 800AJ	1001186333S	36" X 72" (ANSI & CSA)	0300128364 to Present			Pipe Rack, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense	
	1001186334S	36" x 96" (ANSI & CSA)	0300080176 to Present				
800AJ HC3	1001186333S	36" X 72" (ANSI & CSA)	0300277248 to Present			Pipe Rack, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/ SkyWelder Combo, SkySense	
	1001186334S	36" X 96" (ANSI & CSA)	0300277248 to Present				
800S/ 860SJ	1001186333S	36" X 72" (ANSI)	0300128362 to 0300162810	Foam Filled (15-625 or 18-625 only)		Pipe Rack, Platform Flood Lights, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense	
	1001186334S	36" x 96" (ANSI)	0300080174 to 0300162810	Foam Filled (15-625 or 18-625 only)			
	1001186333S	36" X 72" (ANSI)	0300162810 to 0300182743	Consult JLG Parts Dept for Compatiblty Prior to Purchase			
	1001186334S	36" x 96" (ANSI)	0300162810 to 0300182743				
	1001186333S	36" X 72" (ANSI)	0300182743 to Present	Foam Filled (15-625)	Requires P/N 0272078S ⁵	Pipe Rack, Platform Flood Lights, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense	
	1001186334S	36" x 96" (ANSI)	0300182743 to Present	Foam Filled (15-625)	Requires P/N 0272078S ⁵		
800S HC3/ 860SJ HC3	1001186333S	36" X 72" (ANSI & CSA)	0300277380 to Present		Requires P/N 1001165646S ⁵	Pipe Rack, Container Storage Tray, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/ SkyWelder Combo, SkySense	
	1001186334S	36" X 96" (ANSI & CSA)	0300277380 to Present		Requires P/N 1001165646S ⁵		
810SJ	1001186334S	36" x 96" (ANSI)		Foam Filled (15-625)		SkySense	
1100SB ²	1001186334S	36" x 96" (ANSI)		Foam Filled or Solid	Requires P/N 0272078S ⁵	SkySense	

¹ Requires Machine Recalibration.

² Standard Equipment with Fall Arrest Platform.

³ 1250 AJP Soft Touch - Prohibited on 8 ft. Fall Arrest, Prohibited on 6 ft. Fall Arrest Prior to S/N 0300138710.

⁴ 1500SJ Soft Touch - Available on ANSI spec machines, Prohibited on CE & Australian Spec machines.

⁵ Counter weight required, unless machine was factory equipped with Fall Arrest Platform.

Order Today

Online: onlineexpress.jlg.com **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

FALLARREST_0421



JLG MODELS	JLG KIT P/N	PLATFORM OPTIONS	SERIAL NUMBER BREAKS	TIRE REQUIREMENTS	ACCESSORY COUNTERWEIGHT	PROHIBITED OPTIONS
1200/ 1350SJP	1001186333S	36" X 72" (ANSI & ANSI Export)	0300080177 to 0300182120	Foam Filled or Solid		Pipe Rack, Platform Flood Lights, Container Storage Tray, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, Cable Tray Carrier, SkySense
	1001186334S	36" x 96" (ANSI)	0300080177 to 0300182120	Foam Filled or Solid		
	1001186389S	36" x 96" (AUS)	0300085906 to 0300182120	Foam Filled or Solid		
	1001186333S	36" X 72" (ANSI & ANSI Export)	0300182121 to Present		Requires P/N 0272078 ⁵	Platform Flood Lights, Mesh to Mid Rail, Mesh to Top Rail, SkySense
	1001186334S	36" x 96" (ANSI)	0300182121 to Present		Requires P/N 0272078 ⁵	
	1001186389S	36" x 96" (AUS)	0300182121 to Present		Requires P/N 0272078 ⁵	
1250AJP ^{1,3}	1001186333S	36" X 72" (ANSI & ANSI Export)	0300138710 to Present	Foam Filled or Solid		Pipe Rack, Platform Flood Lights, Container Storage Tray, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, SkySense
	1001186334S	36" x 96" (ANSI & CSA)	0300138710 to Present	Foam Filled or Solid		
1500AJP	1001186333S	36" X 72" (ANSI, ANSI Export & CSA)				Pipe Rack, Mesh to Top Rail, Soft Touch, Container Storage Tray, Top Rail Extension, SkyGlazier, SkySense
	1001186334S	36" x 96" (ANSI, ANSI Export & CSA)				
	1001186389S	36" x 96" (ANSI, ANSI Export, Japan & China)				
1500SJ ^{1,4}	1001186389S	36" X 96" (CE & AUS)		Foam Filled or Solid	Requires P/N 0272078 ⁵	Pipe Rack, Platform Flood Lights, Container Storage Tray, Mesh to Mid Rail, Mesh to Top Rail, Top Rail Extension, SkyGlazier, SkyCutter/SkyWelder Combo, Cable Tray Carrier, SkySense
	1001186334S	36" x 96" (ANSI)		Foam Filled or Solid	Requires P/N 0272078 ⁵	
1850SJ ¹	1001186334S	36" x 96" (ANSI)				Platform Flood Lights, Mesh to Mid Rail, Mesh to Top Rail, SkySense
	1001186389S	36" x 96" (AUS)		Foam Filled		Platform Flood Lights, Mesh to Mid Rail, Mesh to Top Rail, SkySense

¹ Requires Machine Recalibration.

² Standard Equipment with Fall Arrest Platform.

³ 1250 AJP Soft Touch - Prohibited on 8 ft. Fall Arrest, Prohibited on 6 ft. Fall Arrest Prior to S/N 0300138710.

⁴ 1500SJ Soft Touch - Available on ANSI spec machines, Prohibited on CE & Australian Spec machines.

⁵ Counter weight required, unless machine was factory equipped with Fall Arrest Platform.

Order Today

Online: onlineexpress.jlg.com **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

JLG Industries, Inc

1 JLG Drive | McConnellsburg, PA 17233-9533 | Toll-Free in US 877-JLG-LIFT (877-554-5438)

F: 717-485-6417 | partsprograms@jlg.com

www.jlg.com

An Oshkosh Corporation Company

FALLARREST_0421