

Fork Mounted Lifting Hook

The fork mounted lifting hook provides the operator with the ability to lift and lower suspended loads without removing the carriage.

Features

- Not for use with cubing or block forks
- Maximum fork size: 2.36 in. x 7.09 in.
- Use standard load chart for all fork mounted lifting hooks.
- Fork drop must be at least 3.75" below bottom of carriage to lock pin.



Current Production - Fork Mounted Lifting Hook
Available Through JLG Aftermarket Or With New Machine Orders

LIFTING CAPACITY			12,000 lbs.	15,000 lbs.
PART NO.			1001097205	1001193803
MODEL	SN BREAKS			
JLG	742	ALL	.	
	943/1043	Without Outriggers	.	
		With Outriggers	.	
	1055	Prior To 0160074169	.	
		0160074169 - Present	.	
	1255	Prior To 0160074168	.	
		0160074168 - Present	.	
	1075	ALL	.	
	1644	ALL		.
1732	ALL		.	
G5-18-A	Universal (skid steer) quick coupler; 0160040809-Present	.		
SKYTRAK T4F	6036	0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722	.	
		0160075650 - Present, excl 0160075653 & 0160075722	.	
	6042	0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	.	
		0160075657 - Present	.	
	8042	0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	.	
		0160075671 - Present	.	
	10042	0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	.	
		0160075988 - Present	.	
10054	0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696	.		
	0160075683 - Present, excl 0160075696	.		
12054		.		

Use Appropriate Carriage Attachment Load Chart

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

ATTACHMENTS

Non-Current Production - Fork Mounted Lifting Hook, JLG Available Through JLG Aftermarket Parts

LIFTING CAPACITY		8,800 lbs.	12,000 lbs.	15,000 lbs.	
PART NO.		2700118	1001097205	1001193803	
MODEL	SN BREAKS				
JLG	642	ALL	.		
	619A	ALL	.		
	723A	ALL	.		
	G5-19A	ALL	.		
	G6-23A	ALL	.		
	G6-42A	0160037722 - 0160040659		.	
		0160040678 - Present		.	
	G9-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672		.	
		0160040675 - Present, incl 0160040468 & 0160040672		.	
	G10-43A	0160037671 - 0160040674, excl 0160040468 & 0160040672		.	
		0160040675 - Present, incl 0160040468 & 0160040672		.	
	G10-55A	0160037690 - 0160038486, incl 0160038505 & 0160038507, excl 0160038324, 0160038489 & 0160038493		.	
		0160038500 - Present, incl 0160038324, 0160038489 & 0160038493; excl 0160038505 & 0160038507		.	
	G12-55A	0160037689-0160038533		.	
		0160038538 - Present		.	
G15-44A	Prior To 0160074142			.	
	0160074142 - Present			.	

Non-Current Production - Fork Mounted Lifting Hook, Gradall Available Through JLG Aftermarket Parts

LIFTING CAPACITY		12,000 lbs.	
PART NO.		1001097205	
MODEL	SN BREAKS		
GRADALL	522D/524D	ALL	.
	534C-9	ALL	.
	534C-10	ALL	.
	534D-6	ALL	.
	534D-9	0160037689 - Present	.
	534D-10	0160037689 - Present	.
	544C	ALL	.
	544D	0160037689 - Present	.
	G6-42P	0160037689 - Present	.

Use Appropriate Carriage Attachment Load Chart



NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Fork Mounted Lifting Hook, SkyTrak

Available Through JLG Aftermarket Parts


LIFTING CAPACITY		12,000 lbs.	
PART NO.		1001097205	
MODEL	SN BREAKS		
SKYTRAK	4266	ALL	•
	4270	ALL	•
	4290	ALL	•
	5028	ALL	•
	6036	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•
	6042	0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•
	8042	0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•
	10042	0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•
	10054	0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•

Non-Current Production - Fork Mounted Lifting Hook, Lull

Available Through JLG Aftermarket Parts

LIFTING CAPACITY		12,000 lbs.	
PART NO.		1001097205	
MODEL	SN BREAKS		
LULL	644B-37	ALL	•
	644B-42	ALL	•
	644D-34	ALL	•
	644E-42	0160037900 - Present	•
	844C-42	ALL	•
	944E-42	0160037794 - Present, incl 0160045421	•
	1044C-42	ALL	•
	1044C-54	ALL	•
	1044C-54 SII	Prior To 0160037793	•
	1044C-54 SII	0160037794 - Present	•

Use Appropriate Carriage Attachment Load Chart



NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.