


TELEHANDLER FORKS & PINS INDUSTRIAL FORKS



Offering a Wide Range of All Makes Forks

JLG offers a comprehensive line up of telehandler forks for all makes. Listed forks include standard heel radius and offer the advantage of:

- Competitive pricing
- Order consolidation
 - Reduce transactional costs
 - Add to your economy order
- Free Freight on orders over \$1,000



SHAFT FORKS

Full offering can be found in the JLG MaxQuip Forks Catalog

GENIE

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER | |
|-----------------|-------|---------|-----------|--------|--------|------------|----------|-------------|----------|
| GTH636/GTH844 | 2" | 20.75" | 2" | 4" | 48" | 8,000 lbs | Pallet | 70011874 | |
| | | | | | 60" | | | 70011878 | |
| | | | | | 72" | | | 70011861 | |
| | | | | 6" | 96" | 7,500 lbs | Pallet | 70011734 | |
| | | | | 2" | 48" | 4,000 lbs | Cubing | 70011864 | |
| GTH1056 | 2.25" | 21" | 2.375" | 4" | 48" | 9,400 lbs | Pallet | 70011859 | |
| | | | | | 60" | | | 10,000 lbs | 70011871 |
| | | | | | 72" | | | 9,400 lbs | 70011860 |
| | | | 2" | 6" | 72" | 12,000 lbs | Pallet | 70011715 | |
| | | | | 5" | 96" | 10,000 lbs | 70011714 | | |
| | | | | 2" | 48" | 4,000 lbs | Cubing | 70011863 | |
| GTH5519 | 2.25" | 20.236" | 1.5" | 4" | 48" | 5,500 lbs | Pallet | 70011858 | |
| | | 21" | 2.375" | | 60" | 10,000 lbs | | 70011871 | |
| | | 20.236" | 1.5" | | 72" | 5,500 lbs | | 70013076 | |
| GTH1544/GTH1256 | 2.75" | 22" | 2.375" | 5.875" | 48" | 18,200 lbs | Pallet | 70013525 | |
| | | | | 6" | 60" | 15,000 lbs | | 70011937 | |
| | | | | | 72" | 18,200 lbs | | 70013526 | |
| | | | | | 96" | 15,000 lbs | | 70012273 | |

*Capacities are per pair

Continued...

Order Today

Online: onlineexpress.jlg.com | Call: 1-877-554-5438 | Fax: 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
 - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
 - All manufacturer names are registered trademarks by their business or other parent company.
 - Prices are subject to change
 - Pallet quantities may be available upon request

JCB

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER |
|-------|-------|-------|-----------|-------|------------|------------|--------|-------------|
| ALL | 2.25" | 22.5" | 2" | 4" | 48" | 8,210 lbs | Pallet | 70011931 |
| | | | | 5" | 60" | 10,000 lbs | | 70011972 |
| | | | | | 72" | | | 70011929 |
| | | | | | 96" | | | 70013032 |
| | | | 2.25" | 48" | 12,000 lbs | 70013631 | | |
| | | | | 60" | | 70013632 | | |
| | | | | 72" | | 70013633 | | |
| | | | | 96" | | 70013634 | | |
| | | | 2" | 2" | 48" | 4,000 lbs | | Cubing |

JLG/SkyTrak

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER | |
|----------------|----------|------|---------------|-------|------------|------------|-----------|-------------|------------|
| DFP** Carriage | 2" | 24" | 2.36" | 4" | 48" | 10,000 lbs | Pallet | 70011397 | |
| | | | | | 60" | | | 70011974 | |
| | | | | | 72" | | | 70012267 | |
| ALL | 2.25" | 24" | 2" | 4" | 48" | 7,600 lbs | Pallet | 70011381 | |
| | | | 2.25" | | | 10,950 lbs | | 70011390 | |
| | | | 2" | 5" | | 10,200 lbs | | 70011696 | |
| | | | 2.25" | | | 13,700 lbs | | 70011386 | |
| | | | 1.75" | 7" | 60" | 10,800 lbs | Lumber | 70011391 | |
| | | | 2.25" | 6" | | 16,300 lbs | | 70011387 | |
| | | | | 5" | 12,000 lbs | 70011705 | | | |
| | | | | 5" | 72" | 15,200 lbs | 70011697 | | |
| | | | 2" | 6" | | 11,300 lbs | 70011421 | | |
| | | | | 5" | 96" | 10,000 lbs | 70011716 | | |
| | | | 2.25" | 6" | | 16,500 lbs | 70011704 | | |
| | | | 2" | 2" | 48" | 3,880 lbs | Cubing | 70011385 | |
| | | | High Capacity | 2.75" | 25" | 2.36" | 6" | 48" | 19,000 lbs |
| 60" | 70013648 | | | | | | | | |
| 72" | 70013647 | | | | | | | | |
| 96" | 70013646 | | | | | | | | |
| Older SkyTrak | 2" | 24" | 2" | 4" | 48" | 8,000 lbs | Pallet | 70011394 | |
| | | | 2.25" | | | 10,000 lbs | | 70011397 | |
| | | | 2" | 6" | 60" | 11,300 lbs | Lumber | 70011384 | |
| | | | | 5" | 72" | 10,120 lbs | Pallet | 70011389 | |
| | | | | 2" | 2" | 2" | 4,200 lbs | Cubing | 70012248 |

*Capacities are per pair

**DFP= Dual Fork Positioning Carriage (7301295S)

Continued...

Order Today

Online: onlineexpress.jlg.com | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
 - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
 - All manufacturer names are registered trademarks by their business or other parent company.
 - Prices are subject to change
 - Pallet quantities may be available upon request

MAGNI

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER |
|-------------------|--------|--------|-----------|-------|--------|------------|--------|-------------|
| RTH6.30 / RTH6.27 | 2 3/8" | 25.25" | 2 3/8" | 5" | 48" | 13,500 lbs | Pallet | 70013644 |

MANITOU

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER |
|--------------|------|------|-----------|--------|--------|------------|--------|-------------|
| 6K | 2" | 24" | 2.25" | 4" | 48" | 6,000 lbs | Brick | 70013640 |
| 6K, 8K & 10K | 2" | 24" | 2" | 5" | 48" | 10,000 lbs | Pallet | 70013636 |
| | | | | | 60" | | | 70013637 |
| | | | | | 72" | | | 70013638 |
| | | | | | 96" | | | 70013639 |
| 12K | 2.5" | 23" | 2" | 5.875" | 48" | 12,000 lbs | Pallet | 70013667 |
| | | | | | 60" | | | 70013668 |
| | | | | | 72" | | | 70013669 |
| | | | | | 96" | | | 70013670 |

SKYJACK

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER |
|-------|-----|------|-----------|-------|--------|------------|--------|-------------|
| ALL | 2" | 28" | 2.25" | 4" | 48" | 10,000 lbs | Pallet | 70013715 |
| | | | | 5" | 48" | 13,750 lbs | | 70013527 |
| | | | | | 60" | | | 70011865 |
| | | | | | 72" | | | 70013528 |
| | | | | | 96" | | | 70013635 |

WACKER

| MODEL | EYE | DROP | THICKNESS | WIDTH | LENGTH | CAPACITY* | TYPE | PART NUMBER |
|-------|------|------|-----------|--------|--------|-----------|--------|-------------|
| ALL | 2.5" | 22" | 2" | 3 7/8" | 48" | 6,000 lbs | Pallet | 70013641 |
| | | | | | 60" | | | 70013642 |
| | | | | | 72" | | | 70013643 |

*Capacities are per pair

Order Today

Online: onlineexpress.jlg.com | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
 - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
 - All manufacturer names are registered trademarks by their business or other parent company.
 - Prices are subject to change
 - Pallet quantities may be available upon request

FORK PINS

| SIZE | PART NUMBER |
|------------------------------|-------------|
| 1.875 X 53.75 | 10138064 |
| 1.875 X 54.06 | 10138499 |
| 1.875 X 76.25 | 10116207 |
| 2 x 50.5 | 70046081 |
| 2 X 50.79 | 7028136 |
| 2 X 51.12 | 7128772 |
| 2 x 51.5 | 70040232 |
| 2 x 52 | 70045192 |
| 2 x 52.75 (Welded Collar) | 70040237 |
| 2 X 54.06 | 10165685 |
| 2 X 54.25 | 10223049 |
| 2 X 54.5 | 90451058 |
| 2 X 55.38 | 7128782 |
| 2 X 63.12 | 7128792 |
| 2 x 64.75 (Welded Collar) | 70040238 |
| 2 x 64.75 | 70042007 |
| 2 x 68.5 | 70046082 |
| 2 X 71 | 90402478 |
| 2 X 72.125 | 91301083 |
| 2 x 74 | 70012208 |
| 2 X 76.5 | 90551013 |
| 2 x 76.75 (Welded Collar) | 70040239 |
| 2 x 76.75 | 70045164 |
| 2 X 77.25 | 10124495 |
| 2.25 X 48.38 | 70021339 |
| 2.25 X 50.25 | 70022105 |
| 2.25 x 52.75 (Welded Collar) | 70040234 |
| 2.25 x 52.75 | 70042229 |
| 2.25 X 54.625 | 91401303 |
| 2.25 X 55.125 | 3423275 |
| 2.25 X 64.5 (Non-Plated) | 70011218 |
| 2.25 X 64.5 (Plated) | 70011215 |
| 2.25 x 64.75 (Welded Collar) | 70040235 |
| 2.25 X 65.125 | 3423242 |
| 2.25 X 69 (Non-Plated) | 70011219 |
| 2.25 X 69 (Plated) | 70011216 |
| 2.25 x 74 | 70011217 |

Continued...

Order Today

Online: onlineexpress.jlg.com | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

Note:

- Please refer to OEM manual to confirm correct part number and machine serial number.
- JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
- All manufacturer names are registered trademarks by their business or other parent company.
- Prices are subject to change
- Pallet quantities may be available upon request

FORK PINS Continued...

| SIZE | PART NUMBER |
|------------------------------|-------------|
| 2.25 x 74 (Non-Plated) | 70011220 |
| 2.25 x 75 | 70011990 |
| 2.25 x 76.75 (Welded Collar) | 70040236 |
| 2.25 x 76.75 | 70042230 |
| 2.25 x 77.125 | 3423276 |
| 2.25 x 78.625 | 91401324 |
| 2.25 x 79 | 70020027 |
| 2.36 x 24.69 | 4040283 |
| 2.375 x 50.8125 | 7028136 |
| 2.5 x 28.5 | 70040233 |
| 2.75 x 44.29 | 1001218754 |
| 2.75 x 63.15 | 1001191108 |
| 2.75 x 75.16 | 1001214254 |
| 3 x 84 | 70011759 |
| 2" Fork Collar | 1-1074GT |
| 2.25" Fork Collar | 1-1113GT |
| 2.25" Fork Collar | 90200003 |

ITA FORKS

Full offering can be found in the JLG MaxQuip Forks Catalog

CLASS II

Clip Spacing 16", Standard Back Height 21"

| THICKNESS | WIDTH | TAPER | LENGTH | PART NUMBER |
|-----------|-------|----------|--------|-------------|
| 1.5" | 4" | Standard | 30" | 70011265 |
| | | | 32" | 70011266 |
| | | | 36" | 70010573 |
| | | | 42" | 70010574 |
| | | | 48" | 70010575 |
| | | | 54" | 70010576 |
| | | | 60" | 70010577 |
| | | | 72" | 70011267 |
| | 5" | Standard | 30" | 70011271 |
| | | | 36" | 70010578 |
| | | | 42" | 70010579 |
| | | | 48" | 70010580 |
| | | | 54" | 70011272 |
| | | | 60" | 70011273 |
| 1.25" | 4" | Standard | 36" | 70011262 |
| | | | 42" | 70010571 |
| | | | 48" | 70010572 |

96" forks are rated at 48" load center; Use only forks and fork combinations approved by the manufacturer

Continued...

Order Today

Online: onlineexpress.jlg.com | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
 - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
 - All manufacturer names are registered trademarks by their business or other parent company.
 - Prices are subject to change
 - Pallet quantities may be available upon request

CLASS II Continued...

Clip Spacing 16", Standard Back Height 21"

| THICKNESS | WIDTH | TAPER | LENGTH | PART NUMBER |
|-----------|----------|----------|----------|-------------|
| 1.75" | 4" | Standard | 30" | 70011268 |
| | | | 36" | 70010581 |
| | | | 42" | 70010582 |
| | | | 48" | 70010583 |
| | | | 54" | 70010584 |
| | | | 60" | 70010585 |
| | | | 72" | 70010586 |
| | 96" | 70011270 | | |
| | 5" | Standard | 30" | 70011275 |
| | | | 36" | 70011276 |
| | | | 42" | 70010587 |
| | | | 48" | 70010588 |
| | | | 54" | 70011277 |
| | | | 60" | 70010589 |
| 72" | | | 70011278 | |
| 96" | 70011280 | | | |

96" forks are rated at 48" load center; Use only forks and fork combinations approved by the manufacturer

CLASS III

Clip Spacing 18.78", Standard Back Height 25.25"

| THICKNESS | WIDTH | TAPER | LENGTH | PART NUMBER |
|-----------|-------|----------|--------|-------------|
| 1.75" | 5" | Standard | 36" | 70011525 |
| | | | 42" | 70010596 |
| | | | 48" | 70010597 |
| | | | 54" | 70011526 |
| | | | 60" | 70010598 |
| | | | 72" | 70011527 |
| | | | 96" | 70011529 |
| 2" | 5" | Standard | 42" | 70010599 |
| | | | 48" | 70010600 |
| | | | 54" | 70010601 |
| | | | 60" | 70010602 |
| | | | 72" | 70010603 |

96" forks are rated at 48" load center; Use only forks and fork combinations approved by the manufacturer

Continued...

Order Today

Online: onlineexpress.jlg.com | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
 - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
 - All manufacturer names are registered trademarks by their business or other parent company.
 - Prices are subject to change
 - Pallet quantities may be available upon request

CLASS III Continued...

Clip Spacing 18.78", Standard Back Height 25.25"

| THICKNESS | WIDTH | TAPER | LENGTH | PART NUMBER |
|-----------|-------|--------------------------------|--------|-------------|
| 2" | 6" | Standard | 42" | 70010604 |
| | | | 48" | 70010605 |
| | | | 54" | 70011470 |
| | | | 60" | 70010606 |
| | | | 72" | 70011538 |
| | | | 96" | 70011540 |
| 1.5" | 7" | Full Taper and Polish "Lumber" | 42" | 70011504 |
| | | | 54" | 70011505 |
| | | | 60" | 70011506 |
| | 8" | Full Taper and Polish "Lumber" | 42" | 70011512 |
| | | | 54" | 70011513 |
| | | | 60" | 70011514 |

CLASS IV

Clip Spacing 23.54", Standard Back Height 33"

| THICKNESS | WIDTH | TAPER | LENGTH | PART NUMBER |
|-----------|-------|----------|--------|-------------|
| 2.5" | 6" | Standard | 42" | 70011597 |
| | | | 48" | 70011598 |
| | | | 54" | 70011599 |
| | | | 60" | 70010799 |
| | | | 84" | 70011601 |

ORDER DETAILS AND INFORMATION

- Easy online ordering
- Over 150 sizes available for immediate shipping
- Shipping from six convenient North American locations - Oregon, California, Texas, South Carolina, Ohio, and one location in Ontario, Canada (NOTE: One order could ship from multiple locations)
- Forks in stock ordered before noon EST will ship the same day
- Forks in stock ordered after noon EST will ship within 24 hours
- Forks not in stock, special order forks and forks in palletted quantities have a lead time of 8-10 working days ONLY
- Any customized fork will not qualify as a returnable item.
- Forks returned at any time may be subject to a 10% re-stocking fee

Order Today

Online: onlineexpress.jlg.com | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

Note:

- Please refer to OEM manual to confirm correct part number and machine serial number.
- JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
- All manufacturer names are registered trademarks by their business or other parent company.
- Prices are subject to change
- Pallet quantities may be available upon request