

Fork Mounted Work Platform

Simply slide the forks into the work platform pockets, secure the locking pins and begin lifting people to working heights. The only ANSI approved fork mounted platform for JLG telehandlers.

Features

- Only for use with 48 in. pallet forks
- 4 ft. x 8 ft. platform
- Side entry with removable front rail
- 1000 lbs. capacity
- 3 lanyard attach points
- Fork pocket dimensions: 2.5 in. x 6.5 in. x 48 in.
- Fork drop must be 3.75" below carriage to be able to lock pin.



Current Production - Fork Mounted Work Platform

Available Through JLG Aftermarket Or With New Machine Orders

| LENGTH | | 48 in. | |
|-------------|-----------|---|---|
| CAPACITY | | 1000 lbs. | |
| VERSION | | English | |
| PART NO. | | 1001238653S | |
| MODEL | SN BREAKS | | |
| JLG | 742 | Without Outriggers | • |
| | 943/1043 | Without Outriggers | • |
| | | With Outriggers | • |
| | 1055 | Prior To 0160074169 | • |
| | | 0160074169 - Present | • |
| | 1255 | Prior To 0160074168 | • |
| | | 0160074168 - Present | • |
| | 1075 | ALL | • |
| 1644/1732 | ALL | • | |
| G5-18A | ALL | • | |
| SKYTRAK T4F | 6036 | 0160069720 - 0160075649, incl 0160065792, 0160065798, 0160065824, 0160069383, 0160069411, 0160075653 & 0160075722 | • |
| | | 0160075650 - Present, excl 0160075653 & 0160075722 | • |
| | 6042 | 0160069720 - 0160075656, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411 | • |
| | | 0160075657 - Present | • |
| | 8042 | 0160069722 - 0160075670, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441 | • |
| | | 0160075671 - Present | • |
| | 10042 | 0160069722 - 0160075987, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441 | • |
| | | 0160075988 - Present | • |
| | 10054 | 0160069722 - 0160075682, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359, 0160069441 & 0160075696 | • |
| | | 0160075683 - Present, excl 0160075696 | • |
| 12054 | ALL | • | |

Use Appropriate Carriage Attachment Load Chart

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Fork Mounted Work Platform, JLG
Available Through JLG Aftermarket Parts

| | | | |
|----------------------|---------|---|---|
| LENGTH | | 48 in. | |
| CAPACITY | | 1000 lbs. | |
| VERSION | | English | |
| PART NO. | | 1001238653S | |
| | MODEL | SN BREAKS | |
| JLG | 642 | ALL | |
| | 619A | ALL | |
| | 723A | ALL | |
| | G5-19A | ALL | |
| | G6-23A | ALL | |
| | G6-42A | 0160037722 - 0160040659 | . |
| | | 0160040678 - Present | . |
| | G9-43A | 0160037671 - 0160040674, excl 0160040468 & 0160040672 | . |
| | | 0160040675 - Present, incl 0160040468 & 0160040672 | . |
| | G10-43A | 0160037671 - 0160040674, excl 0160040468 & 0160040672 | . |
| | | 0160040675 - Present, incl 0160040468 & 0160040672 | . |
| | G10-55A | 0160037690 - 0160038486, incl 0160038505 & 0160038507, excl 0160038324, 0160038489 & 0160038493 | . |
| | | 0160038500 - Present, incl 0160038324, 0160038489 & 0160038493, excl 0160038505 & 0160038507 | . |
| | G12-55A | 0160037689 - 0160038533 | . |
| | | 0160038538 - Present | . |
| | G15-44A | Prior To 0160074142 | . |
| 0160074142 - Present | | . | |
| TF6-42 | ALL | . | |

Non-Current Production - Fork Mounted Work Platform, Gradall
Available Through JLG Aftermarket Parts

| | | | |
|----------|---------------------|----------------------|---|
| LENGTH | | 48 in. | |
| CAPACITY | | 1000 lbs. | |
| VERSION | | English | |
| PART NO. | | 1001238653S | |
| | MODEL | SN BREAKS | |
| GRADALL | 522/524D | ALL | |
| | 534C9 | ALL | |
| | 534C10 | ALL | |
| | 534D6 | ALL | |
| | 534D-9 | Prior To 0160037689 | . |
| | | 0160037689 - Present | . |
| | 534D-10 | Prior To 0160037689 | . |
| | | 0160037689 - Present | . |
| | 534D10-45 | ALL | |
| | 544C | ALL | |
| | 544D | Prior To 0160037689 | . |
| | | 0160037689 - Present | . |
| | 544D10-55 | ALL | |
| G6-42P | Prior To 0160037689 | . | |

Use Appropriate Carriage Attachment Load Chart

NOTES:

Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

ATTACHMENTS

Non-Current Production - Fork Mounted Work Platform, SkyTrak
Available Through JLG Aftermarket Parts

| | | | |
|----------|-------|--|---|
| LENGTH | | 48 in. | |
| CAPACITY | | 1000 lbs. | |
| VERSION | | English | |
| PART NO. | | 1001238653S | |
| | MODEL | SN BREAKS | |
| SKYTRAK | 4266 | ALL | • |
| | 4270 | ALL | • |
| | 4290 | ALL | • |
| | 5028 | ALL | • |
| | 6036 | 0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411 | • |
| | 6042 | 0160031200 - 0160069719, excl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411 | • |
| | 8042 | 0160031235 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441 | • |
| | 10042 | 0160031425 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 01600669359 & 0160069441 | • |
| | 10054 | 0160031255 - 0160069721, excl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441 | • |

Non-Current Production - Fork Mounted Work Platform, Lull
Available Through JLG Aftermarket Parts

| | | | |
|----------|--------------|---------------------------------------|---|
| LENGTH | | 48 in. | |
| CAPACITY | | 1000 lbs. | |
| VERSION | | English | |
| PART NO. | | 1001238653S | |
| | MODEL | SN BREAKS | |
| LULL | 644B-37 | ALL | • |
| | 644B-42 | ALL | • |
| | 644D-34 | ALL | • |
| | 644E-42 | 0160037900 - Present | • |
| | 844C-42 | ALL | • |
| | 944E-42 | 0160037794 - Present, incl 0160045421 | • |
| | 1044C-42 | ALL | • |
| | 1044C-54 | 0160037893 - Present | • |
| | 1044C-54 SII | 0160037794 - Present | • |

Use Appropriate Carriage Attachment Load Chart



NOTES:

• Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.