

Forks

There are three main fork types available: the pallet fork, the cubing fork and the lumber fork.



Pallet Forks

- handle palletized material and other loads that require transportation and placement



Cubing Forks

- smaller width
- used to load, unload and place cubes of brick and block



Lumber Forks

- wider width
- ideal for separating stacks of lumber

Current Production - Pallet Forks

Available Through JLG Aftermarket Or With New Machine Orders

TYPE		Pallet							
CAPACITY PER FORK AT 24 IN. LOAD CENTER		3,800 lbs.	5475 lbs.	5650 lbs.	6850 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.	9,050 lbs.
FORK DIMENSIONS		2" X 4" X 48"	2.25" x 4" x 48"	2.25" x 6" x 72"	2.25" x 5" x 48"	2.25" X 6" X 96"	2.25" X 6" X 72"	2.25" X 6" X 60"	2.25" X 6" X 48"
EYE DIAMETER		2.25 in.	2.25 in.	2.25 in.	2.25 in.	2.75 in.	2.75 in.	2.75 in.	2.75 in.
FORK DROP		24 in.	24 in.	24 in.	24 in.	24 in.	24 in.	24 in.	24 in.
PART NO.		1001099458	2340045	1001259206	2340038	1001196949	1001196950	1001196951	1001196952
Model		SN Break							
JLG	742	ALL	.	.	.				
	943	ALL	.	.	.				
	1043	ALL	.	.	.				
	1055	ALL	.	.	.				
	1255	ALL	.	.	.				
	1075	ALL	.	.	.				
	1644	ALL			
	1732	ALL			
	G5-18A	ALL	.						
SKYTRAK™	6036	0160069720 - Present, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	.	.	.				
	6042	0160069720 - Present, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	.	.	.				
	8042	0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	.	.	.				
	10042	0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	.	.	.				
	10054	0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	.	.	.				
	12054	ALL	.	.	.				

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

CURRENT & NON-CURRENT FORKS | JLG/SKYTRAK

Current Production - Cubing and Lumber Forks

Available Through JLG Aftermarket Or With New Machine Orders

TYPE		Cubing	Lumber			
CAPACITY PER FORKAT 24 IN. LOAD CENTER		1940 lbs.	3650 lbs.	5400 lbs.	6850 lbs.	8150 lbs.
FORK DIMENSIONS		2"x2"x48"	1.5"x6"x60"	1.75"x7"x60"	2"x7"x60"	2.25"x6"x60"
EYE DIAMETER		2.25 in.	2.25 in.	2.25 in.	2.25 in.	2.25 in.
FORK DROP		24 in.	24 in.	24 in.	24 in.	24 in.
PART NO.		2340037	1001099457	2340046	1001097110	2340039
Model	SN Break					
JLG	742	ALL	•	•	•	•
	943	ALL	•	•	•	•
	1043	ALL	•	•	•	•
	1055	ALL	•	•	•	•
	1255	ALL	•	•	•	•
	1075	ALL	•	•	•	•
	1644	ALL				
	1732	ALL				
	G5-18A	ALL	•	•		
SKYTRAK T4F	6036	0160069720 - Present, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•	•		•
	6042	0160069720 - Present, incl 0160065792, 0160065798, 0160065824, 0160069383 & 0160069411	•	•		•
	8042	0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•	•		•
	10042	0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•	•		•
	10054	0160069722 - Present, incl 0160065791, 0160065796, 0160065825, 0160065826, 0160069336, 0160069359 & 0160069441	•	•		•
	12054	ALL	•	•		•

Non-Current Production - Pallet Forks, JLG

Available Through JLG Aftermarket Parts

TYPE		Pallet						
CAPACITY PER FORK AT 24 IN. LOAD CENTER		3800 lbs.	4409 lbs. (rated at 20" load center)	4409 lbs. (rated at 20" load center)	5475 lbs.	5475 lbs.	5650 lbs.	5650 lbs.
FORK DIMENSIONS		2"x4"x48"	1.75"x5"x48"	2"x4"x48"	2.25"x4"x48"	2.25"x4"x48"	2"x6"x60"	2.25"x6"x72"
EYE DIAMETER		2.25 in.	2.375 in.	2.375 in.	2.25 in.	2.25 in.	2.25 in.	2.25 in.
FORK DROP		24 in.	28 in.	28 in.	20 in.	24 in.	25.5 in.	24 in.
PART NO.		1001099458	2340029	2340030	91513206	2340045	91403580	1001259206
Model	SN Break							
JLG	642	ALL				•		•
	619A	ALL	•					
	723A	ALL	•			•		•
	G5-19A	ALL		•	•			
	G6-23A	ALL		•	•			
	G6-42A	Prior To 0160037722				•	•	•
	G6-42A	0160037722 - Present					•	•
	G9-43A	Prior To 0160037671	•			•	•	•
	G9-43A	0160037671 - Present					•	•
	G10-43A	ALL					•	•
	G10-55A	Prior To 0160037689				•	•	•
	G10-55A	0160037689 - Present					•	•
	G12-55A	Prior To 0160037689				•	•	•
	G12-55A	0160037689 - Present					•	•
	TF6-42	ALL				•	•	•

NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Pallet options continue on next page

Non-Current Production - Pallet Forks, JLG

Available Through JLG Aftermarket Parts

TYPE			Pallet				Pallet (Sold as Set)		Pallet (Fork Positioning Carriage Only)
CAPACITY PER FORK AT 24 IN. LOAD CENTER			6850 lbs.	6850 lbs.	7500 lbs.	8150 lbs.	4409 lbs. (rated at 20" load center)	4409 lbs. (rated at 20" load center)	5000 lbs.
FORK DIMENSIONS			2.25"x5"x48"	2.25"x5"x48"	2.36"x6"x48"	2.25"x6"x60"	2"x4"x48"	2"x5"x48"	2.25"x4"x48"
EYE DIAMETER			2.25 in.	2.25 in.	2.31 in.	2.25 in.	2.375 in.	2.375 in.	2 in.
FORK DROP			20 in.	24 in.	24 in.	20 in.	21.5 in.	21.5 in.	24 in.
PART NO.			91563141	2340038	1001193801	91563142	1001100911	1001117945	7301408
	Model	SN Break							
JLG	642	ALL		.					
	723A	ALL		.					
	G5-19A	ALL					.	.	
	G6-23A	ALL					.	.	
	G6-42A	Prior To 0160037722		.	.		.		
	G6-42A	0160037722 - Present		.					.
	G9-43A	Prior To 0160037671		.	.		.		
	G9-43A	0160037671 - Present		.					.
	G10-43A	ALL		.					.
	G10-55A	Prior To 0160037689		.	.		.		
	G10-55A	0160037689 - Present		.					.
	G12-55A	Prior To 0160037689		.	.		.		
	G12-55A	0160037689 - Present		.					.
	G15-44A	ALL			.				
	TF6-42	ALL		.	.		.		

Non-Current Production - Cubing and Drywall Forks, JLG

Available Through JLG Aftermarket Parts

TYPE			Cubing		Cubing (Sold as Set)	Drywall
CAPACITY PER FORK AT 24 IN. LOAD CENTER			1940 lbs.	1940 lbs.	1940 lbs.	2500 lbs.
FORK DIMENSIONS			2"x2"x48"	2"x2"x48"	2"x2"x48"	1.75"x4"x48"
EYE DIAMETER			2.25 in.	2.25 in.	2.375"	2.25 in.
FORK DROP			20 in.	24 in.	21.5 in.	29 in.
PART NO.			91403359	2340037	10010979225	91403366
	Model	SN Break				
JLG	642	ALL		.		
	619A	ALL		.		
	723A	ALL		.		
	G5-19A	ALL			.	
	G6-23A	ALL			.	
	G6-42A	Prior To 0160037722		.	.	
	G6-42A	0160037722 - Present		.		
	G9-43A	Prior To 0160037671		.	.	
	G9-43A	0160037671 - Present		.		
	G10-43A	ALL		.		
	G10-55A	Prior To 0160037689		.	.	
	G10-55A	0160037689 - Present		.		
	G12-55A	Prior To 0160037689		.	.	
	G12-55A	0160037689 - Present		.		
	TF6-42	ALL		.	.	

NOTES:

- Use only JLG approved attachments with proper handler model/attachment load capacity charts displayed in the operator's cab.
- Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
- Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
- Never use your attachment as a work platform or personnel carrier.

Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.

Non-Current Production - Lumber Forks, JLG

Available Through JLG Aftermarket Parts

TYPE		Lumber						Dual Taper
CAPACITY PER FORK AT 24 IN. LOAD CENTER		3050 lbs.	3650 lbs.	5400 lbs.	6850 lbs.	8150 lbs.	8150 lbs.	7500 lbs.
FORK DIMENSIONS		1.75"x4"x48"	1.5"x6"x60"	1.75"x7"x60"	2"x7"x60"	2.25"x6"x60"	2.25"x6"x72"	2.36"x6"x72"
EYE DIAMETER		2.25 in.	2.2 in.	2.25 in.	2.25 in.	2.25 in.	2.25 in.	2.31 in.
FORK DROP		25.5 in.	24 in.	24 in.	24 in.	24 in.	20 in.	24 in.
PART NO.		91403364	1001099457	2340046	1001097110	2340039	91563143	1001193802
Model	SN Break							
JLG	642	ALL	•		•	•		
	619A	ALL	•					
	723A	ALL	•					
	G6-42A	Prior To 0160037722	•	•		•	•	
	G6-42A	0160037722 - Present		•		•		
	G9-43A	Prior To 0160037671	•	•		•	•	
	G9-43A	0160037671 - Present		•		•		
	G10-43A	ALL		•		•		
	G10-55A	Prior To 0160037689	•	•		•	•	
	G10-55A	0160037689 - Present		•		•		
	G12-55A	Prior To 0160037689	•	•		•	•	
	G12-55A	0160037689 - Present		•		•		
	G15-44A	ALL						•
	TF6-42	ALL	•		•		•	



NOTES:

- Use only JLG approved attachments with proper material handler model/attachment load capacity charts displayed in the operator's cab.
 - Forks rated less than the attachment and/or machine capacity decrease the capacity of the attachment and machine to that of the forks.
 - Forks rated more than the attachment and/or machine capacity do not increase the attachment or machine capacity.
 - Never use your attachment as a work platform or personnel carrier.
- Can't find the attachment you are looking for? Contact your JLG Aftermarket Parts representative at 1-877-JLG-LIFT or visit www.jlg.com.