


# TELEHANDLER FORKS & PINS INDUSTRIAL FORKS



## Offering a Wide Range of All Makes Forks

JLG offers a comprehensive line up of telehandler forks for all makes. Listed forks include standard heel radius and offer the advantage of:

- Competitive pricing
- Order consolidation
  - Reduce transactional costs
  - Add to your economy order
- Free Freight on orders over \$1,000



## SHAFT FORKS

Full offering can be found in the JLG MaxQuip Forks Catalog

### GENIE

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER	
GTH636/GTH844	2"	20.75"	2"	4"	48"	8,000 lbs	Pallet	70011874	
					60"			70011878	
					72"			70011861	
				6"	96"	7,500 lbs	Pallet	70011734	
				2"	48"	4,000 lbs	Cubing	70011864	
GTH1056	2.25"	21"	2.375"	4"	48"	9,400 lbs	Pallet	70011859	
					60"			10,000 lbs	70011871
					72"			9,400 lbs	70011860
			2"	6"	72"	12,000 lbs	Pallet	70011715	
				5"	96"	10,000 lbs	Pallet	70011714	
				2"	48"	4,000 lbs	Cubing	70011863	
GTH5519	2.25"	20.236"	1.5"	4"	48"	5,500 lbs	Pallet	70011858	
		21"	2.375"		60"	10,000 lbs		70011871	
		20.236"	1.5"		72"	5,500 lbs		70013076	
GTH1544/GTH1256	2.75"	22"	2.375"	5.875"	48"	18,200 lbs	Pallet	70013525	
				6"	60"	15,000 lbs		70011937	
					72"	18,200 lbs		70013526	
					96"	15,000 lbs		70012273	

\*Capacities are per pair

Continued...

## Order Today

Online: [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | Call: 1-877-554-5438 | Fax: 1-800-733-8939

Note:

- Please refer to OEM manual to confirm correct part number and machine serial number.
- JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
- All manufacturer names are registered trademarks by their business or other parent company.
- Prices are subject to change
- Pallet quantities may be available upon request

**JCB**

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER	
ALL	2.25"	22.5"	2"	4"	48"	8,210 lbs	Pallet	70011931	
				5"	60"	10,000 lbs		70011972	
					72"			70011929	
					96"			70013032	
			2.25"	48"	12,000 lbs	70013631			
				60"		70013632			
				72"		70013633			
				96"		70013634			
			2"	2"	48"	4,000 lbs		Cubing	70011930

**JLG/SkyTrak**

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER	
DFP** Carriage	2"	24"	2.36"	4"	48"	10,000 lbs	Pallet	70011397	
					60"			70011974	
					72"			70012267	
ALL	2.25"	24"	2"	4"	48"	7,600 lbs	Pallet	70011381	
			2.25"			10,950 lbs		70011390	
			2"	5"		10,200 lbs		70011696	
			2.25"			13,700 lbs		70011386	
			1.75"	7"	60"	10,800 lbs	Lumber	70011391	
			2.25"	6"		16,300 lbs	70011387		
				5"	12,000 lbs	70011705			
				5"	72"	15,200 lbs	70011697		
			2"	6"		11,300 lbs	70011421		
				2.25"	5"	96"	10,000 lbs	70011716	
			6"		16,500 lbs		70011704		
			2"	2"	48"	3,880 lbs	Cubing	70011385	
			High Capacity	2.75"	25"	2.36"	6"	48"	19,000 lbs
60"	70013648								
72"	70013647								
96"	70013646								
Older SkyTrak	2"	24"	2"	4"	48"	8,000 lbs	Pallet	70011394	
			2.25"			10,000 lbs		70011397	
			2"	6"	60"	11,300 lbs	Lumber	70011384	
				5"	72"	10,120 lbs	Pallet	70011389	
				2"	2"	2"	4,200 lbs	Cubing	70012248

\*Capacities are per pair

\*\*DFP=Dual Fork Positioning Carriage (7301295S)

Continued...

**Order Today**

**Online:** [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
  - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
  - All manufacturer names are registered trademarks by their business or other parent company.
  - Prices are subject to change
  - Pallet quantities may be available upon request

**MAGNI**

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER
RTH6.30 / RTH6.27	2 3/8"	25.25"	2 3/8"	5"	48"	13,500 lbs	Pallet	70013644

**MANITOU**

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER
6K	2"	24"	2.25"	4"	48"	6,000 lbs	Brick	70013640
6K, 8K & 10K	2"	24"	2"	5"	48"	10,000 lbs	Pallet	70013636
					60"			70013637
					72"			70013638
					96"			70013639
12K	2.5"	23"	2"	5.875"	48"	12,000 lbs	Pallet	70013667
					60"			70013668
					72"			70013669
					96"			70013670

**SKYJACK**

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER
ALL	2"	28"	2.25"	4"	48"	10,000 lbs	Pallet	70013715
				5"	48"	13,750 lbs		70013527
					60"			70011865
					72"			70013528
					96"			70013635

**WACKER**

MODEL	EYE	DROP	THICKNESS	WIDTH	LENGTH	CAPACITY*	TYPE	PART NUMBER
ALL	2.5"	22"	2"	3 7/8"	48"	6,000 lbs	Pallet	70013641
					60"			70013642
					72"			70013643

\*Capacities are per pair

**Order Today**

**Online:** [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
  - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
  - All manufacturer names are registered trademarks by their business or other parent company.
  - Prices are subject to change
  - Pallet quantities may be available upon request

**FORK PINS**

SIZE	PART NUMBER
1.875 X 53.75	10138064
1.875 X 54.06	10138499
1.875 X 76.25	10116207
2 x 50.5	70046081
2 X 50.79	7028136
2 X 51.12	7128772
2 x 51.5	70040232
2 x 52	70045192
2 x 52.75 (Welded Collar)	70040237
2 X 54.06	10165685
2 X 54.25	10223049
2 X 54.5	90451058
2 X 55.38	7128782
2 X 63.12	7128792
2 x 64.75 (Welded Collar)	70040238
2 x 64.75	70042007
2 x 68.5	70046082
2 X 71	90402478
2 X 72.125	91301083
2 x 74	70012208
2 X 76.5	90551013
2 x 76.75 (Welded Collar)	70040239
2 x 76.75	70045164
2 X 77.25	10124495
2.25 X 48.38	70021339
2.25 X 50.25	70022105
2.25 x 52.75 (Welded Collar)	70040234
2.25 x 52.75	70042229
2.25 X 54.625	91401303
2.25 X 55.125	3423275
2.25 X 64.5 (Non-Plated)	70011218
2.25 X 64.5 (Plated)	70011215
2.25 x 64.75 (Welded Collar)	70040235
2.25 X 65.125	3423242
2.25 X 69 (Non-Plated)	70011219
2.25 X 69 (Plated)	70011216
2.25 x 74	70011217

Continued...

**Order Today**

**Online:** [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
  - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
  - All manufacturer names are registered trademarks by their business or other parent company.
  - Prices are subject to change
  - Pallet quantities may be available upon request

**FORK PINS** Continued...

SIZE	PART NUMBER
2.25 x 74 (Non-Plated)	70011220
2.25 x 75	70011990
2.25 x 76.75 (Welded Collar)	70040236
2.25 x 76.75	70042230
2.25 x 77.125	3423276
2.25 x 78.625	91401324
2.25 x 79	70020027
2.36 x 24.69	4040283
2.375 x 50.8125	7028136
2.5 x 28.5	70040233
2.75 x 44.29	1001218754
2.75 x 63.15	1001191108
2.75 x 44.29	1001214254
3 x 84	70011759
2" Fork Collar	1-1074GT
2.25" Fork Collar	1-1113GT
2.25" Fork Collar	90200003

**ITA FORKS**

Full offering can be found in the JLG MaxQuip Forks Catalog

**CLASS II**

Clip Spacing 16", Standard Back Height 21"

THICKNESS	WIDTH	TAPER	LENGTH	PART NUMBER
1.5"	4"	Standard	30"	70011265
			32"	70011266
			36"	70010573
			42"	70010574
			48"	70010575
			54"	70010576
			60"	70010577
			72"	70011267
	5"	Standard	30"	70011271
			36"	70010578
			42"	70010579
			48"	70010580
			54"	70011272
			60"	70011273
1.25"	4"	Standard	36"	70011262
			42"	70010571
			48"	70010572

96" forks are rated at 48" load center; Use only forks and fork combinations approved by the manufacturer

Continued...

**Order Today**

**Online:** [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

Note:

- Please refer to OEM manual to confirm correct part number and machine serial number.
- JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
- All manufacturer names are registered trademarks by their business or other parent company.
- Prices are subject to change
- Pallet quantities may be available upon request

**CLASS II** Continued...

**Clip Spacing 16", Standard Back Height 21"**

THICKNESS	WIDTH	TAPER	LENGTH	PART NUMBER
1.75"	4"	Standard	30"	70011268
			36"	70010581
			42"	70010582
			48"	70010583
			54"	70010584
			60"	70010585
			72"	70010586
	96"	70011270		
	5"	Standard	30"	70011275
			36"	70011276
			42"	70010587
			48"	70010588
			54"	70011277
			60"	70010589
72"			70011278	
96"	70011280			

96" forks are rated at 48" load center; Use only forks and fork combinations approved by the manufacturer

**CLASS III**

**Clip Spacing 18.78", Standard Back Height 25.25"**

THICKNESS	WIDTH	TAPER	LENGTH	PART NUMBER
1.75"	5"	Standard	36"	70011525
			42"	70010596
			48"	70010597
			54"	70011526
			60"	70010598
			72"	70011527
			96"	70011529
2"	5"	Standard	42"	70010599
			48"	70010600
			54"	70010601
			60"	70010602
			72"	70010603

96" forks are rated at 48" load center; Use only forks and fork combinations approved by the manufacturer

*Continued...*

**Order Today**

**Online:** [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

- Note:
- Please refer to OEM manual to confirm correct part number and machine serial number.
  - JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
  - All manufacturer names are registered trademarks by their business or other parent company.
  - Prices are subject to change
  - Pallet quantities may be available upon request

**CLASS III** Continued...

*Clip Spacing 18.78", Standard Back Height 25.25"*

THICKNESS	WIDTH	TAPER	LENGTH	PART NUMBER
2"	6"	Standard	42"	70010604
			48"	70010605
			54"	70011470
			60"	70010606
			72"	70011538
			96"	70011540
1.5"	7"	Full Taper and Polish "Lumber"	42"	70011504
			54"	70011505
			60"	70011506
	8"	Full Taper and Polish "Lumber"	42"	70011512
			54"	70011513
			60"	70011514

**CLASS IV**

*Clip Spacing 23.54", Standard Back Height 33"*

THICKNESS	WIDTH	TAPER	LENGTH	PART NUMBER
2.5"	6"	Standard	42"	70011597
			48"	70011598
			54"	70011599
			60"	70010799
			84"	70011601

**ORDER DETAILS AND INFORMATION**

- Easy online ordering
- Over 150 sizes available for immediate shipping
- Shipping from six convenient North American locations - Oregon, California, Texas, South Carolina, Ohio, and one location in Ontario, Canada (NOTE: One order could ship from multiple locations)
- Forks in stock ordered before noon EST will ship the same day
- Forks in stock ordered after noon EST will ship within 24 hours
- Forks not in stock, special order forks and forks in palletted quantities have a lead time of 8-10 working days ONLY
- Any customized fork will not qualify as a returnable item.
- Forks returned at any time may be subject to a 10% re-stocking fee

**Order Today**

**Online:** [onlineexpress.jlg.com](http://onlineexpress.jlg.com) | **Call:** 1-877-554-5438 | **Fax:** 1-800-733-8939

Note:

- Please refer to OEM manual to confirm correct part number and machine serial number.
- JLG makes no representation that any competitive part is an exact replacement for any given OEM part specified by the original manufacturer or that JLG has received any approval or sponsorship by - or is in any way affiliated or associated with - any such original manufacturer.
- All manufacturer names are registered trademarks by their business or other parent company.
- Prices are subject to change
- Pallet quantities may be available upon request